

FORM INSP
Rev 05/11

**State of Colorado
Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Inspection Date:
11/24/2015

Document Number:
675101955

Overall Inspection:
SATISFACTORY

FIELD INSPECTION FORM

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	316503	316503	GRANAHAN, KYLE	<input type="checkbox"/>	

Operator Information:

OGCC Operator Number: 6720

Name of Operator: BAYLESS PRODUCER LLC* ROBERT L

Address: 621 17TH ST STE 2300

City: DENVER State: CO Zip: 80293

- THIS IS A FOLLOW UP INSPECTION
- FOLLOW UP INSPECTION REQUIRED
- NO FOLLOW UP INSPECTION REQUIRED
- INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
Thomas, John	505-326-2659	jthomas@rlbayless.com	all inspections

Compliance Summary:

QtrQtr: SWNE Sec: 23 Twp: 1S Range: 104W

Inspector Comment:

Related Facilities:

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
282731	WELL	PR	06/19/2013	GW	103-10679	WEAVER RIDGE 23-10	PR	<input checked="" type="checkbox"/>
429389	WELL	PR	08/25/2013	OW	103-11933	WEAVER RIDGE 23-7H	PR	<input checked="" type="checkbox"/>

Equipment:

Location Inventory

Special Purpose Pits: <u> </u>	Drilling Pits: <u> </u>	Wells: <u>3</u>	Production Pits: <u> </u>
Condensate Tanks: <u>6</u>	Water Tanks: <u>1</u>	Separators: <u>3</u>	Electric Motors: <u> </u>
Gas or Diesel Mortors: <u>3</u>	Cavity Pumps: <u> </u>	LACT Unit: <u> </u>	Pump Jacks: <u>3</u>
Electric Generators: <u> </u>	Gas Pipeline: <u>1</u>	Oil Pipeline: <u> </u>	Water Pipeline: <u> </u>
Gas Compressors: <u> </u>	VOC Combustor: <u> </u>	Oil Tanks: <u> </u>	Dehydrator Units: <u> </u>
Multi-Well Pits: <u> </u>	Pigging Station: <u> </u>	Flare: <u>1</u>	Fuel Tanks: <u> </u>

Location

Signs/Marker:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
TANK LABELS/PLACARDS	SATISFACTORY			
BATTERY	SATISFACTORY			
WELLHEAD	SATISFACTORY			

Emergency Contact Number (S/A/V): SATISFACTORY

Corrective Date:

Comment: 505-326-2659
 Corrective Action:

Spills:

Type	Area	Volume	Corrective action	CA Date
------	------	--------	-------------------	---------

Multiple Spills and Releases?

Fencing/:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
PUMP JACK	SATISFACTORY			
PUMP JACK	SATISFACTORY			

Equipment:

Type	#	Satisfactory/Action Required	Comment	Corrective Action	CA Date
Emission Control Device	1	SATISFACTORY			
Bird Protectors	3	SATISFACTORY			
Pump Jack	2	SATISFACTORY			
Gas Meter Run	2	SATISFACTORY			
Horizontal Heated Separator	2	SATISFACTORY			
Deadman # & Marked	6	SATISFACTORY			

Facilities: New Tank Tank ID: _____

Contents	#	Capacity	Type	SE GPS
PRODUCED WATER	1	400 BBLs	STEEL AST	,

S/A/V: SATISFACTORY Comment: AIRS ID 103/0456/001, 103/0456/002, 103/0456/003

Corrective Action: _____ Corrective Date: _____

Paint

Condition	Adequate
-----------	----------

Other (Content) _____
 Other (Capacity) _____
 Other (Type) _____

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Metal	Adequate	Walls Sufficient	Base Sufficient	Adequate

Corrective Action _____ Corrective Date _____

Comment _____

Facilities: New Tank Tank ID: _____

Contents	#	Capacity	Type	SE GPS
CRUDE OIL	5	400 BBLs	HEATED STEEL AST	,

S/A/V: SATISFACTORY Comment: AIRS ID 103/0456/001, 103/0456/002, 103/0456/003

Corrective Action: _____ Corrective Date: _____

Paint

Group	User	Comment	Date
OGLA	kubeczko	<p>SITE SPECIFIC COAs:</p> <p>A closed loop system must be implemented during drilling (which operator has indicated on the Form 2A); or, if a drilling pit is constructed, it must be lined. All cuttings generated during drilling with oil based muds or high chloride/TDS mud must be kept in the lined drilling pit, or placed either in containers or on a lined/bermed portion of the well pad; prior to offsite disposal. The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts.</p> <p>Any pit constructed to hold oil based muds or salt based fluids and/or cuttings must be lined.</p> <p>No portion of any pit that will be used to hold liquids shall be constructed on fill material, unless the pit and fill slope are designed and certified by a professional engineer, subject to review and approval by the director prior to construction of the pit. The construction and lining of the pit shall be supervised by a professional engineer or their agent. The entire base of the pit must be in cut.</p> <p>For pits containing fluids other than freshwater only; the pit must be fenced. If the pit is not drained, or closure has not begun within 30 days after last use for well completion, the pit must be netted. The operator must maintain the fencing and netting until the pit is closed.</p> <p>Operator must ensure 110 percent secondary containment for any volume of fluids (excluding freshwater) contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.</p> <p>Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via buried or temporary surface pipelines.</p> <p>The moisture content of any freshwater generated drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, if the freshwater generated drill cuttings are to be onsite, they must also meet the applicable standards of table 910-1.</p> <p>If a pit is constructed, a form 15 Earthen Pit Permit must be submitted and approved prior to construction/use of the pit.</p> <p>Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline or pit located on the well pad or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.</p> <p>Notify COGCC Oil and Gas Location Assessment (OGLA) Specialist for Western Colorado (Dave Kubeczko; email dave.kubeczko@state.co.us) and the COGCC Field Inspection Supervisor for Northwest Colorado (Shaun Kellerby; email shaun.kellerby@state.co.us) 48 hours prior to start of construction of the well pad, start of construction of the pit (if different), pit liner installation, and start of fracing operations (via Form 42).</p>	04/10/2012

S/A/V: SATISFACTORY **Comment:**

CA:

Date:

Wildlife BMPs:

BMP Type	Comment
Wildlife	<p>1. Where oil and gas activities must occur near active Mule Deer Critical Winter Range, conduct these activities outside the time period from December 1 through April 15.</p> <p>2. Restrict post-development well site visitations to between the hours of 10:00 a.m. and 2:00 p.m. from December 1 to April 15 for Mule Deer Critical Winter Range.</p> <p>3. Muffle sound from compressors, pump jacks or other motors necessary to run operations at the site. If mufflers are used, point upward to dissipate sound and vibration.</p> <p>4. Close and immediately reclaim all roads that are redundant, not used regularly, or have been abandoned to the maximum extent possible to minimize disturbance and habitat fragmentation.</p> <p>5. Install and utilize bear-proof dumpsters and trash receptacles for all food-related trash on location following COGCC Rule 1204 a-1.</p> <p>6. Avoid aggressive non-native grasses and shrubs in mule deer habitat restoration.</p>
Final Reclamation	<p>The following plan describe surface reclamation actions for vegetation and soil rehabilitation, scarification and reseeding of the pads "apron" (the area surrounding the pad site, including the cut and fill, topsoil and excess materials stockpile sites, etc.). The BLM will be contacted prior to commencement of any reclamation operations.</p> <p>The direction and specific work orders spelled out in this plan will apply to the existing well pad on the cited well. The overall goals and objectives of this plan for the Weaver Ridge 23-7H well pad site and any additional infrastructure associated with this well are to a) Minimize the surface impacts to other resources and authorized uses in the vicinity of the well pad site, b) Restore the landform and natural process to re-establish and sustain a pre-disturbance productivity of the site, consistent with the 1997 White River Resource Management Plan (WRRMP), c) Apply all Conditions of Approval (COA)s which are outlined in the Record of Decision/EA associated with this well and also consider additional applicable BLM's Conditions of Approval (WRRMP, Appendix 2) as a baseline to minimize surface impacts and enhance subsequent reclamation actions, and d) Apply appropriate new techniques and/or methodologies that would minimize surface disturbance and enhance reclamation success.</p> <p>This plan outlines new and additional interim and final reclamation actions for the Weaver Ridge 23-7H well pad that would need to occur to realize the objectives stated above. For more details please refer to the proposed BMP's on the attachment Tab.</p>

S/AV: _____ **Comment:** _____

CA: _____ **Date:** _____

Stormwater:

Comment: _____

Staking:

On Site Inspection (305):

Surface Owner Contact Information:

Name: _____ Address: _____

Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:

Landman Name: _____ Phone Number: _____

Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____

Request LGD Attendance: _____

LGD Contact Information:

Name: _____ Phone Number: _____ Agreed to Attend: _____

Summary of Landowner Issues:

Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

Facility

Facility ID: 282731 Type: WELL API Number: 103-10679 Status: PR Insp. Status: PR

Producing Well

Comment: Well PR - no leaks/venting

Facility ID: 429389 Type: WELL API Number: 103-11933 Status: PR Insp. Status: PR

Producing Well

Comment: Well PR - no leaks/venting

Environmental

Spills/Releases:

Type of Spill: Description: Estimated Spill Volume:
Comment:
Corrective Action: Date:
Reportable: GPS: Lat Long
Proximity to Surface Water: Depth to Ground Water:

Water Well:

DWR Receipt Num: Owner Name: GPS: Lat Long

Field Parameters:

Sample Location:

Emission Control Burner (ECB):

Comment:

Pilot: Wildlife Protection Devices (fired vessels):

Reclamation - Storm Water - Pit

Interim Reclamation:

Date Interim Reclamation Started: Date Interim Reclamation Completed:

Land Use: RANGELAND

Comment:

1003a. Debris removed? Pass CM CA CA Date
Waste Material Onsite? Pass CM CA CA Date
Unused or unneeded equipment onsite? Pass CM CA CA Date
Pit, cellars, rat holes and other bores closed? Pass CM

CA _____ CA Date _____
 Guy line anchors removed? _____ CM _____
 CA _____ CA Date _____
 Guy line anchors marked? Pass CM _____
 CA _____ CA Date _____

1003b. Area no longer in use? Pass Production areas stabilized ? Pass

1003c. Compacted areas have been cross ripped? _____

1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____

Cuttings management: _____

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____

Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATION

Cropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: RANGELAND

Reminder: _____

Comment: _____

Well plugged _____ Pit mouse/rat holes, cellars backfilled _____

Debris removed _____ No disturbance /Location never built _____

Access Roads Regraded _____ Contoured _____ Culverts removed _____

Gravel removed _____

Location and associated production facilities reclaimed _____ Locations, facilities, roads, recontoured _____

Compaction alleviation _____ Dust and erosion control _____

Non cropland: Revegetated 80% _____ Cropland: perennial forage _____

Weeds present _____ Subsidence _____

Comment: _____

Corrective Action: _____ Date _____

Overall Final Reclamation _____ Well Release on Active Location Multi-Well Location

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Berms	Pass					
		Gravel	Pass			

Inspector Name: GRANAHAN, KYLE

		Compaction	Pass			
				MHSP	Pass	
Compaction	Pass					

S/A/V: SATISFACTOR Corrective Date: _____
Y _____

Comment: No sediment flow present

CA: _____

Pits: NO SURFACE INDICATION OF PIT