

FORM
5A

Rev
06/12

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109

State of Colorado

Oil and Gas Conservation Commission



DE	ET	OE	ES
----	----	----	----

Document Number:
400938345

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: <u>47120</u>	4. Contact Name: <u>ILA BEALE</u>
2. Name of Operator: <u>KERR MCGEE OIL & GAS ONSHORE LP</u>	Phone: <u>(720) 929-6408</u>
3. Address: <u>P O BOX 173779</u>	Fax: _____
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80217-</u>	Email: <u>ila.beale@anadarko.com</u>

5. API Number <u>05-123-41004-00</u>	6. County: <u>WELD</u>
7. Well Name: <u>SKIM STATE</u>	Well Number: <u>29N-21HZ</u>
8. Location: QtrQtr: <u>SWSW</u> Section: <u>21</u> Township: <u>3N</u> Range: <u>65W</u> Meridian: <u>6</u>	
9. Field Name: <u>WATTENBERG</u> Field Code: <u>90750</u>	

Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 10/08/2015 End Date: 10/13/2015 Date of First Production this formation: 11/07/2015
Perforations Top: 7626 Bottom: 12667 No. Holes: 600 Hole size: 0.46

Provide a brief summary of the formation treatment: Open Hole:

"PERF AND FRAC FROM 7626-12,667.
357 BBL ACID, 121,214 SLICKWATER, 4,145 BBL TREATED WATER, - 125,715 BBL TOTAL FLUID
3,202,800# 40/70 OTTOWA SAND, - 3,202,800# TOTAL SAND."

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): 125715 Max pressure during treatment (psi): 7662

Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.30

Type of gas used in treatment: Min frac gradient (psi/ft): 0.93

Total acid used in treatment (bbl): 357 Number of staged intervals: 25

Recycled water used in treatment (bbl): 80 Flowback volume recovered (bbl): 1859

Fresh water used in treatment (bbl): 125278 Disposition method for flowback: RECYCLE

Total proppant used (lbs): 3202800 Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 11/17/2015 Hours: 24 Bbl oil: 124 Mcf Gas: 673 Bbl H2O: 188

Calculated 24 hour rate: Bbl oil: 124 Mcf Gas: 673 Bbl H2O: 188 GOR: 5427

Test Method: FLOWING Casing PSI: 1900 Tubing PSI: Choke Size: 14/64

Gas Disposition: SOLD Gas Type: WET Btu Gas: 1299 API Gravity Oil: 56

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production: _____

Date formation Abandoned: Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment: _____

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: ILA BEALE

Title: STAFF REG. SPECIALIST Date: _____ Email: rscdjpostdrill@anadarko.com

Attachment Check List

Att Doc Num	Name

Total Attach: 0 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>

Total: 0 comment(s)