

LC22-02 PAD
T9N-R59W
Section 22: NWNE
Weld Co.

Weld County, Colorado, Northern Part

30—Keith loam, 0 to 6 percent slopes

Map Unit Setting

National map unit symbol: 35zg
Elevation: 5,000 to 6,000 feet
Mean annual precipitation: 15 to 17 inches
Mean annual air temperature: 46 to 48 degrees F
Frost-free period: 120 to 150 days
Farmland classification: Prime farmland if irrigated

Map Unit Composition

Keith and similar soils: 83 percent
Minor components: 17 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Keith

Setting

Landform: Stream terraces, plains, swales
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Calcareous loamy alluvium

Typical profile

H1 - 0 to 4 inches: loam
H2 - 4 to 20 inches: silt loam
H3 - 20 to 60 inches: silt loam

Properties and qualities

Slope: 0 to 6 percent
Depth to restrictive feature: More than 80 inches
Natural drainage class: Well drained
Runoff class: Very low
Capacity of the most limiting layer to transmit water (Ksat):
Moderately high to high (0.57 to 5.95 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum in profile: 10 percent
Available water storage in profile: High (about 10.7 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 4e
Hydrologic Soil Group: A
Ecological site: Loamy Plains (R067BY002CO)

Minor Components

Weld

Percent of map unit: 8 percent

Wages

Percent of map unit: 4 percent

Kim

Percent of map unit: 3 percent

Mitchell

Percent of map unit: 2 percent

Data Source Information

Soil Survey Area: Weld County, Colorado, Northern Part

Survey Area Data: Version 10, Sep 23, 2014

LC22-02 PAD
T9N-R59W
Section 22: NWNE
Weld Co.

Weld County, Colorado, Northern Part

31—Kim-Mitchell complex, 0 to 6 percent slopes

Map Unit Setting

National map unit symbol: 35zh
Elevation: 3,500 to 6,500 feet
Mean annual precipitation: 11 to 17 inches
Mean annual air temperature: 46 to 54 degrees F
Frost-free period: 120 to 160 days
Farmland classification: Farmland of statewide importance

Map Unit Composition

Kim and similar soils: 45 percent
Mitchell and similar soils: 40 percent
Minor components: 15 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Kim

Setting

Landform: Alluvial fans, plains
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Calcareous loamy alluvium

Typical profile

H1 - 0 to 3 inches: loam
H2 - 3 to 7 inches: clay loam
H3 - 7 to 60 inches: loam

Properties and qualities

Slope: 0 to 6 percent
Depth to restrictive feature: More than 80 inches
Natural drainage class: Well drained
Runoff class: Low
Capacity of the most limiting layer to transmit water (Ksat):
Moderately high (0.20 to 0.60 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum in profile: 15 percent
Salinity, maximum in profile: Nonsaline to slightly saline (0.0 to 4.0 mmhos/cm)
Available water storage in profile: High (about 9.7 inches)

Interpretive groups

Land capability classification (irrigated): 4e
Land capability classification (nonirrigated): 4e
Hydrologic Soil Group: C
Ecological site: Loamy Plains (R067BY002CO)

Description of Mitchell

Setting

Landform: Alluvial fans, plains
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Calcareous loamy alluvium

Typical profile

H1 - 0 to 7 inches: silt loam
H2 - 7 to 60 inches: silt loam

Properties and qualities

Slope: 0 to 6 percent
Depth to restrictive feature: More than 80 inches
Natural drainage class: Well drained
Runoff class: Very low
Capacity of the most limiting layer to transmit water (Ksat):
Moderately high to high (0.57 to 5.95 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum in profile: 15 percent
Available water storage in profile: High (about 10.8 inches)

Interpretive groups

Land capability classification (irrigated): 4e
Land capability classification (nonirrigated): 4e
Hydrologic Soil Group: A
Ecological site: Siltstone Plains (R067BY009CO)

Minor Components

Keota

Percent of map unit: 5 percent

Haverson

Percent of map unit: 5 percent

Thedalund

Percent of map unit: 5 percent

Data Source Information

Soil Survey Area: Weld County, Colorado, Northern Part
Survey Area Data: Version 10, Sep 23, 2014