

**FORM
INSP**Rev
05/11**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

DE	ET	OE	ES
----	----	----	----

Inspection Date:

12/17/2015

Document Number:

680400320

Overall Inspection:

SATISFACTORY**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	
	412706	413733	BROWNING, CHUCK	2A Doc Num:	

Operator Information:OGCC Operator Number: 96850Name of Operator: WPX ENERGY ROCKY MOUNTAIN LLCAddress: PO BOX 370City: PARACHUTE State: CO Zip: 81635

- ☐ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☒ NO FOLLOW UP INSPECTION REQUIRED
- ☐ INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
Browning, Chuck	970-433-4139	chuck.browning@state.co.us	Field Inspector
		COGCCInspectionReports@wpxenergy.com	All Inspections

Compliance Summary:QtrQtr: NESW Sec: 32 Twp: 7S Range: 96W

Insp. Date	Doc Num	Insp. Type	Insp Status	Satisfactory /Action Required	PA P/F/I	Pas/Fail (P/F)	Violation (Y/N)
11/05/2015	675202196	DG	DG	SATISFACTORY			No

Inspector Comment:Witness stage 1 frac for injection well.**Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
412706	WELL	DG	10/29/2015	LO	045-18533	WPX SG 914-32D	PD	<input checked="" type="checkbox"/>

Equipment:Location Inventory

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>1</u>	Production Pits: _____
Condensate Tanks: _____	Water Tanks: <u>2</u>	Separators: _____	Electric Motors: _____
Gas or Diesel Motors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: _____	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: _____	VOC Combustor: _____	Oil Tanks: _____	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: _____

Location**Lease Road:**

Type	Satisfactory/Action Required	comment	Corrective Action	Date
Main	SATISFACTORY			

Inspector Name: BROWNING, CHUCK

Access	SATISFACTORY			
Signs/Marker:				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
DRILLING/RECOMP	SATISFACTORY			

Emergency Contact Number (S/A/V): SATISFACTORY Corrective Date: _____

Comment: _____

Corrective Action: _____

Spills:				
Type	Area	Volume	Corrective action	CA Date
<input type="checkbox"/> Multiple Spills and Releases?				

Venting:		
Yes/No	Comment	

Flaring:				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

Predrill

Location ID: 412706

Site Preparation:

Lease Road Adeq.: _____ Pads: _____ Soil Stockpile: _____

S/A/V: _____

Corrective Action: _____ Date: _____ CDP Num.: _____

Form 2A COAs:

Group	User	Comment	Date
OGLA	kubeczkd	<p>Operator shall pressure test pipelines in accordance with Rule 1101.e.(1) prior to putting into initial service any temporary surface or permanent buried pipelines and following any reconfiguration of the pipeline network.</p> <p>Operator must routinely inspect the entire length of the surface pipeline to ensure integrity. Operator shall conduct daily inspections of surface poly pipeline routes for leaks during active transfer of fluids and implement best management practices to contain any unintentional release of fluids along all portions of the surface pipeline route where temporary pumps and other necessary equipment are located. Inspections shall be conducted by viewing the length of the pipeline; operator will endeavor to minimize surface disturbance during pipeline monitoring. In addition, pump stations along the surface poly or steel pipeline route will be continuously monitored when operating in order to swiftly respond to such a failure.</p> <p>Operator will implement BMPs necessary to mitigate a potential for a release of fluids to impact streams, intermittent streams, ditches, and drainage crossings. For these crossings: if poly pipe is used on the surface, operator will ensure appropriate containment by either installing over-sized pipe "sleeves" which extend the length of the crossing and beyond to a distance deemed adequate to capture (catchment basins) and/or divert any possible release of fluids and prevent fluids from reaching the stream or drainage; installing over-sized pipe "sleeves" which extend the length of the crossing and installing shut off valves on either side of crossing instead of catchment basins; or develop an alternative means for containment. For all other pipeline materials, operator will implement BMPs necessary to mitigate a potential for E&P fluids not to reach groundwater or flowing surface water.</p> <p>Operator will utilize, to the extent practical, all existing access and other public roads, and/or existing pipeline right-of-ways, when placing/routing the temporary surface pipelines. This will reduce surface disturbance and fragmentation of wildlife habitat in the area.</p>	09/10/2015
OGLA	kubeczkd	<p>Notify the COGCC 48 hours prior to start of pad construction, rig mobilization, spud, pipeline testing, start of hydraulic stimulation operations, and start of flowback operations (if different than hydraulic stimulation operations) using Form 42 (the appropriate COGCC individuals will automatically be email notified, including the LGD for hydraulic stimulation operations).</p>	09/10/2015
OGLA	kubeczkd	<p>The moisture content of water/bentonite based mud (WBM) generated drill cuttings managed onsite shall be kept as low as practicable to prevent accumulation of liquids greater than de minimis amounts. After drilling and completion operations have been completed, the WBM drill cuttings that will remain on the well pad location (cuttings management area, the cut portion of the pad, cuttings trench, dry cuttings drilling pit), must meet the applicable standards of Table 910-1. After the drill cuttings have been amended (if necessary) and placed on the well pad, sampling frequency of the drill cuttings (to be determined by the operator) shall be representative of the material left on location. No offsite disposal of cuttings to another oil and gas location shall occur without prior approval of a Waste Management Plan (submitted via a Form 4 Sundry Notice) specifying disposal location and waste characterization method. Commercial disposal of drill cuttings will only require notification to COGCC via a Form 4 Sundry Notice.</p> <p>If the well(s) is(are) to be hydraulically stimulated, flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline or storage vessel located on the well pad; or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area constructed to be sufficiently impervious to contain any spilled or released material.</p> <p>Potential odors associated with the completions process and/or with long term production operations must be controlled/mitigated.</p>	09/10/2015

OGLA	kubeczkd	<p>Approval of this Form 2A and the Form 2 for the injection well (Form 2#400872301) does not authorize operator the right to inject. Authorization to inject into the selected Formation(s) requires approval of both the Form 31 and the Form 33.</p> <p>Operator will use qualified containment devices for all appropriate chemicals/hazardous materials and injection equipment (pumps) used onsite during the operation of the injection well.</p> <p>All tanks and aboveground vessels containing fluids must have secondary containment structures. All secondary containment structures/areas must be lined. Operator must ensure a minimum of 110 percent secondary containment for the largest structure containing fluids within each bermed area at the facility during operations. The construction and lining of the secondary containment structures/areas shall be supervised by a professional engineer or their agent.</p> <p>Operator shall equip and maintain on all tanks an electronic level monitoring device.</p> <p>Unless otherwise determined by COGCC staff that a water sample of the proposed injection formation is not required, before hydraulic stimulation of the injection well, operator shall collect a groundwater sample from the Iles Formation and the Rollins-Cozzette-Corcoran Formation and analyze for total dissolved solids (TDS); submit laboratory analytical results to COGCC (emails: bob.koehler@state.co.us and arthur.koelspell@state.co.us).</p>	09/10/2015
OGLA	kubeczkd	<p>Operator must ensure secondary containment for any volume of fluids contained at tank site during operations (as shown on the Proposed BMPs attachment); including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices [BMPs] associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days and after significant precipitation events), and maintained in good condition.</p> <p>The access road will be constructed and maintained as to not allow any sediment to migrate from the access road to nearby surface water or any drainages leading to surface water.</p> <p>Strategically apply fugitive dust control measures, including enforcing established speed limits on private roads, to reduce fugitive dust and coating of vegetation and deposition in water sources.</p>	09/10/2015

S/A/V: _____ **Comment:** _____

CA: _____ **Date:** _____

Wildlife BMPs:

BMP Type	Comment
General Housekeeping	<p>SG 23-32</p> <p>In addition to compliance with General Operating Requirements required under COGCC rule 1203 to be applied in Sensitive Wildlife Habitat and Restricted Surface Occupancy areas or COGCC 1204 to be applied statewide or in areas noted in the Rule, WPX will employ the following BMPs either field wide or at the specific location for which this Form 2A is being submitted.</p> <p>Field Wide BMPs:</p> <p>General</p> <ul style="list-style-type: none"> • Treat/control noxious weeds/plants including Tamarisk • Enforce policies to protect wildlife (e.g., no poaching, no firearms, no dogs on location, no feeding of wildlife, etc.).
Construction	<ul style="list-style-type: none"> • Protect culvert inlets from erosion and sedimentation and install energy dissipation structures at outfalls
Interim Reclamation	<ul style="list-style-type: none"> • Install automated emergency response systems (e.g., high tank alarms, emergency shut- down systems, etc.). • Evaluate the utility of soil amendment application to achieve effective reclamation. • Seed during appropriate season to increase likelihood of reclamation success • Apply certified weed free mulch and crimp or tacyfy to remain in place to reclaim areas for seed preservation and moisture retention.

S/A/V: _____ **Comment:** _____

CA: _____ **Date:** _____

Stormwater:

Comment: _____

Staking:

On Site Inspection (305):

Surface Owner Contact Information:

Name: _____ Address: _____

Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:

Landman Name: _____ Phone Number: _____

Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____

Request LGD Attendance: _____

LGD Contact Information:

Name: _____ Phone Number: _____ Agreed to Attend: _____

Summary of Landowner Issues:

Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

Facility

Facility ID: 412706 Type: WELL API Number: 045-18533 Status: DG Insp. Status: PD

Well Stimulation

Stimulation Company: Cal-Frac

Stimulation Type: ACID

Other: _____

Observation:

Maximum Casing Recorded: 4204 PSI

Tubing: _____

Surface: _____

Intermediate: _____

Production: _____

Instantaneous Shut-In Pressure (ISIP) 2687

Bradenhead Psi: 0

Frac Flow Back: _____

Fluid: _____

Gas: _____

Environmental**Spills/Releases:**

Type of Spill: _____ Description: _____ Estimated Spill Volume: _____

Comment: _____

Corrective Action: _____ Date: _____

Reportable: _____ GPS: Lat _____ Long _____

Proximity to Surface Water: _____ Depth to Ground Water: _____

Water Well:

Lat _____ Long _____

DWR Receipt Num: _____ Owner Name: _____ GPS : _____

Field Parameters:

Sample Location: _____

Emission Control Burner (ECB): _____

Comment: _____

Pilot: _____ Wildlife Protection Devices (fired vessels): _____

Reclamation - Storm Water - Pit**Interim Reclamation:**

Date Interim Reclamation Started: _____ Date Interim Reclamation Completed: _____

Land Use: RANGELAND

Comment: _____

1003a. Debris removed? _____ CM _____

CA _____ CA Date _____

Waste Material Onsite? _____ CM _____

CA _____ CA Date _____

Unused or unneeded equipment onsite? _____ CM _____

CA _____ CA Date _____

Pit, cellars, rat holes and other bores closed? _____ CM _____

CA _____ CA Date _____

Guy line anchors removed? _____ CM _____

CA _____ CA Date _____

Inspector Name: BROWNING, CHUCK

Guy line anchors marked? _____ CM _____
CA _____ CA Date _____

1003b. Area no longer in use? _____ Production areas stabilized ? _____

1003c. Compacted areas have been cross ripped? _____

1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____

Cuttings management: _____

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____

Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATION

Cropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: RANGELAND _____

Reminder: _____

Comment: _____

Well plugged _____ Pit mouse/rat holes, cellars backfilled _____

Debris removed _____ No disturbance /Location never built _____

Access Roads Regraded _____ Contoured _____ Culverts removed _____

Gravel removed _____

Location and associated production facilities reclaimed _____ Locations, facilities, roads, recontoured _____

Compaction alleviation _____ Dust and erosion control _____

Non cropland: Revegetated 80% _____ Cropland: perennial forage _____

Weeds present _____ Subsidence _____

Comment: _____

Corrective Action: _____ Date _____

Overall Final Reclamation _____ Well Release on Active Location ☐ Multi-Well Location ☐

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
------------------	-----------------	-------------------------	-----------------------	---------------	--------------------------	---------

S/A/V: _____ Corrective Date: _____

Comment: _____

CA: _____

Pits: ☐ NO SURFACE INDICATION OF PIT