

**FORM INSP**  
Rev 05/11

**State of Colorado  
Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Inspection Date:  
12/17/2015

Document Number:  
680200031

Overall Inspection:

**ACTION REQUIRED**

**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	<u>413733</u>	<u>413733</u>	<u>KELLERBY, SHAUN</u>	<input type="checkbox"/>	

**Operator Information:**

OGCC Operator Number:	<u>96850</u>
Name of Operator:	<u>WPX ENERGY ROCKY MOUNTAIN LLC</u>
Address:	<u>PO BOX 370</u>
City:	<u>PARACHUTE</u> State: <u>CO</u> Zip: <u>81635</u>

- THIS IS A FOLLOW UP INSPECTION
- FOLLOW UP INSPECTION REQUIRED
- NO FOLLOW UP INSPECTION REQUIRED
- INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

**Contact Information:**

Contact Name	Phone	Email	Comment
, Inspections		COGCCInspectionReports@wpxenergy.com	Field Inspections

**Compliance Summary:**

QtrQtr:	<u>NESW</u>	Sec:	<u>32</u>	Twp:	<u>7S</u>	Range:	<u>96W</u>
Insp. Date	Doc Num	Insp. Type	Insp Status	Satisfactory /Action Required	PA P/F/I	Pas/Fail (P/F)	Violation (Y/N)
12/24/2014	675201002			SATISFACTORY			No

**Inspector Comment:**

Inspection was conducted in response to Complaint Doc # 200438366. No odors were detected while on location. Stimulation operations were being conducted at the time of inspection.No production equipment on location.

**Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status
412706	WELL	DG	10/29/2015	LO	045-18533	WPX SG 914-32D	WK <input checked="" type="checkbox"/>

**Equipment:**

Location Inventory

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>1</u>	Production Pits: _____
Condensate Tanks: _____	Water Tanks: <u>2</u>	Separators: _____	Electric Motors: _____
Gas or Diesel Mortors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: _____	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: _____	VOC Combustor: _____	Oil Tanks: _____	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: _____

**Location**

Emergency Contact Number (S/A/V): \_\_\_\_\_ Corrective Date: \_\_\_\_\_

Comment: \_\_\_\_\_

Corrective Action: \_\_\_\_\_

**Spills:** \_\_\_\_\_

Type	Area	Volume	Corrective action	CA Date
------	------	--------	-------------------	---------

Multiple Spills and Releases?

<b>Venting:</b>	
Yes/No	Comment

<b>Flaring:</b>				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

**Predrill**

Location ID: 413733

**Site Preparation:**

Lease Road Adeq.: \_\_\_\_\_ Pads: \_\_\_\_\_ Soil Stockpile: \_\_\_\_\_

**S/A/V:** \_\_\_\_\_

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_ CDP Num.: \_\_\_\_\_

**Form 2A COAs:**

Group	User	Comment	Date
OGLA	kubeczkd	<p>Operator must ensure secondary containment for any volume of fluids contained at tank site during operations (as shown on the Proposed BMPs attachment); including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices [BMPs] associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days and after significant precipitation events), and maintained in good condition.</p> <p>The access road will be constructed and maintained as to not allow any sediment to migrate from the access road to nearby surface water or any drainages leading to surface water.</p> <p>Strategically apply fugitive dust control measures, including enforcing established speed limits on private roads, to reduce fugitive dust and coating of vegetation and deposition in water sources.</p>	09/10/2015

<p>OGLA</p>	<p>kubeczkd</p>	<p>The moisture content of water/bentonite based mud (WBM) generated drill cuttings managed onsite shall be kept as low as practicable to prevent accumulation of liquids greater than de minimis amounts. After drilling and completion operations have been completed, the WBM drill cuttings that will remain on the well pad location (cuttings management area, the cut portion of the pad, cuttings trench, dry cuttings drilling pit), must meet the applicable standards of Table 910-1. After the drill cuttings have been amended (if necessary) and placed on the well pad, sampling frequency of the drill cuttings (to be determined by the operator) shall be representative of the material left on location. No offsite disposal of cuttings to another oil and gas location shall occur without prior approval of a Waste Management Plan (submitted via a Form 4 Sundry Notice) specifying disposal location and waste characterization method. Commercial disposal of drill cuttings will only require notification to COGCC via a Form 4 Sundry Notice.</p> <p>If the well(s) is(are) to be hydraulically stimulated, flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline or storage vessel located on the well pad; or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area constructed to be sufficiently impervious to contain any spilled or released material.</p> <p>Potential odors associated with the completions process and/or with long term production operations must be controlled/mitigated.</p>	<p>09/10/2015</p>
<p>OGLA</p>	<p>kubeczkd</p>	<p>Approval of this Form 2A and the Form 2 for the injection well (Form 2#400872301) does not authorize operator the right to inject. Authorization to inject into the selected Formation(s) requires approval of both the Form 31 and the Form 33.</p> <p>Operator will use qualified containment devices for all appropriate chemicals/hazardous materials and injection equipment (pumps) used onsite during the operation of the injection well.</p> <p>All tanks and aboveground vessels containing fluids must have secondary containment structures. All secondary containment structures/areas must be lined. Operator must ensure a minimum of 110 percent secondary containment for the largest structure containing fluids within each bermed area at the facility during operations. The construction and lining of the secondary containment structures/areas shall be supervised by a professional engineer or their agent.</p> <p>Operator shall equip and maintain on all tanks an electronic level monitoring device.</p> <p>Unless otherwise determined by COGCC staff that a water sample of the proposed injection formation is not required, before hydraulic stimulation of the injection well, operator shall collect a groundwater sample from the Iles Formation and the Rollins-Cozzette-Corcoran Formation and analyze for total dissolved solids (TDS); submit laboratory analytical results to COGCC (emails: bob.koehler@state.co.us and arthur.koelspell@state.co.us).</p>	<p>09/10/2015</p>
<p>OGLA</p>	<p>kubeczkd</p>	<p>Notify the COGCC 48 hours prior to start of pad construction, rig mobilization, spud, pipeline testing, start of hydraulic stimulation operations, and start of flowback operations (if different than hydraulic stimulation operations) using Form 42 (the appropriate COGCC individuals will automatically be email notified, including the LGD for hydraulic stimulation operations).</p>	<p>09/10/2015</p>

<p>OGLA</p>	<p>kubeczkd</p>	<p>Operator shall pressure test pipelines in accordance with Rule 1101.e.(1) prior to putting into initial service any temporary surface or permanent buried pipelines and following any reconfiguration of the pipeline network.</p> <p>Operator must routinely inspect the entire length of the surface pipeline to ensure integrity. Operator shall conduct daily inspections of surface poly pipeline routes for leaks during active transfer of fluids and implement best management practices to contain any unintentional release of fluids along all portions of the surface pipeline route where temporary pumps and other necessary equipment are located. Inspections shall be conducted by viewing the length of the pipeline; operator will endeavor to minimize surface disturbance during pipeline monitoring. In addition, pump stations along the surface poly or steel pipeline route will be continuously monitored when operating in order to swiftly respond to such a failure.</p> <p>Operator will implement BMPs necessary to mitigate a potential for a release of fluids to impact streams, intermittent streams, ditches, and drainage crossings. For these crossings: if poly pipe is used on the surface, operator will ensure appropriate containment by either installing over-sized pipe "sleeves" which extend the length of the crossing and beyond to a distance deemed adequate to capture (catchment basins) and/or divert any possible release of fluids and prevent fluids from reaching the stream or drainage; installing over-sized pipe "sleeves" which extend the length of the crossing and installing shut off valves on either side of crossing instead of catchment basins; or develop an alternative means for containment. For all other pipeline materials, operator will implement BMPs necessary to mitigate a potential for E&amp;P fluids not to reach groundwater or flowing surface water.</p> <p>Operator will utilize, to the extent practical, all existing access and other public roads, and/or existing pipeline right-of-ways, when placing/routing the temporary surface pipelines. This will reduce surface disturbance and fragmentation of wildlife habitat in the area.</p>	<p>09/10/2015</p>
-------------	-----------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------

<p><b>S/A/V:</b> ACTION</p>	<p><b>Comment:</b> Operator submitted Form 42 Doc# 400955553 on 12/16/15 notifying of a hydraulic fracturing treatment date of 12/17/15. 48 hrs was not provided as required by Cogcc rule, and approved Form 2 Doc # 400872301 conditions of approval.</p>
<p><b>CA:</b> Provide written operation procedures that will ensure that proper notice of Hydraulic Fracturing treatments are provided in the future.</p>	<p><b>Date:</b> 01/22/2016</p>

**Wildlife BMPs:**

BMP Type	Comment
<p>General Housekeeping</p>	<p>SG 23-32</p> <p>In addition to compliance with General Operating Requirements required under COGCC rule 1203 to be applied in Sensitive Wildlife Habitat and Restricted Surface Occupancy areas or COGCC 1204 to be applied statewide or in areas noted in the Rule, WPX will employ the following BMPs either field wide or at the specific location for which this Form 2A is being submitted.</p> <p>Field Wide BMPs:</p> <p>General</p> <ul style="list-style-type: none"> <li>• Treat/control noxious weeds/plants including Tamarisk</li> <li>• Enforce policies to protect wildlife (e.g., no poaching, no firearms, no dogs on location, no feeding of wildlife, etc.).</li> </ul>
<p>Construction</p>	<ul style="list-style-type: none"> <li>• Protect culvert inlets from erosion and sedimentation and install energy dissipation structures at outfalls</li> </ul>

Interim Reclamation	<ul style="list-style-type: none"> <li>• Install automated emergency response systems (e.g., high tank alarms, emergency shut-down systems, etc.).</li> <li>• Evaluate the utility of soil amendment application to achieve effective reclamation.</li> <li>• Seed during appropriate season to increase likelihood of reclamation success</li> <li>• Apply certified weed free mulch and crimp or tacyfy to remain in place to reclaim areas for seed preservation and moisture retention.</li> </ul>
---------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

**S/AV:** \_\_\_\_\_ **Comment:** \_\_\_\_\_

**CA:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Stormwater:**

**Comment:** \_\_\_\_\_

**Staking:**

**On Site Inspection (305):**

Surface Owner Contact Information:

Name: \_\_\_\_\_ Address: \_\_\_\_\_

Phone Number: \_\_\_\_\_ Cell Phone: \_\_\_\_\_

Operator Rep. Contact Information:

Landman Name: \_\_\_\_\_ Phone Number: \_\_\_\_\_

Date Onsite Request Received: \_\_\_\_\_ Date of Rule 306 Consultation: \_\_\_\_\_

Request LGD Attendance: \_\_\_\_\_

LGD Contact Information:

Name: \_\_\_\_\_ Phone Number: \_\_\_\_\_ Agreed to Attend: \_\_\_\_\_

Summary of Landowner Issues:

\_\_\_\_\_

Summary of Operator Response to Landowner Issues:

\_\_\_\_\_

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

\_\_\_\_\_

**Facility**

Facility ID: 412706 Type: WELL API Number: 045-18533 Status: DG Insp. Status: WK

**Complaint**

Comment: Inspection conducted in response to Form 18 # 200438366.

**Workover**

Comment: \_\_\_\_\_

**Environmental**

**Spills/Releases:**

Type of Spill: \_\_\_\_\_ Description: \_\_\_\_\_ Estimated Spill Volume: \_\_\_\_\_

Comment: \_\_\_\_\_

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

Reportable: \_\_\_\_\_ GPS: Lat \_\_\_\_\_ Long \_\_\_\_\_

Proximity to Surface Water: \_\_\_\_\_ Depth to Ground Water: \_\_\_\_\_

**Water Well:**

DWR Receipt Num: \_\_\_\_\_ Owner Name: \_\_\_\_\_ GPS : \_\_\_\_\_ Lat \_\_\_\_\_ Long \_\_\_\_\_

**Field Parameters:**

Sample Location: \_\_\_\_\_

Emission Control Burner (ECB): \_\_\_\_\_

Comment: \_\_\_\_\_

Pilot: \_\_\_\_\_ Wildlife Protection Devices (fired vessels): \_\_\_\_\_

**Reclamation - Storm Water - Pit**

**Interim Reclamation:**

Date Interim Reclamation Started: \_\_\_\_\_ Date Interim Reclamation Completed: \_\_\_\_\_

Land Use: RANGELAND

Comment: \_\_\_\_\_

1003a. Debris removed? \_\_\_\_\_ CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

Waste Material Onsite? \_\_\_\_\_ CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

Unused or unneeded equipment onsite? \_\_\_\_\_ CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

Pit, cellars, rat holes and other bores closed? \_\_\_\_\_ CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

Guy line anchors removed? \_\_\_\_\_ CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

Guy line anchors marked? \_\_\_\_\_ CM \_\_\_\_\_

CA \_\_\_\_\_ CA Date \_\_\_\_\_

1003b. Area no longer in use? \_\_\_\_\_ Production areas stabilized ? \_\_\_\_\_

1003c. Compacted areas have been cross ripped? \_\_\_\_\_

1003d. Drilling pit closed? \_\_\_\_\_ Subsidence over on drill pit? \_\_\_\_\_

Cuttings management: \_\_\_\_\_

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? \_\_\_\_\_

Production areas have been stabilized? \_\_\_\_\_ Segregated soils have been replaced? \_\_\_\_\_

**RESTORATION AND REVEGETATION**

Cropland

Top soil replaced \_\_\_\_\_ Recontoured \_\_\_\_\_ Perennial forage re-established \_\_\_\_\_

Non-Cropland

Top soil replaced \_\_\_\_\_ Recontoured \_\_\_\_\_ 80% Revegetation \_\_\_\_\_

1003 f. Weeds Noxious weeds? \_\_\_\_\_

Comment: \_\_\_\_\_

Overall Interim Reclamation \_\_\_\_\_

**Final Reclamation/ Abandoned Location:**

Inspector Name: KELLERBY, SHAUN

Date Final Reclamation Started: \_\_\_\_\_ Date Final Reclamation Completed: \_\_\_\_\_

Final Land Use: RANGELAND

Reminder: \_\_\_\_\_

Comment: \_\_\_\_\_

Well plugged \_\_\_\_\_

Pit mouse/rat holes, cellars backfilled \_\_\_\_\_

Debris removed \_\_\_\_\_

No disturbance /Location never built \_\_\_\_\_

Access Roads Regraded \_\_\_\_\_

Contoured \_\_\_\_\_

Culverts removed \_\_\_\_\_

Gravel removed \_\_\_\_\_

Location and associated production facilities reclaimed \_\_\_\_\_

Locations, facilities, roads, recontoured \_\_\_\_\_

Compaction alleviation \_\_\_\_\_

Dust and erosion control \_\_\_\_\_

Non cropland: Revegetated 80% \_\_\_\_\_

Cropland: perennial forage \_\_\_\_\_

Weeds present \_\_\_\_\_

Subsidence \_\_\_\_\_

Comment: \_\_\_\_\_

Corrective Action: \_\_\_\_\_

Date \_\_\_\_\_

Overall Final Reclamation \_\_\_\_\_

Well Release on Active Location

Multi-Well Location

**Storm Water:**

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment

S/A/V: \_\_\_\_\_

Corrective Date: \_\_\_\_\_

Comment: \_\_\_\_\_

CA: \_\_\_\_\_

**Pits:**  NO SURFACE INDICATION OF PIT

## **ACTION REQUIRED**

**ANY ACTION REQUIRED** items listed on this report indicate that the oil and gas facility or the oil and gas operations listed on the report may be in violation of the rules and regulations of the Colorado Oil and Conservation Commission (“COGCC”) and corrective action is required.

There is reasonable cause to believe that a violation of the Oil and Gas Conservation Act, or of any rule, regulation, or order of the Commission, or of any permit issued by the Commission, has occurred. The Operator’s compliance with this Inspection Report is required to resolve these alleged violations. This document requires the Operator to timely respond to the COGCC and to comply with directives as listed by the **Corrective Action Deadline Date**. Failure to do so will result in the issuance of a Notice of Alleged Violation and initiation of enforcement proceedings in which COGCC will seek monetary penalties for the alleged violations pursuant to § 34-60-121, C.R.S. and Rule 523, COGCC Rules of Practice and Procedure, 2 CCR 404-1. (Please note that the COGCC's penalty authority was recently increased to a maximum of \$15,000 per day and penalties are no longer capped at a maximum of \$10,000 per violation.)