

**FORM INSP**  
Rev 05/11

**State of Colorado**  
**Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Inspection Date:  
12/23/2015  
Document Number:  
680701154  
Overall Inspection:  
SATISFACTORY

**FIELD INSPECTION FORM**

|                     |               |               |                      |                          |             |
|---------------------|---------------|---------------|----------------------|--------------------------|-------------|
| Location Identifier | Facility ID   | Loc ID        | Inspector Name:      | On-Site Inspection       | 2A Doc Num: |
|                     | <u>256688</u> | <u>330940</u> | <u>Peterson, Tom</u> | <input type="checkbox"/> |             |

**Operator Information:**

|                       |  |
|-----------------------|--|
| OGCC Operator Number: | <u>69175</u>                                     |
| Name of Operator:     | <u>PDC ENERGY INC</u>                            |
| Address:              | <u>1775 SHERMAN STREET - STE 3000</u>            |
| City:                 | <u>DENVER</u> State: <u>CO</u> Zip: <u>80203</u> |

- THIS IS A FOLLOW UP INSPECTION
- FOLLOW UP INSPECTION REQUIRED
- NO FOLLOW UP INSPECTION REQUIRED
- INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

**Contact Information:**

| Contact Name | Phone | Email                           | Comment                |
|--------------|-------|---------------------------------|------------------------|
|              |       | <u>cogccinspection@pdce.com</u> | <u>All inspections</u> |

**Compliance Summary:**

QtrQtr: NWNE Sec: 23 Twp: 4N Range: 67W

| Insp. Date        | Doc Num          | Insp. Type | Insp Status | Satisfactory /Action Required | PA P/F/I | Pas/Fail (P/F) | Violation (Y/N) |
|-------------------|------------------|------------|-------------|-------------------------------|----------|----------------|-----------------|
| <u>09/29/2010</u> | <u>200273626</u> | <u>PR</u>  | <u>PR</u>   | <u>SATISFACTORY</u>           |          |                | <u>No</u>       |
| <u>06/12/2003</u> | <u>200040192</u> | <u>PR</u>  | <u>PR</u>   | <u>SATISFACTORY</u>           |          | <u>Pass</u>    | <u>No</u>       |

**Inspector Comment:**

**Related Facilities:**

| Facility ID   | Type        | Status    | Status Date       | Well Class | API Num          | Facility Name    | Insp Status                                   |
|---------------|-------------|-----------|-------------------|------------|------------------|------------------|---|
| <u>256688</u> | <u>WELL</u> | <u>PR</u> | <u>12/31/1999</u> | <u>GW</u>  | <u>123-19905</u> | <u>LHI 31-23</u> | <u>PR</u> <input checked="" type="checkbox"/> |

**Equipment:**

Location Inventory

|                              |                        |                     |                         |
|------------------------------|------------------------|---------------------|-------------------------|
| Special Purpose Pits: _____  | Drilling Pits: _____   | Wells: _____        | Production Pits: _____  |
| Condensate Tanks: _____      | Water Tanks: _____     | Separators: _____   | Electric Motors: _____  |
| Gas or Diesel Mortors: _____ | Cavity Pumps: _____    | LACT Unit: _____    | Pump Jacks: _____       |
| Electric Generators: _____   | Gas Pipeline: _____    | Oil Pipeline: _____ | Water Pipeline: _____   |
| Gas Compressors: _____       | VOC Combustor: _____   | Oil Tanks: _____    | Dehydrator Units: _____ |
| Multi-Well Pits: _____       | Pigging Station: _____ | Flare: _____        | Fuel Tanks: _____       |

**Location**

**Signs/Marker:**

| Type            | Satisfactory/Action Required | Comment | Corrective Action | CA Date |
|-----------------|------------------------------|---------|-------------------|---------|
| <u>BATTERY</u>  | <u>SATISFACTORY</u>          |         |                   |         |
| <u>WELLHEAD</u> | <u>SATISFACTORY</u>          |         |                   |         |

Inspector Name: Peterson, Tom

|                      |              |  |  |  |
|----------------------|--------------|--|--|--|
| TANK LABELS/PLACARDS | SATISFACTORY |  |  |  |
|----------------------|--------------|--|--|--|

Emergency Contact Number (S/AR): SATISFACTORY Corrective Date: \_\_\_\_\_

Comment: **Outdated emergency number at wellhead.**

Corrective Action: \_\_\_\_\_

**Spills:**

| Type   | Area | Volume | Corrective action | CA Date |
|--|------|--------|-------------------|---------|
| <input type="checkbox"/> Multiple Spills and Releases? |      |        |                   |         |

**Fencing/:**

| Type  | Satisfactory/Action Required | Comment  | Corrective Action | CA Date |
|-------|------------------------------|--|-------------------|---------|
| Panel | SATISFACTORY                 | <b>Wellhead</b>  |                   |         |
| Other | SATISFACTORY                 | <b>Barbed wire topped chain link around separator and tank battery</b> |                   |         |

**Equipment:**

|                                   |                              |                               |              |
|-----------------------------------|------------------------------|-------------------------------|--------------|
| Type: Bird Protectors             | # 1                          | Satisfactory/Action Required: | SATISFACTORY |
| Comment                           |                              |                               |              |
| Corrective Action                 |                              |                               | Date:        |
| Type: Gas Meter Run               | # 1                          | Satisfactory/Action Required: | SATISFACTORY |
| Comment                           |                              |                               |              |
| Corrective Action                 |                              |                               | Date:        |
| Type: Plunger Lift                | # 1                          | Satisfactory/Action Required: | SATISFACTORY |
| Comment                           |                              |                               |              |
| Corrective Action                 |                              |                               | Date:        |
| Type: Horizontal Heated Separator | # 1                          | Satisfactory/Action Required: | SATISFACTORY |
| Comment                           | <b>N40.30522 W-104.85706</b> |                               |              |
| Corrective Action                 |                              |                               | Date:        |

**Facilities:**  New Tank Tank ID: \_\_\_\_\_

| Contents           | #            | Capacity | Type      | SE GPS                |
|--------------------|--------------|----------|-----------|-----------------------|
| CRUDE OIL          | 1            | 300 BBLS | STEEL AST | 40.305190,-104.857280 |
| S/AR               | SATISFACTORY | Comment: |           |                       |
| Corrective Action: |              |          |           | Corrective Date:      |

**Paint**

|                  |          |
|------------------|----------|
| Condition        | Adequate |
| Other (Content)  | _____    |
| Other (Capacity) | _____    |
| Other (Type)     | _____    |

**Berms**

| Type | Capacity | Permeability (Wall) | Permeability (Base) | Maintenance |
|------|----------|---------------------|---------------------|-------------|
|      |          |                     |                     |             |

Inspector Name: Peterson, Tom

|                   |          |                 |                |          |                 |
|-------------------|----------|-----------------|----------------|----------|-----------------|
| Earth             | Adequate | Walls Sufficent | Base Sufficent | Adequate |                 |
| Corrective Action |          |                 |                |          | Corrective Date |
| Comment           |          |                 |                |          |                 |

**Facilities:**  New Tank Tank ID: \_\_\_\_\_

|                    |              |          |                |                       |
|--------------------|--------------|----------|----------------|-----------------------|
| Contents           | #            | Capacity | Type           | SE GPS                |
| PRODUCED WATER     | 1            | 100 BBLS | PBV FIBERGLASS | 40.305190,-104.857280 |
| S/AR               | SATISFACTORY |          | Comment:       |                       |
| Corrective Action: |              |          |                | Corrective Date:      |

**Paint**

|                  |          |
|------------------|----------|
| Condition        | Adequate |
| Other (Content)  | _____    |
| Other (Capacity) | _____    |
| Other (Type)     | _____    |

**Berms**

|                   |          |                     |                     |                 |
|-------------------|----------|---------------------|---------------------|-----------------|
| Type              | Capacity | Permeability (Wall) | Permeability (Base) | Maintenance     |
| Earth             | Adequate | Walls Sufficent     | Base Sufficent      | Adequate        |
| Corrective Action |          |                     |                     | Corrective Date |
| Comment           |          |                     |                     |                 |

**Venting:**

|         |    |
|---------|----|
| Yes/No  | NO |
| Comment |    |

**Flaring:**

|                    |  |                              |
|--------------------|--|------------------------------|
| Type               |  | Satisfactory/Action Required |
| Comment:           |  |                              |
| Corrective Action: |  | Correct Action Date:         |

**Predrill**

Location ID: 256688

**Site Preparation:**

Lease Road Adeq.: \_\_\_\_\_ Pads: \_\_\_\_\_ Soil Stockpile: \_\_\_\_\_

**S/AR:** \_\_\_\_\_

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_ CDP Num.: \_\_\_\_\_

**Form 2A COAs:**

Date retrieval failed for the subreport 'Subreport1' located at: \\10.12.100.15\FarmReports\Insp\InspCOA.rdlc. Please check t

**S/AR:** \_\_\_\_\_ **Comment:** \_\_\_\_\_

**CA:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Wildlife BMPs:**

Date retrieval failed for the subreport 'Subreport2' located at: \\10.12.100.15\FarmReports\Insp\InspBMP.rdlc. Please check t

**S/AR:** \_\_\_\_\_ **Comment:** \_\_\_\_\_

**CA:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Stormwater:**

**Comment:** \_\_\_\_\_

**Staking:**

**On Site Inspection (305):**

Surface Owner Contact Information:

Name: \_\_\_\_\_ Address: \_\_\_\_\_

Phone Number: \_\_\_\_\_ Cell Phone: \_\_\_\_\_

Operator Rep. Contact Information:

Landman Name: \_\_\_\_\_ Phone Number: \_\_\_\_\_

Date Onsite Request Received: \_\_\_\_\_ Date of Rule 306 Consultation: \_\_\_\_\_

Request LGD Attendance: \_\_\_\_\_

LGD Contact Information:

Name: \_\_\_\_\_ Phone Number: \_\_\_\_\_ Agreed to Attend: \_\_\_\_\_

Summary of Landowner Issues:

\_\_\_\_\_

Summary of Operator Response to Landowner Issues:

\_\_\_\_\_

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

\_\_\_\_\_

**Facility**

Facility ID: 256688 Type: WELL API Number: 123-19905 Status: PR Insp. Status: PR

**Producing Well**

Comment: **PR**

**BradenHead**

Comment: **Bradenhead is exposed at surface.**

CA: \_\_\_\_\_

CA Date: \_\_\_\_\_

**Environmental**

**Spills/Releases:**

Inspector Name: Peterson, Tom

Type of Spill: \_\_\_\_\_ Description: \_\_\_\_\_ Estimated Spill Volume: \_\_\_\_\_  
Comment: \_\_\_\_\_  
Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_  
Reportable: \_\_\_\_\_ GPS: Lat \_\_\_\_\_ Long \_\_\_\_\_  
Proximity to Surface Water: \_\_\_\_\_ Depth to Ground Water: \_\_\_\_\_

**Water Well:** \_\_\_\_\_ Lat \_\_\_\_\_ Long \_\_\_\_\_  
DWR Receipt Num: \_\_\_\_\_ Owner Name: \_\_\_\_\_ GPS : \_\_\_\_\_

**Field Parameters:** \_\_\_\_\_

Sample Location: \_\_\_\_\_

Emission Control Burner (ECB): N \_\_\_\_\_  
Comment: \_\_\_\_\_  
Pilot: \_\_\_\_\_ Wildlife Protection Devices (fired vessels): YES \_\_\_\_\_

The subreport 'rptInsp13' could not be found at the

**Attached Documents**

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

| Document Num | Description         | URL   |
|--------------|---------------------|---|
| 680701154    | INSPECTION APPROVED | <a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=3747887">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=3747887</a> |