



Re: Federal RU 41-8 CBL Deferment Request

1 message

Jay Krabacher <jay.krabacher@state.co.us>
To: "Schoeber, Vicki" <Vicki.Schoeber@wpenergy.com>
Cc: "Andrews - DNR, Dave" <david.andrews@state.co.us>

Mon, Jan 4, 2016 at 8:18 AM

Vicki:

WPX has COGCC concurrence to defer the CBL on this well.

Regards,

Jay Krabacher

On Mon, Jan 4, 2016 at 7:09 AM, Schoeber, Vicki <Vicki.Schoeber@wpenergy.com> wrote:

Jay, Dave:

WPX Energy Rocky Mountain, LLC is requesting a CBL deferment on the Federal RU 41-8 located in Section 8, T 7S-R93W. Attached is a temperature survey that was performed after cementing the 4 1/2" production casing on the subject well.

Information pertaining to the request is as follows:

- Well: Federal RU 41-8
API: 05-045-22751
Location: Section 8 T 7S-R93W
Surface Csg: 9 5/8" set and cemented at 1263'
Production Csg Cement Date: 4 1/2" @ 10,346' - cemented 12/20/15
Cement: 1010 sks
Cement top from survey: 5100' Estimated
Estimated top of gas: 7628' Estimated
Estimated Top Perf: 7200' Estimated
Temp Survey: 12/20/15 Attached
Volume to fill annular: Hole remained full following cementing operations

Please let me know if you need additional information to approve this deferment. After deferment is received, WPX Energy will continue to monitor the bradenhead pressure until the CBL has been performed and notify if

pressure exceeds 150 psig.

12/20/2015	19:00	6 HR	0 BBL	0 PSI
12/21/2015	01:00	12 HR	0 BBL	0 PSI
12/22/2015	13:00	24 HR	0 BBL	0 PSI
12/23/2015	13:00	48 HR	0 BBL	0 PSI
12/24/2015	13:00	72 HR	0 BBL	0 PSI

Thank you.

## Vicki Schoeber

Regulatory Specialist

WPX Energy Rocky Mountain, LLC

1058 CR 215, Parachute CO 81635

970.263.2721 - office

970.319.9103 - mobile

vicki.schoeber@wpxenergy.com



---

## Jay Krabacher

N W Area Engineer



**COLORADO**

Oil & Gas Conservation  
Commission

Department of Natural Resources

P 970.625.2497 x4

C 970.589.6180

796 Megan Ave., Suite 201, Rifle, CO 81650

jay.krabacher@state.co.us | [www.colorado.gov/cogcc](http://www.colorado.gov/cogcc)

