

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400786575

Date Received:

02/06/2015

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120

2. Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP

3. Address: P O BOX 173779

City: DENVER State: CO Zip: 80217-

4. Contact Name: ILA BEALE

Phone: (720) 929-6408

Fax:

Email: ila.beale@anadarko.com

5. API Number 05-123-38949-00

7. Well Name: SPURLING

8. Location: QtrQtr: NWNW Section: 34 Township: 2N Range: 67W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

6. County: WELD

Well Number: 13C-34HZ

Completed Interval

FORMATION: CODELL-FORT HAYS Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 01/13/2015 End Date: 01/15/2015 Date of First Production this formation: 01/27/2015
Perforations Top: 8060 Bottom: 12219 No. Holes: 0 Hole size:

Provide a brief summary of the formation treatment: Open Hole: ☒

"COMPLETED THROUGH AN OPEN HOLE LINER FROM 8060-12219.
41,505 BBL CROSSLINK GEL, 1,897 BBL LINEAR GEL, 11,352 BBL SLICKWATER, - 54,754 BBL TOTAL FLUID
2,797,439# 20/40 ECONOPROP, - 2,797,439# TOTAL SAND."

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): 54754

Max pressure during treatment (psi): 8241

Total gas used in treatment (mcf): 0

Fluid density at initial fracture (lbs/gal): 8.30

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.86

Total acid used in treatment (bbl): 0

Number of staged intervals: 30

Recycled water used in treatment (bbl): 0

Flowback volume recovered (bbl): 3405

Fresh water used in treatment (bbl): 54754

Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 2797439

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 02/02/2015 Hours: 24 Bbl oil: 127 Mcf Gas: 230 Bbl H2O: 217

Calculated 24 hour rate: Bbl oil: 127 Mcf Gas: 230 Bbl H2O: 217 GOR: 1811

Test Method: FLOWING Casing PSI: 1450 Tubing PSI: Choke Size: 14/64

Gas Disposition: SOLD Gas Type: WET Btu Gas: 1230 API Gravity Oil: 50

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: ILA BEALE

Title: STAFF REG. SPECIALIST Date: 2/6/2015 Email: rscdjpostdrill@anadarko.com

Attachment Check List

Att Doc Num **Name**

400786575 FORM 5A SUBMITTED

Total Attach: 1 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>

Total: 0 comment(s)