

PDC Energy, Inc.
Fourth Quarter 2015 Groundwater Monitoring Summary

January 28, 2016

Dechant 1-31A Tank Battery
SWSW Section 31 T3N R64W
Weld County, API # 05-123-11685
Spill Tracking # 1631206
Remediation # 9365

This groundwater monitoring summary has been prepared by Tasman Geosciences, Inc. for the Dechant 1-31A tank battery. On December 16, 2015, groundwater sampling was conducted at nine monitoring well locations (MW07, MW10R, MW13, and MW17 – MW22). Twelve previously installed monitoring well locations (MW01 through MW05, MW08, MW09, MW11, MW12, and MW14 through MW16) were destroyed during battery re-grading activities. Groundwater samples were submitted for laboratory analysis of benzene, toluene, ethylbenzene, and total xylenes (BTEX) by USEPA Method 8260B. Analytical results are summarized in Table 1 and the lab report is included as Attachment A. Sample locations and corresponding analytical results are illustrated on Figure 1. Fourth quarter 2015 analytical results indicate that total xylenes concentrations are not in compliance with applicable COGCC Table 910-1 groundwater standards in monitoring wells MW13 and MW21. BTEX concentrations are below COGCC regulatory standards at the remaining seven monitoring locations.

Tasman initiated enhanced fluid recovery (EFR) and air sparge (AS) events at the site during the third quarter 2015, as elevated BTEX concentrations persist in well MW21. A summary of EFR/AS operational data is provided in Table 2. EFR/AS was the selected remediation strategy during the fourth quarter 2015. During the first quarter 2016, a mobile AS/SVE system will be installed at the site to address the remaining dissolved phase BTEX concentrations observed in MW13 and MW21.

First quarter 2016 groundwater sampling will be conducted during March 2016.

TABLE 1
DECHANT 1-31A TANK BATTERY
GROUNDWATER ANALYTICAL RESULTS SUMMARY TABLE

Sample ID	Date Sampled	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Depth to Water (feet)
COGCC Table 910-1 Groundwater Standard (µg/L) ⁽¹⁾		5	560	700	1,400	
MW01	12/16/2009	<1.0	1.5	47	540	N/A
MW01	6/22/2010	Destroyed				
MW02	12/16/2009	62	1,300	610	5,600	N/A
MW02	6/22/2010	Destroyed				
MW03	12/16/2009	440	6,000	960	12,000	N/A
MW03	6/22/2010	Destroyed				
MW04	12/16/2009	<1.0	13	240	3,000	N/A
MW04	6/22/2010	<1.0	<1.0	23	260	18.05
MW04	9/17/2010	<1.0	<1.0	9.5	81	17.41
MW04	12/9/2010	<1.0	<1.0	1.4	6.7	16.88
MW04	3/10/2011	Destroyed				
MW05	12/16/2009	140	1,400	960	12,000	N/A
MW05	6/22/2010	Destroyed				
MW07	12/16/2009	<1.0	<1.0	<1.0	<1.0	N/A
MW07	6/22/2010	<1.0	<1.0	<1.0	<1.0	21.45
MW07	9/17/2010	<1.0	<1.0	<1.0	<1.0	20.83
MW07	12/9/2010	<1.0	<1.0	<1.0	<1.0	20.32
MW07	3/10/2011	<1.0	<1.0	<1.0	<1.0	20.10
MW07	6/8/2011	<1.0	<1.0	<1.0	<1.0	20.00
MW07	9/26/2011	<1.0	<1.0	<1.0	<1.0	19.71
MW07	12/29/2011	NS	NS	NS	NS	N/A
MW07	3/7/2012	<1.0	<1.0	<1.0	<1.0	19.39
MW07	6/26/2012	<1.0	<1.0	<1.0	<1.0	18.55
MW07	9/20/2012	<1.0	<1.0	<1.0	<1.0	18.89
MW07	12/12/2012	<1.0	<1.0	<1.0	<1.0	18.56
MW07	6/21/2013	<1.0	<1.0	<1.0	<1.0	18.50
MW07	9/23/2013	<1.0	<1.0	<1.0	<1.0	18.71
MW07	12/18/2013	<1.0	<1.0	<1.0	<1.0	18.48
MW07	3/31/2014	<1.0	<1.0	<1.0	<1.0	18.28
MW07	6/17/2014	<1.0	<1.0	<1.0	<1.0	17.20
MW07	9/17/2014	<1.0	<1.0	<1.0	<1.0	16.62

TABLE 1
DECHANT 1-31A TANK BATTERY
GROUNDWATER ANALYTICAL RESULTS SUMMARY TABLE

Sample ID	Date Sampled	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Depth to Water (feet)
COGCC Table 910-1 Groundwater Standard (µg/L) ⁽¹⁾		5	560	700	1,400	
MW07	12/2/2014	<1.0	<1.0	<1.0	<1.0	16.02
MW07	3/16/2015	<1.0	<1.0	<1.0	<1.0	15.23
MW07	6/25/2015	<1.0	<1.0	<1.0	<1.0	13.84
MW07	9/25/2015	<1.0	<1.0	<1.0	<1.0	14.51
MW07	12/16/2015	<1.0	<1.0	<1.0	<1.0	14.05
MW08	12/16/2009	<1.0	<1.0	<1.0	<1.0	N/A
MW08	6/22/2010	Destroyed				
MW09	12/16/2009	<1.0	<1.0	<1.0	<1.0	N/A
MW09	6/22/2010	<1.0	<1.0	<1.0	<1.0	17.62
MW09	9/17/2010	<1.0	<1.0	<1.0	<1.0	17.03
MW09	12/9/2010	<1.0	<1.0	<1.0	<1.0	16.51
MW09	3/10/2011	<1.0	<1.0	<1.0	<1.0	16.32
MW09	6/8/2011	<1.0	<1.0	<1.0	<1.0	15.15
MW09	9/26/2011	<1.0	<1.0	<1.0	<1.0	15.93
MW09	12/29/2011	<1.0	<1.0	<1.0	<1.0	15.65
MW09	3/7/2012	<1.0	<1.0	<1.0	<1.0	15.59
MW09	6/26/2012	<1.0	<1.0	<1.0	<1.0	14.73
MW09	9/20/2012	NS	NS	NS	NS	N/A
MW09	12/12/2012	<1.0	<1.0	<1.0	<1.0	14.83
MW09	6/21/2013	Destroyed				
MW10	12/16/2009	310	1,000	690	8,700	N/A
MW10	6/22/2010	8.4	5.1	30	720	17.95
MW10	9/17/2010	55	<1.0	45	280	17.36
MW10	12/9/2010	34	<1.0	780	3,700	16.83
MW10	3/10/2011	12	<1.0	870	2,600	16.60
MW10	6/8/2011	<1.0	<1.0	28	140	16.70
MW10	9/26/2011	4.3	5.2	220	3,100	16.29
MW10	12/29/2011	NS	NS	NS	NS	N/A
MW10	3/7/2012	27	12	700	5,300	15.89
MW10	6/26/2012	Destroyed				
MW10R	8/17/2012	5.8	2.3	460	10,000	N/A
MW10R	9/20/2012	5.4	<1.0	440	7.5	17.95

TABLE 1
DECHANT 1-31A TANK BATTERY
GROUNDWATER ANALYTICAL RESULTS SUMMARY TABLE

Sample ID	Date Sampled	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Depth to Water (feet)
COGCC Table 910-1 Groundwater Standard (µg/L) ⁽¹⁾		5	560	700	1,400	
MW10R	12/12/2012	5.8	<1.0	350	7,000	17.88
MW10R	6/21/2013	5.5	<1.0	330	7,200	17.25
MW10R	9/23/2013	4.4	<1.0	350	7,500	17.23
MW10R	12/18/2013	3.4	<1.0	73	6,600	15.69
MW10R	3/31/2014	8.8	<1.0	570	640	15.52
MW10R	6/17/2014	4.2	<1.0	100	7,700	14.41
MW10R	9/17/2014	<1.0	<1.0	450	6,200	13.90
MW10R	12/2/2014	1.7	<1.0	1,000	13,000	13.23
MW10R	3/16/2015	<1.0	<1.0	550	7,900	12.46
MW10R	6/25/2015	<1.0	<1.0	230	2,700	11.09
MW10R	9/25/2015	<1.0	<1.0	59	240	11.86
MW10R	12/16/2015	<1.0	<1.0	130	530	11.41
MW11	1/18/2010	1.0	<1.0	4.9	<1.0	N/A
MW11	6/22/2010	<1.0	<1.0	<1.0	<1.0	18.70
MW11	9/17/2010	<1.0	<1.0	<1.0	<1.0	18.16
MW11	12/9/2010	<1.0	<1.0	<1.0	<1.0	17.55
MW11	3/10/2011	Destroyed				
MW12	1/18/2010	<1.0	<1.0	<1.0	<1.0	N/A
MW12	6/22/2010	<1.0	<1.0	<1.0	<1.0	18.85
MW12	9/17/2010	<1.0	<1.0	<1.0	<1.0	18.25
MW12	12/9/2010	<1.0	<1.0	<1.0	<1.0	17.69
MW12	3/10/2011	<1.0	<1.0	<1.0	<1.0	17.42
MW12	6/8/2011	<1.0	<1.0	<1.0	<1.0	17.33
MW12	9/26/2011	<1.0	<1.0	<1.0	<1.0	17.16
MW12	12/29/2011	NS	NS	NS	NS	N/A
MW12	3/7/2012	<1.0	<1.0	<1.0	<1.0	16.74
MW12	6/26/2012	Destroyed				
MW13	1/18/2010	35	<1.0	230	73	N/A
MW13	6/22/2010	5.1	<1.0	290	<1.0	18.56
MW13	9/17/2010	13	<1.0	160	<1.0	17.95
MW13	12/9/2010	4.4	<1.0	160	<1.0	17.42
MW13	3/10/2011	<1.0	<1.0	23	3.4	16.15

TABLE 1
DECHANT 1-31A TANK BATTERY
GROUNDWATER ANALYTICAL RESULTS SUMMARY TABLE

Sample ID	Date Sampled	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Depth to Water (feet)
COGCC Table 910-1 Groundwater Standard (µg/L) ⁽¹⁾		5	560	700	1,400	
MW13	6/8/2011	<1.0	<1.0	110	<1.0	17.04
MW13	9/26/2011	2.1	<1.0	190	2.3	16.84
MW13	12/29/2011	<1.0	<1.0	190	<1.0	16.51
MW13	3/7/2012	<1.0	<1.0	150	<1.0	16.45
MW13	6/26/2012	<1.0	<1.0	150	13	15.64
MW13	9/20/2012	NS	NS	NS	NS	N/A
MW13	12/12/2012	<1.0	<1.0	110	<1.0	15.70
MW13	6/21/2013	2.2	<1.0	110	160	15.61
MW13	9/23/2013	7.2	<1.0	290	1,100	15.75
MW13	12/18/2013	1.6	<1.0	2.7	94	15.56
MW13	3/31/2014	<1.0	<1.0	<1.0	4.8	15.26
MW13	6/17/2014	3.5	<1.0	270	850	14.24
MW13	9/17/2014	<1.0	<1.0	190	120	13.43
MW13	12/2/2014	2.8	<1.0	610	280	13.09
MW13	3/16/2015	2.2	<1.0	530	210	12.31
MW13	6/25/2015	1.8	<1.0	260	310	10.91
MW13	9/25/2015	2.0	<1.0	570	710	11.61
MW13	12/16/2015	1.5	1.3	650	1,400	13.14
MW14	1/18/2010	<1.0	<1.0	<1.0	<1.0	N/A
MW14	6/22/2010	<1.0	<1.0	<1.0	<1.0	19.06
MW14	9/17/2010	3.9	<1.0	180	25	18.49
MW14	12/9/2010	<1.0	<1.0	3.8	<1.0	17.94
MW14	3/10/2011	1.2	<1.0	8.8	<1.0	17.64
MW14	6/8/2011	<1.0	<1.0	1.3	<1.0	17.69
MW14	9/26/2011	2.8	<1.0	150	3.0	17.37
MW14	12/29/2011	<1.0	<1.0	26	<1.0	17.03
MW14	3/7/2012	<1.0	<1.0	<1.0	<1.0	16.95
MW14	6/26/2012	Destroyed				
MW15	2/10/2010	240	<1.0	340	1,600	N/A
MW15	6/22/2010	<1.0	<1.0	<1.0	<1.0	17.04
MW15	9/17/2010	Destroyed				

TABLE 1
DECHANT 1-31A TANK BATTERY
GROUNDWATER ANALYTICAL RESULTS SUMMARY TABLE

Sample ID	Date Sampled	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Depth to Water (feet)
COGCC Table 910-1 Groundwater Standard (µg/L) ⁽¹⁾		5	560	700	1,400	
MW16	2/10/2010	44	<1.0	130	450	N/A
MW16	6/22/2010	<1.0	<1.0	4.4	12	16.72
MW16	9/17/2010	Destroyed				
MW17	3/31/2014	<1.0	<1.0	<1.0	<1.0	13.68
MW17	6/17/2014	<1.0	<1.0	<1.0	<1.0	12.58
MW17	9/17/2014	<1.0	<1.0	<1.0	<1.0	12.04
MW17	12/2/2014	<1.0	<1.0	<1.0	6.6	11.42
MW17	3/16/2015	<1.0	<1.0	1.5	2.0	10.61
MW17	6/25/2015	<1.0	<1.0	<1.0	<1.0	9.23
MW17	9/25/2015	<1.0	<1.0	<1.0	<1.0	9.92
MW17	12/16/2015	<1.0	<1.0	<1.0	<1.0	9.48
MW18	3/31/2014	<1.0	<1.0	<1.0	<1.0	14.00
MW18	6/17/2014	<1.0	<1.0	<1.0	<1.0	12.92
MW18	9/17/2014	<1.0	<1.0	<1.0	<1.0	12.40
MW18	12/2/2014	<1.0	<1.0	<1.0	<1.0	11.74
MW18	3/16/2015	<1.0	<1.0	<1.0	<1.0	10.95
MW18	6/25/2015	<1.0	<1.0	<1.0	<1.0	9.55
MW18	9/25/2015	<1.0	<1.0	<1.0	<1.0	10.35
MW18	12/16/2015	<1.0	<1.0	<1.0	<1.0	9.91
MW19	3/31/2014	<1.0	<1.0	<1.0	<1.0	14.37
MW19	6/17/2014	<1.0	<1.0	<1.0	<1.0	13.29
MW19	9/17/2014	<1.0	<1.0	<1.0	<1.0	12.75
MW19	12/2/2014	<1.0	<1.0	<1.0	<1.0	12.10
MW19	3/16/2015	<1.0	<1.0	<1.0	<1.0	11.31
MW19	6/25/2015	<1.0	<1.0	<1.0	<1.0	9.93
MW19	9/25/2015	<1.0	<1.0	<1.0	<1.0	10.63
MW19	12/16/2015	<1.0	<1.0	<1.0	<1.0	10.19
MW20	3/31/2014	<1.0	<1.0	<1.0	46	14.85
MW20	6/17/2014	<1.0	<1.0	<1.0	2.5	13.73
MW20	9/17/2014	<1.0	<1.0	<1.0	<1.0	13.21
MW20	12/2/2014	<1.0	<1.0	<1.0	<1.0	12.55
MW20	3/16/2015	<1.0	<1.0	<1.0	<1.0	11.77

TABLE 1
DECHANT 1-31A TANK BATTERY
GROUNDWATER ANALYTICAL RESULTS SUMMARY TABLE

Sample ID	Date Sampled	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	Depth to Water (feet)
COGCC Table 910-1 Groundwater Standard (µg/L) ⁽¹⁾		5	560	700	1,400	
MW20	6/25/2015	<1.0	<1.0	<1.0	<1.0	10.39
MW20	9/25/2015	<1.0	<1.0	<1.0	<1.0	11.16
MW20	12/16/2015	<1.0	<1.0	<1.0	<1.0	10.73
MW21	3/31/2014	<1.0	<1.0	250	1,000	14.56
MW21	6/17/2014	<1.0	<1.0	470	3,200	13.47
MW21	9/17/2014	<1.0	<1.0	380	3,400	12.97
MW21	12/2/2014	2.5	2.2	1,400	18,000	12.31
MW21	3/16/2015	3.3	3.7	1,700	26,000	11.52
MW21	6/25/2015	4.5	4.9	1,300	21,000	10.14
MW21	9/25/2015	2.6	3.6	840	14,000	10.92
MW21	12/16/2015	1.6	2.6	590	8,400	10.49
MW22	3/31/2014	<1.0	<1.0	<1.0	<1.0	13.92
MW22	6/17/2014	<1.0	<1.0	<1.0	<1.0	12.82
MW22	9/17/2014	<1.0	<1.0	<1.0	<1.0	12.30
MW22	12/2/2014	<1.0	<1.0	<1.0	<1.0	11.62
MW22	3/16/2015	<1.0	<1.0	<1.0	12	10.83
MW22	6/25/2015	<1.0	<1.0	<1.0	12	9.46
MW22	9/25/2015	<1.0	<1.0	<1.0	<1.0	10.16
MW22	12/16/2015	<1.0	<1.0	<1.0	3.6	9.73

Notes:

1. Groundwater standards referenced from 2 CCR 404-1, Table 910-1, effective January 30, 2015.

COGCC = Colorado Oil and Gas Conservation Commission

µg/L = Micrograms per liter

(<) = Analytical result is less than the indicated laboratory reporting limit.

NS = Not sampled

N/A = LT EnviroN/Aental, Inc. field data not available

BOLD = Analytical result is not in compliance with COGCC groundwater standards.

TABLE 2
DECHANT 1-31A TANK BATTERY
EFR / AS OPERATIONAL SUMMARY TABLE

Date	EFR Wells	Total EFR/AS Duration (hours)	Approximate Gallons Extracted	AS Wells	Air Injection Pressure (psi)
Third Quarter 2015					
7/8/2015	MW10R, MW18, MW20, MW21	6	15	MW10R, MW21	20
7/22/2015		6	0		20
8/5/2015		6	0		20
8/19/2015		6	0		20
9/2/2015		6	0		20
9/16/2015		6	60		20
9/28/2015		6	0		20
Quarterly Totals		42	75		
Fourth Quarter 2015					
10/14/2015	MW10R, MW18, MW20, MW21	6	10	MW10R, MW21	20
10/28/2015		6	0		20
11/14/2015	MW10R, MW18, MW21	6	4		20
11/25/2015	MW10R, MW18, MW20, MW21	6	15		20
12/10/2015		6	60		20
Quarterly Totals		30	89		

Notes:

EFR = Enhanced fluid recovery

AS = Air sparge

psi = Pounds per square inch

MW10R		
Compound (µg/L)	9/25/2015	12/16/2015
Benzene	<1.0	<1.0
Toluene	<1.0	<1.0
Ethylbenzene	59	130
Total Xylenes	240	530

MW21		
Compound (µg/L)	9/25/2015	12/16/2015
Benzene	2.6	1.6
Toluene	3.6	2.6
Ethylbenzene	840	590
Total Xylenes	14,000	8,400

MW17		
Compound (µg/L)	9/25/2015	12/16/2015
Benzene	<1.0	<1.0
Toluene	<1.0	<1.0
Ethylbenzene	<1.0	<1.0
Total Xylenes	<1.0	<1.0

MW18		
Compound (µg/L)	9/25/2015	12/16/2015
Benzene	<1.0	<1.0
Toluene	<1.0	<1.0
Ethylbenzene	<1.0	<1.0
Total Xylenes	<1.0	<1.0

MW13		
Compound (µg/L)	9/25/2015	12/16/2015
Benzene	2.0	1.5
Toluene	<1.0	1.3
Ethylbenzene	570	650
Total Xylenes	710	1,400

NOBLE ENERGY
Dechant D31-31D

MW20		
Compound (µg/L)	9/25/2015	12/16/2015
Benzene	<1.0	<1.0
Toluene	<1.0	<1.0
Ethylbenzene	<1.0	<1.0
Total Xylenes	<1.0	<1.0

MW07		
Compound (µg/L)	9/25/2015	12/16/2015
Benzene	<1.0	<1.0
Toluene	<1.0	<1.0
Ethylbenzene	<1.0	<1.0
Total Xylenes	<1.0	<1.0

MW19		
Compound (µg/L)	9/25/2015	12/16/2015
Benzene	<1.0	<1.0
Toluene	<1.0	<1.0
Ethylbenzene	<1.0	<1.0
Total Xylenes	<1.0	<1.0

MW22		
Compound (µg/L)	9/25/2015	12/16/2015
Benzene	<1.0	<1.0
Toluene	<1.0	<1.0
Ethylbenzene	<1.0	<1.0
Total Xylenes	<1.0	3.6

PDC ENERGY
Dechant 1-31A

Agriculture

Note: Surface drainage
direction is estimated based
on site topography and is not
related to regional
topography.

0 ft 60 ft 120 ft



6899 Pecos Street
Unit C
Denver, CO 80221

LEGEND

- Excavation Area
- Monitoring Well Location
- Destroyed Monitoring Well Location
- Groundwater Flow Direction

All locations are
approximate unless
otherwise noted

FIGURE 1
GROUNDWATER
ANALYTICAL
RESULTS MAP

DRAWN BY: ESS

DATE: 1/4/2016

Facility Diagram
PDC Energy – DJ Basin
Dechant 1-31A Tank Battery
SWSW S31 T3N R64W
Weld County, CO

ATTACHMENT A

Summit Scientific

741 Corporate Circle – Suite I ♦ Golden, Colorado 80401

303.277.9310 - laboratory ♦ 303.277.9531 - fax

January 27, 2016

Mark Longhurst
PDC Energy
1775 Sherman St. STE. 3000
Denver, CO 80203
RE: Dechant 1-31A

Enclosed are the results of analyses for samples received by Summit Scientific on 12/17/15 17:00. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read 'P. Shrewsbury', with a stylized, cursive script.

Paul Shrewsbury
President



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Dechant 1-31A
Project Number: [none]
Project Manager: Mark Longhurst

Reported:
01/27/16 17:06

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
MW07	1512147-01	Water	12/16/15 11:10	12/17/15 17:00
MW10R	1512147-02	Water	12/16/15 11:19	12/17/15 17:00
MW13	1512147-03	Water	12/16/15 11:21	12/17/15 17:00
MW17	1512147-04	Water	12/16/15 11:40	12/17/15 17:00
MW18	1512147-05	Water	12/16/15 11:47	12/17/15 17:00
MW19	1512147-06	Water	12/16/15 11:48	12/17/15 17:00
MW20	1512147-07	Water	12/16/15 11:31	12/17/15 17:00
MW21	1512147-08	Water	12/16/15 11:29	12/17/15 17:00
MW22	1512147-09	Water	12/16/15 11:38	12/17/15 17:00

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Dechant 1-31A
Project Number: [none]
Project Manager: Mark Longhurst

Reported:
01/27/16 17:06

MW07
1512147-01 (Water)

Summit Scientific

Volatile Organic Compounds by EPA Method 8260B

Date Sampled: 12/16/15 11:10

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	1.0	ug/l	1	1512188	12/21/15	12/21/15	EPA 8260B	
Toluene	ND	1.0	"	"	"	"	"	"	
Ethylbenzene	ND	1.0	"	"	"	"	"	"	
Xylenes (total)	ND	1.0	"	"	"	"	"	"	

Date Sampled: 12/16/15 11:10

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Surrogate: 1,2-Dichloroethane-d4		118 %	37-154		"	"	"	"	
Surrogate: Toluene-d8		104 %	45-149		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		98.3 %	45-146		"	"	"	"	

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Dechant 1-31A
Project Number: [none]
Project Manager: Mark Longhurst

Reported:
01/27/16 17:06

MW10R
1512147-02 (Water)

Summit Scientific

Volatile Organic Compounds by EPA Method 8260B

Date Sampled: 12/16/15 11:19

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	1.0	ug/l	1	1512188	12/21/15	12/21/15	EPA 8260B	
Toluene	ND	1.0	"	"	"	"	"	"	
Ethylbenzene	130	1.0	"	"	"	"	"	"	
Xylenes (total)	530	1.0	"	"	"	"	"	"	

Date Sampled: 12/16/15 11:19

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Surrogate: 1,2-Dichloroethane-d4		120 %	37-154		"	"	"	"	
Surrogate: Toluene-d8		99.9 %	45-149		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		110 %	45-146		"	"	"	"	

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Dechant 1-31A
Project Number: [none]
Project Manager: Mark Longhurst

Reported:
01/27/16 17:06

MW13
1512147-03 (Water)

Summit Scientific

Volatile Organic Compounds by EPA Method 8260B

Date Sampled: 12/16/15 11:21

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	1.5	1.0	ug/l	1	1512188	12/21/15	12/21/15	EPA 8260B	
Toluene	1.3	1.0	"	"	"	"	"	"	
Ethylbenzene	650	10	"	10	"	"	"	"	
Xylenes (total)	1400	10	"	"	"	"	"	"	

Date Sampled: 12/16/15 11:21

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
<i>Surrogate: 1,2-Dichloroethane-d4</i>		117 %	37-154		"	"	"	"	
<i>Surrogate: Toluene-d8</i>		100 %	45-149		"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		105 %	45-146		"	"	"	"	

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Dechant 1-31A
Project Number: [none]
Project Manager: Mark Longhurst

Reported:
01/27/16 17:06

MW17
1512147-04 (Water)

Summit Scientific

Volatile Organic Compounds by EPA Method 8260B

Date Sampled: 12/16/15 11:40

Analyte	Result	Reporting	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit							
Benzene	ND	1.0	ug/l	1	1512188	12/22/15	12/22/15	EPA 8260B	
Toluene	ND	1.0	"	"	"	"	"	"	
Ethylbenzene	ND	1.0	"	"	"	"	"	"	
Xylenes (total)	ND	1.0	"	"	"	"	"	"	

Date Sampled: 12/16/15 11:40

Analyte	Result	Reporting	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit							
Surrogate: 1,2-Dichloroethane-d4		119 %	37-154		"	"	"	"	
Surrogate: Toluene-d8		105 %	45-149		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		99.8 %	45-146		"	"	"	"	

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Dechant 1-31A
Project Number: [none]
Project Manager: Mark Longhurst

Reported:
01/27/16 17:06

MW18
1512147-05 (Water)

Summit Scientific

Volatile Organic Compounds by EPA Method 8260B

Date Sampled: 12/16/15 11:47

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	1.0	ug/l	1	1512188	12/22/15	12/22/15	EPA 8260B	
Toluene	ND	1.0	"	"	"	"	"	"	
Ethylbenzene	ND	1.0	"	"	"	"	"	"	
Xylenes (total)	ND	1.0	"	"	"	"	"	"	

Date Sampled: 12/16/15 11:47

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Surrogate: 1,2-Dichloroethane-d4		117 %	37-154		"	"	"	"	
Surrogate: Toluene-d8		104 %	45-149		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		100 %	45-146		"	"	"	"	

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Dechant 1-31A
Project Number: [none]
Project Manager: Mark Longhurst

Reported:
01/27/16 17:06

MW19
1512147-06 (Water)

Summit Scientific

Volatile Organic Compounds by EPA Method 8260B

Date Sampled: 12/16/15 11:48

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	1.0	ug/l	1	1512188	12/22/15	12/22/15	EPA 8260B	
Toluene	ND	1.0	"	"	"	"	"	"	
Ethylbenzene	ND	1.0	"	"	"	"	"	"	
Xylenes (total)	ND	1.0	"	"	"	"	"	"	

Date Sampled: 12/16/15 11:48

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Surrogate: 1,2-Dichloroethane-d4		119 %	37-154		"	"	"	"	
Surrogate: Toluene-d8		102 %	45-149		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		102 %	45-146		"	"	"	"	

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Dechant 1-31A
Project Number: [none]
Project Manager: Mark Longhurst

Reported:
01/27/16 17:06

MW20
1512147-07 (Water)

Summit Scientific

Volatile Organic Compounds by EPA Method 8260B

Date Sampled: 12/16/15 11:31

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	1.0	ug/l	1	1512188	12/22/15	12/22/15	EPA 8260B	
Toluene	ND	1.0	"	"	"	"	"	"	
Ethylbenzene	ND	1.0	"	"	"	"	"	"	
Xylenes (total)	ND	1.0	"	"	"	"	"	"	

Date Sampled: 12/16/15 11:31

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Surrogate: 1,2-Dichloroethane-d4		118 %	37-154		"	"	"	"	
Surrogate: Toluene-d8		103 %	45-149		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		100 %	45-146		"	"	"	"	

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Dechant 1-31A
Project Number: [none]
Project Manager: Mark Longhurst

Reported:
01/27/16 17:06

MW21
1512147-08 (Water)

Summit Scientific

Volatile Organic Compounds by EPA Method 8260B

Date Sampled: 12/16/15 11:29

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	1.6	1.0	ug/l	1	1512188	12/22/15	12/22/15	EPA 8260B	
Toluene	2.6	1.0	"	"	"	"	"	"	
Ethylbenzene	590	100	"	100	"	"	"	"	
Xylenes (total)	8400	100	"	"	"	"	"	"	

Date Sampled: 12/16/15 11:29

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
<i>Surrogate: 1,2-Dichloroethane-d4</i>		114 %	37-154		"	"	"	"	
<i>Surrogate: Toluene-d8</i>		104 %	45-149		"	"	"	"	
<i>Surrogate: 4-Bromofluorobenzene</i>		102 %	45-146		"	"	"	"	

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Dechant 1-31A
Project Number: [none]
Project Manager: Mark Longhurst

Reported:
01/27/16 17:06

MW22
1512147-09 (Water)

Summit Scientific

Volatile Organic Compounds by EPA Method 8260B

Date Sampled: 12/16/15 11:38

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	1.0	ug/l	1	1512188	12/22/15	12/22/15	EPA 8260B	
Toluene	ND	1.0	"	"	"	"	"	"	
Ethylbenzene	ND	1.0	"	"	"	"	"	"	
Xylenes (total)	3.6	1.0	"	"	"	"	"	"	

Date Sampled: 12/16/15 11:38

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Surrogate: 1,2-Dichloroethane-d4		114 %	37-154		"	"	"	"	
Surrogate: Toluene-d8		103 %	45-149		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		99.9 %	45-146		"	"	"	"	

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Dechant 1-31A
Project Number: [none]
Project Manager: Mark Longhurst

Reported:
01/27/16 17:06

Volatile Organic Compounds by EPA Method 8260B - Quality Control

Summit Scientific

Analyte	Reporting			Spike	Source		%REC		RPD	
	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes

Batch 1512188 - EPA 5030 Water MS

Blank (1512188-BLK1)

Prepared & Analyzed: 12/21/15

Benzene	ND	1.0	ug/l							
Toluene	ND	1.0	"							
Ethylbenzene	ND	1.0	"							
Xylenes (total)	ND	1.0	"							
Surrogate: 1,2-Dichloroethane-d4	14.9		"	13.3	112	37-154				
Surrogate: Toluene-d8	13.7		"	13.3	103	45-149				
Surrogate: 4-Bromofluorobenzene	13.5		"	13.3	101	45-146				

LCS (1512188-BS1)

Prepared & Analyzed: 12/21/15

Benzene	29.4	1.0	ug/l	50.0	58.7	51-132				
Toluene	33.2	1.0	"	50.0	66.3	51-138				
Ethylbenzene	38.8	1.0	"	50.0	77.6	58-146				
m,p-Xylene	77.1	2.0	"	100	77.1	57-144				
o-Xylene	34.5	1.0	"	50.0	69.0	53-146				
Surrogate: 1,2-Dichloroethane-d4	15.3		"	13.3	115	37-154				
Surrogate: Toluene-d8	13.4		"	13.3	101	45-149				
Surrogate: 4-Bromofluorobenzene	13.2		"	13.3	98.7	45-146				

Matrix Spike (1512188-MS1)

Source: 1512147-01

Prepared & Analyzed: 12/21/15

Benzene	29.7	1.0	ug/l	50.0	ND	59.5	34-141			
Toluene	33.4	1.0	"	50.0	ND	66.8	27-151			
Ethylbenzene	38.6	1.0	"	50.0	ND	77.2	29-160			
m,p-Xylene	75.6	2.0	"	100	ND	75.6	20-166			
o-Xylene	34.3	1.0	"	50.0	ND	68.6	33-159			
Surrogate: 1,2-Dichloroethane-d4	15.4		"	13.3	116	37-154				
Surrogate: Toluene-d8	13.6		"	13.3	102	45-149				
Surrogate: 4-Bromofluorobenzene	13.1		"	13.3	98.0	45-146				

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Dechant 1-31A
Project Number: [none]
Project Manager: Mark Longhurst

Reported:
01/27/16 17:06

Volatile Organic Compounds by EPA Method 8260B - Quality Control
Summit Scientific

Analyte	Reporting			Spike	Source		%REC		RPD	
	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes

Batch 1512188 - EPA 5030 Water MS

Matrix Spike Dup (1512188-MSD1)	Source: 1512147-01			Prepared & Analyzed: 12/21/15						
Benzene	29.6	1.0	ug/l	50.0	ND	59.2	34-141	0.506	32	
Toluene	33.6	1.0	"	50.0	ND	67.2	27-151	0.567	25	
Ethylbenzene	39.0	1.0	"	50.0	ND	78.1	29-160	1.19	50	
m,p-Xylene	76.4	2.0	"	100	ND	76.4	20-166	1.13	36	
o-Xylene	35.0	1.0	"	50.0	ND	70.0	33-159	1.96	26	
Surrogate: 1,2-Dichloroethane-d4	16.8		"	13.3		126	37-154			
Surrogate: Toluene-d8	13.5		"	13.3		101	45-149			
Surrogate: 4-Bromofluorobenzene	13.2		"	13.3		99.3	45-146			

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Dechant 1-31A
Project Number: [none]
Project Manager: Mark Longhurst

Reported:
01/27/16 17:06

Notes and Definitions

DET Analyte DETECTED
ND Analyte NOT DETECTED at or above the reporting limit
NR Not Reported
dry Sample results reported on a dry weight basis
RPD Relative Percent Difference

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

A handwritten signature in black ink, appearing to be 'MSM'.