

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
14:30:40	0	0	0	0
14:30:41	0	0	0	0
14:30:42	0	0	0	0
14:30:43	0	0	0	0
14:30:44	0	0	0	0
14:30:45	0	0	0	0
14:30:46	0	0	0	0
14:30:47	0	0	0	0
14:30:48	0	0	0	0
14:30:49	0	0	0	0
14:30:50	0	0	0	0
14:30:51	0	0	0	0
14:30:52	0	0	0	0
14:30:53	0	0	0	0
14:30:54	0	0	0	0
14:30:55	0	0	0	0
14:30:56	0	0	0	0
14:30:57	0	0	0	0
14:30:58	0	0	0	0
14:30:59	0	0	0	0
14:31:00	0	0	0	0
14:31:01	0	0	0	0
14:31:02	0	0	0	0
14:31:03	0	0	0	0
14:31:04	0	0	0	0
14:31:05	0	0	0	0
14:31:06	0	0	0	0
14:31:07	0	0	0	0
14:31:08	0	0	0	0
14:31:09	0	0	0	0
14:31:10	0	0	0	0
14:31:11	0	0	0	0
14:31:12	0	0	0	0
14:31:13	0	0	0	0
14:31:14	0	0	0	0
14:31:15	0	0	0	0
14:31:16	0	0	0	0
14:31:17	0	0	0	0
14:31:18	0	0	0	0
14:31:19	0	0	0	0
14:31:20	0	0	0	0
14:31:21	0	0	0	0
14:31:22	0	0	0	0
14:31:23	0	0	0	0

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
14:31:24	0	0	0	0.00	0
14:31:25	0	0	0	0.00	0
14:31:26	0	0	0	0.00	0
14:31:27	0	0	0	0.00	0
14:31:28	0	0	0	0.00	0
14:31:29	0	0	0	0.00	0
14:31:30	0	0	0	0.00	0
14:31:31	0	0	0	0.00	0
14:31:32	0	0	0	0.00	0
14:31:33	0	0	0	0.00	0
14:31:34	0	0	0	0.00	0
14:31:35	0	0	0	0.00	0
14:31:36	0	0	0	0.00	0
14:31:37	0	0	0	0.00	0
14:31:38	0	0	0	0.00	0
14:31:39	0	0	0	0.00	0
14:31:40	0	0	0	0.00	0
14:31:41	0	0	0	0.00	0
14:31:42	0	0	0	0.00	0
14:31:43	0	0	0	0.00	0
14:31:44	0	0	0	0.00	0
14:31:45	0	0	0	0.00	0
14:31:46	0	0	0	0.00	0
14:31:47	0	0	0	0.00	0
14:31:48	0	0	0	0.00	0
14:31:49	0	0	0	0.00	0
14:31:50	0	0	0	0.00	0
14:31:51	0	0	0	0.00	0
14:31:52	0	0	0	0.00	0
14:31:53	0	0	0	0.00	0
14:31:54	0	0	0	0.00	0
14:31:55	0	0	0	0.00	0
14:31:56	0	0	0	0.00	0
14:31:57	0	0	0	0.00	0
14:31:58	0	0	0	0.00	0
14:31:59	0	0	0	0.00	0
14:32:00	0	0	0	0.00	0
14:32:01	0	0	0	0.00	0
14:32:02	0	0	0	0.00	0
14:32:03	0	0	0	0.00	0
14:32:04	0	0	0	0.00	0
14:32:05	0	0	0	0.00	0
14:32:06	0	0	0	0.00	0
14:32:07	0	0	0	0.00	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
14:32:08	0	0	0	0
14:32:09	0	0	0	0
14:32:10	0	0	0	0
14:32:11	0	0	0	0
14:32:12	0	0	0	0
14:32:13	0	0	0	0
14:32:14	0	0	0	0
14:32:15	0	0	0	0
14:32:16	0	0	0	0
14:32:17	0	0	0	0
14:32:18	0	0	0	0
14:32:19	0	0	0	0
14:32:20	0	0	0	0
14:32:21	0	0	0	0
14:32:22	0	0	0	0
14:32:23	0	0	0	0
14:32:24	0	0	0	0
14:32:25	0	0	0	0
14:32:26	0	0	0	0
14:32:27	0	0	0	0
14:32:28	0	0	0	0
14:32:29	0	0	0	0
14:32:30	0	0	0	0
14:32:31	0	0	0	0
14:32:32	0	0	0	0
14:32:33	0	0	0	0
14:32:34	0	0	0	0
14:32:35	0	0	0	0
14:32:36	0	0	0	0
14:32:37	0	0	0	0
14:32:38	0	0	0	0
14:32:39	0	0	0	0
14:32:40	0	0	0	0
14:32:41	0	0	0	0
14:32:42	0	0	0	0
14:32:43	0	0	0	0
14:32:44	0	0	0	0
14:32:45	0	0	0	0
14:32:46	0	0	0	0
14:32:47	0	0	0	0
14:32:48	0	0	0	0
14:32:49	0	0	0	0
14:32:50	0	0	0	0
14:32:51	0	0	0	0

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
14:32:52	0	0	0	0.00	0
14:32:53	0	0	0	0.00	0
14:32:54	0	0	0	0.00	0
14:32:55	0	0	0	0.00	0
14:32:56	0	0	0	0.00	0
14:32:57	0	0	0	0.00	0
14:32:58	0	0	0	0.00	0
14:32:59	0	0	0	0.00	0
14:33:00	0	0	0	0.00	0
14:33:01	0	0	0	0.00	0
14:33:02	0	0	0	0.00	0
14:33:03	0	0	0	0.00	0
14:33:04	0	0	0	0.00	0
14:33:05	0	0	0	0.00	0
14:33:06	0	0	0	0.00	0
14:33:07	0	0	0	0.00	0
14:33:08	0	0	0	0.00	0
14:33:09	0	0	0	0.00	0
14:33:10	0	0	0	0.00	0
14:33:11	0	0	0	0.00	0
14:33:12	0	0	0	0.00	0
14:33:13	0	0	0	0.00	0
14:33:14	0	0	0	0.00	0
14:33:15	0	0	0	0.00	0
14:33:16	0	0	0	0.00	0
14:33:17	0	0	0	0.00	0
14:33:18	0	0	0	0.00	0
14:33:19	0	0	0	0.00	0
14:33:20	0	0	0	0.00	0
14:33:21	0	0	0	0.00	0
14:33:22	0	0	0	0.00	0
14:33:23	0	0	0	0.00	0
14:33:24	0	0	0	0.00	0
14:33:25	0	0	0	0.00	0
14:33:26	0	0	0	0.00	0
14:33:27	0	0	0	0.00	0
14:33:28	0	0	0	0.00	0
14:33:29	0	0	0	0.00	0
14:33:30	0	0	0	0.00	0
14:33:31	0	0	0	0.00	0
14:33:32	0	0	0	0.00	0
14:33:33	0	0	0	0.00	0
14:33:34	0	0	0	0.00	0
14:33:35	0	0	0	0.00	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
14:33:36	0	0	0	0
14:33:37	0	0	0	0
14:33:38	0	0	0	0
14:33:39	0	0	0	0
14:33:40	0	0	0	0
14:33:41	0	0	0	0
14:33:42	0	0	0	0
14:33:43	0	0	0	0
14:33:44	0	0	0	0
14:33:45	0	0	0	0
14:33:46	0	0	0	0
14:33:47	0	0	0	0
14:33:48	0	0	0	0
14:33:49	0	0	0	0
14:33:50	0	0	0	0
14:33:51	0	0	0	0
14:33:52	0	0	0	0
14:33:53	0	0	0	0
14:33:54	0	0	0	0
14:33:55	0	0	0	0
14:33:56	0	0	0	0
14:33:57	0	0	0	0
14:33:58	0	0	0	0
14:33:59	0	0	0	0
14:34:00	0	0	0	0
14:34:01	0	0	0	0
14:34:02	0	0	0	0
14:34:03	0	0	0	0
14:34:04	0	0	0	0
14:34:05	0	0	0	0
14:34:06	0	0	0	0
14:34:07	0	0	0	0
14:34:08	0	0	0	0
14:34:09	0	0	0	0
14:34:10	0	0	0	0
14:34:11	0	0	0	0
14:34:12	0	0	0	0
14:34:13	0	0	0	0
14:34:14	0	0	0	0
14:34:15	0	0	0	0
14:34:16	0	0	0	0
14:34:17	0	0	0	0
14:34:18	0	0	0	0
14:34:19	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
14:34:20	0	0	0	0
14:34:21	0	0	0	0
14:34:22	0	0	0	0
14:34:23	0	0	0	0
14:34:24	0	0	0	0
14:34:25	0	0	0	0
14:34:26	0	0	0	0
14:34:27	0	0	0	0
14:34:28	0	0	0	0
14:34:29	0	0	0	0
14:34:30	0	0	0	0
14:34:31	0	0	0	0
14:34:32	0	0	0	0
14:34:33	0	0	0	0
14:34:34	0	0	0	0
14:34:35	0	0	0	0
14:34:36	0	0	0	0
14:34:37	0	0	0	0
14:34:38	0	0	0	0
14:34:39	0	0	0	0
14:34:40	0	0	0	0
14:34:41	0	0	0	0
14:34:42	0	0	0	0
14:34:43	0	0	0	0
14:34:44	0	0	0	0
14:34:45	0	0	0	0
14:34:46	0	0	0	0
14:34:47	0	0	0	0
14:34:48	0	0	0	0
14:34:49	0	0	0	0
14:34:50	0	0	0	0
14:34:51	0	0	0	0
14:34:52	0	0	0	0
14:34:53	0	0	0	0
14:34:54	0	0	0	0
14:34:55	0	0	0	0
14:34:56	0	0	0	0
14:34:57	0	0	0	0
14:34:58	0	0	0	0
14:34:59	0	0	0	0
14:35:00	0	0	0	0
14:35:01	0	0	0	0
14:35:02	0	0	0	0
14:35:03	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
14:35:04	0	0	0	0
14:35:05	0	0	0	0
14:35:06	0	0	0	0
14:35:07	0	0	0	0
14:35:08	0	0	0	0
14:35:09	0	0	0	0
14:35:10	0	0	0	0
14:35:11	0	0	0	0
14:35:12	0	0	0	0
14:35:13	0	0	0	0
14:35:14	0	0	0	0
14:35:15	0	0	0	0
14:35:16	0	0	0	0
14:35:17	0	0	0	0
14:35:18	0	0	0	0
14:35:19	0	0	0	0
14:35:20	0	0	0	0
14:35:21	0	0	0	0
14:35:22	0	0	0	0
14:35:23	0	0	0	0
14:35:24	0	0	0	0
14:35:25	0	0	0	0
14:35:26	0	0	0	0
14:35:27	0	0	0	0
14:35:28	0	0	0	0
14:35:29	0	0	0	0
14:35:30	0	0	0	0
14:35:31	0	0	0	0
14:35:32	0	0	0	0
14:35:33	0	0	0	0
14:35:34	0	0	0	0
14:35:35	0	0	0	0
14:35:36	0	0	0	0
14:35:37	0	0	0	0
14:35:38	0	0	0	0
14:35:39	0	0	0	0
14:35:40	0	0	0	0
14:35:41	0	0	0	0
14:35:42	0	0	0	0
14:35:43	0	0	0	0
14:35:44	0	0	0	0
14:35:45	0	0	0	0
14:35:46	0	0	0	0
14:35:47	0	0	0	0

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
14:35:48	0	0	0	0.00	0
14:35:49	0	0	0	0.00	0
14:35:50	0	0	0	0.00	0
14:35:51	0	0	0	0.00	0
14:35:52	0	0	0	0.00	0
14:35:53	0	0	0	0.00	0
14:35:54	0	0	0	0.00	0
14:35:55	0	0	0	0.00	0
14:35:56	0	0	0	0.00	0
14:35:57	0	0	0	0.00	0
14:35:58	0	0	0	0.00	0
14:35:59	0	0	0	0.00	0
14:36:00	0	0	0	0.00	0
14:36:01	0	0	0	0.00	0
14:36:02	0	0	0	0.00	0
14:36:03	0	0	0	0.00	0
14:36:04	0	0	0	0.00	0
14:36:05	0	0	0	0.00	0
14:36:06	0	0	0	0.00	0
14:36:07	0	0	0	0.00	0
14:36:08	0	0	0	0.00	0
14:36:09	0	0	0	0.00	0
14:36:10	0	0	0	0.00	0
14:36:11	0	0	0	0.00	0
14:36:12	0	0	0	0.00	0
14:36:13	0	0	0	0.00	0
14:36:14	0	0	0	0.00	0
14:36:15	0	0	0	0.00	0
14:36:16	0	0	0	0.00	0
14:36:17	0	0	0	0.00	0
14:36:18	0	0	0	0.00	0
14:36:19	0	0	0	0.00	0
14:36:20	0	0	0	0.00	0
14:36:21	0	0	0	0.00	0
14:36:22	0	0	0	0.00	0
14:36:23	0	0	0	0.00	0
14:36:24	0	0	0	0.00	0
14:36:25	0	0	0	0.00	0
14:36:26	0	0	0	0.00	0
14:36:27	0	0	0	0.00	0
14:36:28	0	0	0	0.00	0
14:36:29	0	0	0	0.00	0
14:36:30	0	0	0	0.00	0
14:36:31	0	0	0	0.00	0

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
14:36:32	0	0	0	0.00	0
14:36:33	0	0	0	0.00	0
14:36:34	0	0	0	0.00	0
14:36:35	0	0	0	0.00	0
14:36:36	0	0	0	0.00	0
14:36:37	0	0	0	0.00	0
14:36:38	0	0	0	0.00	0
14:36:39	0	0	0	0.00	0
14:36:40	0	0	0	0.00	0
14:36:41	0	0	0	0.00	0
14:36:42	0	0	0	0.00	0
14:36:43	0	0	0	0.00	0
14:36:44	0	0	0	0.00	0
14:36:45	0	0	0	0.00	0
14:36:46	0	0	0	0.00	0
14:36:47	0	0	0	0.00	0
14:36:48	0	0	0	0.00	0
14:36:49	0	0	0	0.00	0
14:36:50	0	0	0	0.00	0
14:36:51	0	0	0	0.00	0
14:36:52	0	0	0	0.00	0
14:36:53	0	0	0	0.00	0
14:36:54	0	0	0	0.00	0
14:36:55	0	0	0	0.00	0
14:36:56	0	0	0	0.00	0
14:36:57	0	0	0	0.00	0
14:36:58	0	0	0	0.00	0
14:36:59	0	0	0	0.00	0
14:37:00	0	0	0	0.00	0
14:37:01	0	0	0	0.00	0
14:37:02	0	0	0	0.00	0
14:37:03	0	0	0	0.00	0
14:37:04	0	0	0	0.00	0
14:37:05	0	0	0	0.00	0
14:37:06	0	0	0	0.00	0
14:37:07	0	0	0	0.00	0
14:37:08	0	0	0	0.00	0
14:37:09	0	0	0	0.00	0
14:37:10	0	0	0	0.00	0
14:37:11	0	0	0	0.00	0
14:37:12	0	0	0	0.00	0
14:37:13	0	0	0	0.00	0
14:37:14	0	0	0	0.00	0
14:37:15	0	0	0	0.00	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
14:37:16	0	0	0	0
14:37:17	0	0	0	0
14:37:18	0	0	0	0
14:37:19	0	0	0	0
14:37:20	0	0	0	0
14:37:21	0	0	0	0
14:37:22	0	0	0	0
14:37:23	0	0	0	0
14:37:24	0	0	0	0
14:37:25	0	0	0	0
14:37:26	0	0	0	0
14:37:27	0	0	0	0
14:37:28	0	0	0	0
14:37:29	0	0	0	0
14:37:30	0	0	0	0
14:37:31	0	0	0	0
14:37:32	0	0	0	0
14:37:33	0	0	0	0
14:37:34	0	0	0	0
14:37:35	0	0	0	0
14:37:36	0	0	0	0
14:37:37	0	0	0	0
14:37:38	0	0	0	0
14:37:39	0	0	0	0
14:37:40	0	0	0	0
14:37:41	0	0	0	0
14:37:42	0	0	0	0
14:37:43	0	0	0	0
14:37:44	0	0	0	0
14:37:45	0	0	0	0
14:37:46	0	0	0	0
14:37:47	0	0	0	0
14:37:48	0	0	0	0
14:37:49	0	0	0	0
14:37:50	0	0	0	0
14:37:51	0	0	0	0
14:37:52	0	0	0	0
14:37:53	0	0	0	0
14:37:54	0	0	0	0
14:37:55	0	0	0	0
14:37:56	0	0	0	0
14:37:57	0	0	0	0
14:37:58	0	0	0	0
14:37:59	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
14:38:00	0	0	0	0
14:38:01	0	0	0	0
14:38:02	0	0	0	0
14:38:03	0	0	0	0
14:38:04	0	0	0	0
14:38:05	0	0	0	0
14:38:06	0	0	0	0
14:38:07	0	0	0	0
14:38:08	0	0	0	0
14:38:09	0	0	0	0
14:38:10	0	0	0	0
14:38:11	0	0	0	0
14:38:12	0	0	0	0
14:38:13	0	0	0	0
14:38:14	0	0	0	0
14:38:15	0	0	0	0
14:38:16	0	0	0	0
14:38:17	0	0	0	0
14:38:18	0	0	0	0
14:38:19	0	0	0	0
14:38:20	0	0	0	0
14:38:21	0	0	0	0
14:38:22	0	0	0	0
14:38:23	0	0	0	0
14:38:24	0	0	0	0
14:38:25	0	0	0	0
14:38:26	0	0	0	0
14:38:27	0	0	0	0
14:38:28	0	0	0	0
14:38:29	0	0	0	0
14:38:30	0	0	0	0
14:38:31	0	0	0	0
14:38:32	0	0	0	0
14:38:33	0	0	0	0
14:38:34	0	0	0	0
14:38:35	0	0	0	0
14:38:36	0	0	0	0
14:38:37	0	0	0	0
14:38:38	0	0	0	0
14:38:39	0	0	0	0
14:38:40	0	0	0	0
14:38:41	0	0	0	0
14:38:42	0	0	0	0
14:38:43	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
14:38:44	0	0	0	0
14:38:45	0	0	0	0
14:38:46	0	0	0	0
14:38:47	0	0	0	0
14:38:48	0	0	0	0
14:38:49	0	0	0	0
14:38:50	0	0	0	0
14:38:51	0	0	0	0
14:38:52	0	0	0	0
14:38:53	0	0	0	0
14:38:54	0	0	0	0
14:38:55	0	0	0	0
14:38:56	0	0	0	0
14:38:57	0	0	0	0
14:38:58	0	0	0	0
14:38:59	0	0	0	0
14:39:00	0	0	0	0
14:39:01	0	0	0	0
14:39:02	0	0	0	0
14:39:03	0	0	0	0
14:39:04	0	0	0	0
14:39:05	0	0	0	0
14:39:06	0	0	0	0
14:39:07	0	0	0	0
14:39:08	0	0	0	0
14:39:09	0	0	0	0
14:39:10	0	0	0	0
14:39:11	0	0	0	0
14:39:12	0	0	0	0
14:39:13	0	0	0	0
14:39:14	0	0	0	0
14:39:15	0	0	0	0
14:39:16	0	0	0	0
14:39:17	0	0	0	0
14:39:18	0	0	0	0
14:39:19	0	0	0	0
14:39:20	0	0	0	0
14:39:21	0	0	0	0
14:39:22	0	0	0	0
14:39:23	0	0	0	0
14:39:24	0	0	0	0
14:39:25	0	0	0	0
14:39:26	0	0	0	0
14:39:27	0	0	0	0

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
14:39:28	0	0	0	0.00	0
14:39:29	0	0	0	0.00	0
14:39:30	0	0	0	0.00	0
14:39:31	0	0	0	0.00	0
14:39:32	0	0	0	0.00	0
14:39:33	0	0	0	0.00	0
14:39:34	0	0	0	0.00	0
14:39:35	0	0	0	0.00	0
14:39:36	0	0	0	0.00	0
14:39:37	0	0	0	0.00	0
14:39:38	0	0	0	0.00	0
14:39:39	0	0	0	0.00	0
14:39:40	0	0	0	0.00	0
14:39:41	0	0	0	0.00	0
14:39:42	0	0	0	0.00	0
14:39:43	0	0	0	0.00	0
14:39:44	0	0	0	0.00	0
14:39:45	0	0	0	0.00	0
14:39:46	0	0	0	0.00	0
14:39:47	0	0	0	0.00	0
14:39:48	0	0	0	0.00	0
14:39:49	0	0	0	0.00	0
14:39:50	0	0	0	0.00	0
14:39:51	0	0	0	0.00	0
14:39:52	0	0	0	0.00	0
14:39:53	0	0	0	0.00	0
14:39:54	0	0	0	0.00	0
14:39:55	0	0	0	0.00	0
14:39:56	0	0	0	0.00	0
14:39:57	0	0	0	0.00	0
14:39:58	0	0	0	0.00	0
14:39:59	0	0	0	0.00	0
14:40:00	0	0	0	0.00	0
14:40:01	0	0	0	0.00	0
14:40:02	0	0	0	0.00	0
14:40:03	0	0	0	0.00	0
14:40:04	0	0	0	0.00	0
14:40:05	0	0	0	0.00	0
14:40:06	0	0	0	0.00	0
14:40:07	0	0	0	0.00	0
14:40:08	0	0	0	0.00	0
14:40:09	0	0	0	0.00	0
14:40:10	0	0	0	0.00	0
14:40:11	0	0	0	0.00	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
14:40:12	0	0	0	0
14:40:13	0	0	0	0
14:40:14	0	0	0	0
14:40:15	0	0	0	0
14:40:16	0	0	0	0
14:40:17	0	0	0	0
14:40:18	0	0	0	0
14:40:19	0	0	0	0
14:40:20	0	0	0	0
14:40:21	0	0	0	0
14:40:22	0	0	0	0
14:40:23	0	0	0	0
14:40:24	0	0	0	0
14:40:25	0	0	0	0
14:40:26	0	0	0	0
14:40:27	0	0	0	0
14:40:28	0	0	0	0
14:40:29	0	0	0	0
14:40:30	0	0	0	0
14:40:31	0	0	0	0
14:40:32	0	0	0	0
14:40:33	0	0	0	0
14:40:34	0	0	0	0
14:40:35	0	0	0	0
14:40:36	0	0	0	0
14:40:37	0	0	0	0
14:40:38	0	0	0	0
14:40:39	0	0	0	0
14:40:40	0	0	0	0
14:40:41	0	0	0	0
14:40:42	0	0	0	0
14:40:43	0	0	0	0
14:40:44	0	0	0	0
14:40:45	0	0	0	0
14:40:46	0	0	0	0
14:40:47	0	0	0	0
14:40:48	0	0	0	0
14:40:49	0	0	0	0
14:40:50	0	0	0	0
14:40:51	0	0	0	0
14:40:52	0	0	0	0
14:40:53	0	0	0	0
14:40:54	0	0	0	0
14:40:55	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
14:40:56	0	0	0	0
14:40:57	0	0	0	0
14:40:58	0	0	0	0
14:40:59	0	0	0	0
14:41:00	0	0	0	0
14:41:01	0	0	0	0
14:41:02	0	0	0	0
14:41:03	0	0	0	0
14:41:04	0	0	0	0
14:41:05	0	0	0	0
14:41:06	0	0	0	0
14:41:07	0	0	0	0
14:41:08	0	0	0	0
14:41:09	0	0	0	0
14:41:10	0	0	0	0
14:41:11	0	0	0	0
14:41:12	0	0	0	0
14:41:13	0	0	0	0
14:41:14	0	0	0	0
14:41:15	0	0	0	0
14:41:16	0	0	0	0
14:41:17	0	0	0	0
14:41:18	0	0	0	0
14:41:19	0	0	0	0
14:41:20	0	0	0	0
14:41:21	0	0	0	0
14:41:22	0	0	0	0
14:41:23	0	0	0	0
14:41:24	0	0	0	0
14:41:25	0	0	0	0
14:41:26	0	0	0	0
14:41:27	0	0	0	0
14:41:28	0	0	0	0
14:41:29	0	0	0	0
14:41:30	0	0	0	0
14:41:31	0	0	0	0
14:41:32	0	0	0	0
14:41:33	0	0	0	0
14:41:34	0	0	0	0
14:41:35	0	0	0	0
14:41:36	0	0	0	0
14:41:37	0	0	0	0
14:41:38	0	0	0	0
14:41:39	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
14:41:40	0	0	0	0
14:41:41	0	0	0	0
14:41:42	0	0	0	0
14:41:43	0	0	0	0
14:41:44	0	0	0	0
14:41:45	0	0	0	0
14:41:46	0	0	0	0
14:41:47	0	0	0	0
14:41:48	0	0	0	0
14:41:49	0	0	0	0
14:41:50	0	0	0	0
14:41:51	0	0	0	0
14:41:52	0	0	0	0
14:41:53	0	0	0	0
14:41:54	0	0	0	0
14:41:55	0	0	0	0
14:41:56	0	0	0	0
14:41:57	0	0	0	0
14:41:58	0	0	0	0
14:41:59	0	0	0	0
14:42:00	0	0	0	0
14:42:01	0	0	0	0
14:42:02	0	0	0	0
14:42:03	0	0	0	0
14:42:04	0	0	0	0
14:42:05	0	0	0	0
14:42:06	0	0	0	0
14:42:07	0	0	0	0
14:42:08	0	0	0	0
14:42:09	0	0	0	0
14:42:10	0	0	0	0
14:42:11	0	0	0	0
14:42:12	0	0	0	0
14:42:13	0	0	0	0
14:42:14	0	0	0	0
14:42:15	0	0	0	0
14:42:16	0	0	0	0
14:42:17	0	0	0	0
14:42:18	0	0	0	0
14:42:19	0	0	0	0
14:42:20	0	0	0	0
14:42:21	0	0	0	0
14:42:22	0	0	0	0
14:42:23	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
14:42:24	0	0	0	0
14:42:25	0	0	0	0
14:42:26	0	0	0	0
14:42:27	0	0	0	0
14:42:28	0	0	0	0
14:42:29	0	0	0	0
14:42:30	0	0	0	0
14:42:31	0	0	0	0
14:42:32	0	0	0	0
14:42:33	0	0	0	0
14:42:34	0	0	0	0
14:42:35	0	0	0	0
14:42:36	0	0	0	0
14:42:37	0	0	0	0
14:42:38	0	0	0	0
14:42:39	0	0	0	0
14:42:40	0	0	0	0
14:42:41	0	0	0	0
14:42:42	0	0	0	0
14:42:43	0	0	0	0
14:42:44	0	0	0	0
14:42:45	0	0	0	0
14:42:46	0	0	0	0
14:42:47	0	0	0	0
14:42:48	0	0	0	0
14:42:49	0	0	0	0
14:42:50	0	0	0	0
14:42:51	0	0	0	0
14:42:52	0	0	0	0
14:42:53	0	0	0	0
14:42:54	0	0	0	0
14:42:55	0	0	0	0
14:42:56	0	0	0	0
14:42:57	0	0	0	0
14:42:58	0	0	0	0
14:42:59	0	0	0	0
14:43:00	0	0	0	0
14:43:01	0	0	0	0
14:43:02	0	0	0	0
14:43:03	0	0	0	0
14:43:04	0	0	0	0
14:43:05	0	0	0	0
14:43:06	0	0	0	0
14:43:07	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
14:43:08	0	0	0	0
14:43:09	0	0	0	0
14:43:10	0	0	0	0
14:43:11	0	0	0	0
14:43:12	0	0	0	0
14:43:13	0	0	0	0
14:43:14	0	0	0	0
14:43:15	0	0	0	0
14:43:16	0	0	0	0
14:43:17	0	0	0	0
14:43:18	0	0	0	0
14:43:19	0	0	0	0
14:43:20	0	0	0	0
14:43:21	0	0	0	0
14:43:22	0	0	0	0
14:43:23	0	0	0	0
14:43:24	0	0	0	0
14:43:25	0	0	0	0
14:43:26	0	0	0	0
14:43:27	0	0	0	0
14:43:28	0	0	0	0
14:43:29	0	0	0	0
14:43:30	0	0	0	0
14:43:31	0	0	0	0
14:43:32	0	0	0	0
14:43:33	0	0	0	0
14:43:34	0	0	0	0
14:43:35	0	0	0	0
14:43:36	0	0	0	0
14:43:37	0	0	0	0
14:43:38	0	0	0	0
14:43:39	0	0	0	0
14:43:40	0	0	0	0
14:43:41	0	0	0	0
14:43:42	0	0	0	0
14:43:43	0	0	0	0
14:43:44	0	0	0	0
14:43:45	0	0	0	0
14:43:46	0	0	0	0
14:43:47	0	0	0	0
14:43:48	0	0	0	0
14:43:49	0	0	0	0
14:43:50	0	0	0	0
14:43:51	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
14:43:52	0	0	0	0
14:43:53	0	0	0	0
14:43:54	0	0	0	0
14:43:55	0	0	0	0
14:43:56	0	0	0	0
14:43:57	0	0	0	0
14:43:58	0	0	0	0
14:43:59	0	0	0	0
14:44:00	0	0	0	0
14:44:01	0	0	0	0
14:44:02	0	0	0	0
14:44:03	0	0	0	0
14:44:04	0	0	0	0
14:44:05	0	0	0	0
14:44:06	0	0	0	0
14:44:07	0	0	0	0
14:44:08	0	0	0	0
14:44:09	0	0	0	0
14:44:10	0	0	0	0
14:44:11	0	0	0	0
14:44:12	0	0	0	0
14:44:13	0	0	0	0
14:44:14	0	0	0	0
14:44:15	0	0	0	0
14:44:16	0	0	0	0
14:44:17	0	0	0	0
14:44:18	0	0	0	0
14:44:19	0	0	0	0
14:44:20	0	0	0	0
14:44:21	0	0	0	0
14:44:22	0	0	0	0
14:44:23	0	0	0	0
14:44:24	0	0	0	0
14:44:25	0	0	0	0
14:44:26	0	0	0	0
14:44:27	0	0	0	0
14:44:28	0	0	0	0
14:44:29	0	0	0	0
14:44:30	0	0	0	0
14:44:31	0	0	0	0
14:44:32	0	0	0	0
14:44:33	0	0	0	0
14:44:34	0	0	0	0
14:44:35	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
14:44:36	0	0	0	0
14:44:37	0	0	0	0
14:44:38	0	0	0	0
14:44:39	0	0	0	0
14:44:40	0	0	0	0
14:44:41	0	0	0	0
14:44:42	0	0	0	0
14:44:43	0	0	0	0
14:44:44	0	0	0	0
14:44:45	0	0	0	0
14:44:46	0	0	0	0
14:44:47	0	0	0	0
14:44:48	0	0	0	0
14:44:49	0	0	0	0
14:44:50	0	0	0	0
14:44:51	0	0	0	0
14:44:52	0	0	0	0
14:44:53	0	0	0	0
14:44:54	0	0	0	0
14:44:55	0	0	0	0
14:44:56	0	0	0	0
14:44:57	0	0	0	0
14:44:58	0	0	0	0
14:44:59	0	0	0	0
14:45:00	0	0	0	0
14:45:01	0	0	0	0
14:45:02	0	0	0	0
14:45:03	0	0	0	0
14:45:04	0	0	0	0
14:45:05	0	0	0	0
14:45:06	0	0	0	0
14:45:07	0	0	0	0
14:45:08	0	0	0	0
14:45:09	0	0	0	0
14:45:10	0	0	0	0
14:45:11	0	0	0	0
14:45:12	0	0	0	0
14:45:13	0	0	0	0
14:45:14	0	0	0	0
14:45:15	0	0	0	0
14:45:16	0	0	0	0
14:45:17	0	0	0	0
14:45:18	0	0	0	0
14:45:19	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
14:45:20	0	0	0	0
14:45:21	0	0	0	0
14:45:22	0	0	0	0
14:45:23	0	0	0	0
14:45:24	0	0	0	0
14:45:25	0	0	0	0
14:45:26	0	0	0	0
14:45:27	0	0	0	0
14:45:28	0	0	0	0
14:45:29	0	0	0	0
14:45:30	0	0	0	0
14:45:31	0	0	0	0
14:45:32	0	0	0	0
14:45:33	0	0	0	0
14:45:34	0	0	0	0
14:45:35	0	0	0	0
14:45:36	0	0	0	0
14:45:37	0	0	0	0
14:45:38	0	0	0	0
14:45:39	0	0	0	0
14:45:40	0	0	0	0
14:45:41	0	0	0	0
14:45:42	0	0	0	0
14:45:43	0	0	0	0
14:45:44	0	0	0	0
14:45:45	0	0	0	0
14:45:46	0	0	0	0
14:45:47	0	0	0	0
14:45:48	0	0	0	0
14:45:49	0	0	0	0
14:45:50	0	0	0	0
14:45:51	0	0	0	0
14:45:52	0	0	0	0
14:45:53	0	0	0	0
14:45:54	0	0	0	0
14:45:55	0	0	0	0
14:45:56	0	0	0	0
14:45:57	0	0	0	0
14:45:58	0	0	0	0
14:45:59	0	0	0	0
14:46:00	0	0	0	0
14:46:01	0	0	0	0
14:46:02	0	0	0	0
14:46:03	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
14:46:04	0	0	0	0
14:46:05	0	0	0	0
14:46:06	0	0	0	0
14:46:07	0	0	0	0
14:46:08	0	0	0	0
14:46:09	0	0	0	0
14:46:10	0	0	0	0
14:46:11	0	0	0	0
14:46:12	0	0	0	0
14:46:13	0	0	0	0
14:46:14	0	0	0	0
14:46:15	0	0	0	0
14:46:16	0	0	0	0
14:46:17	0	0	0	0
14:46:18	0	0	0	0
14:46:19	0	0	0	0
14:46:20	0	0	0	0
14:46:21	0	0	0	0
14:46:22	0	0	0	0
14:46:23	0	0	0	0
14:46:24	0	0	0	0
14:46:25	0	0	0	0
14:46:26	0	0	0	0
14:46:27	0	0	0	0
14:46:28	0	0	0	0
14:46:29	0	0	0	0
14:46:30	0	0	0	0
14:46:31	0	0	0	0
14:46:32	0	0	0	0
14:46:33	0	0	0	0
14:46:34	0	0	0	0
14:46:35	0	0	0	0
14:46:36	0	0	0	0
14:46:37	0	0	0	0
14:46:38	0	0	0	0
14:46:39	0	0	0	0
14:46:40	0	0	0	0
14:46:41	0	0	0	0
14:46:42	0	0	0	0
14:46:43	0	0	0	0
14:46:44	0	0	0	0
14:46:45	0	0	0	0
14:46:46	0	0	0	0
14:46:47	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
14:46:48	0	0	0	0
14:46:49	0	0	0	0
14:46:50	0	0	0	0
14:46:51	0	0	0	0
14:46:52	0	0	0	0
14:46:53	0	0	0	0
14:46:54	0	0	0	0
14:46:55	0	0	0	0
14:46:56	0	0	0	0
14:46:57	0	0	0	0
14:46:58	0	0	0	0
14:46:59	0	0	0	0
14:47:00	0	0	0	0
14:47:01	0	0	0	0
14:47:02	0	0	0	0
14:47:03	0	0	0	0
14:47:04	0	0	0	0
14:47:05	0	0	0	0
14:47:06	0	0	0	0
14:47:07	0	0	0	0
14:47:08	0	0	0	0
14:47:09	0	0	0	0
14:47:10	0	0	0	0
14:47:11	0	0	0	0
14:47:12	0	0	0	0
14:47:13	0	0	0	0
14:47:14	0	0	0	0
14:47:15	0	0	0	0
14:47:16	0	0	0	0
14:47:17	0	0	0	0
14:47:18	0	0	0	0
14:47:19	0	0	0	0
14:47:20	0	0	0	0
14:47:21	0	0	0	0
14:47:22	0	0	0	0
14:47:23	0	0	0	0
14:47:24	0	0	0	0
14:47:25	0	0	0	0
14:47:26	0	0	0	0
14:47:27	0	0	0	0
14:47:28	0	0	0	0
14:47:29	0	0	0	0
14:47:30	0	0	0	0
14:47:31	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
14:47:32	0	0	0	0
14:47:33	0	0	0	0
14:47:34	0	0	0	0
14:47:35	0	0	0	0
14:47:36	0	0	0	0
14:47:37	0	0	0	0
14:47:38	0	0	0	0
14:47:39	0	0	0	0
14:47:40	0	0	0	0
14:47:41	0	0	0	0
14:47:42	0	0	0	0
14:47:43	0	0	0	0
14:47:44	0	0	0	0
14:47:45	0	0	0	0
14:47:46	0	0	0	0
14:47:47	0	0	0	0
14:47:48	0	0	0	0
14:47:49	0	0	0	0
14:47:50	0	0	0	0
14:47:51	0	0	0	0
14:47:52	0	0	0	0
14:47:53	0	0	0	0
14:47:54	0	0	0	0
14:47:55	0	0	0	0
14:47:56	0	0	0	0
14:47:57	0	0	0	0
14:47:58	0	0	0	0
14:47:59	0	0	0	0
14:48:00	0	0	0	0
14:48:01	0	0	0	0
14:48:02	0	0	0	0
14:48:03	0	0	0	0
14:48:04	0	0	0	0
14:48:05	0	0	0	0
14:48:06	0	0	0	0
14:48:07	0	0	0	0
14:48:08	0	0	0	0
14:48:09	0	0	0	0
14:48:10	0	0	0	0
14:48:11	0	0	0	0
14:48:12	0	0	0	0
14:48:13	0	0	0	0
14:48:14	0	0	0	0
14:48:15	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
14:48:16	0	0	0	0
14:48:17	0	0	0	0
14:48:18	0	0	0	0
14:48:19	0	0	0	0
14:48:20	0	0	0	0
14:48:21	0	0	0	0
14:48:22	0	0	0	0
14:48:23	0	0	0	0
14:48:24	0	0	0	0
14:48:25	0	0	0	0
14:48:26	0	0	0	0
14:48:27	0	0	0	0
14:48:28	0	0	0	0
14:48:29	0	0	0	0
14:48:30	0	0	0	0
14:48:31	0	0	0	0
14:48:32	0	0	0	0
14:48:33	0	0	0	0
14:48:34	0	0	0	0
14:48:35	0	0	0	0
14:48:36	0	0	0	0
14:48:37	0	0	0	0
14:48:38	0	0	0	0
14:48:39	0	0	0	0
14:48:40	0	0	0	0
14:48:41	0	0	0	0
14:48:42	0	0	0	0
14:48:43	0	0	0	0
14:48:44	0	0	0	0
14:48:45	0	0	0	0
14:48:46	0	0	0	0
14:48:47	0	0	0	0
14:48:48	0	0	0	0
14:48:49	0	0	0	0
14:48:50	0	0	0	0
14:48:51	0	0	0	0
14:48:52	0	0	0	0
14:48:53	0	0	0	0
14:48:54	0	0	0	0
14:48:55	0	0	0	0
14:48:56	0	0	0	0
14:48:57	0	0	0	0
14:48:58	0	0	0	0
14:48:59	0	0	0	0

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
14:49:00	0	0	0	0.00	0
14:49:01	0	0	0	0.00	0
14:49:02	0	0	0	0.00	0
14:49:03	0	0	0	0.00	0
14:49:04	0	0	0	0.00	0
14:49:05	0	0	0	0.00	0
14:49:06	0	0	0	0.00	0
14:49:07	0	0	0	0.00	0
14:49:08	0	0	0	0.00	0
14:49:09	0	0	0	0.00	0
14:49:10	0	0	0	0.00	0
14:49:11	0	0	0	0.00	0
14:49:12	0	0	0	0.00	0
14:49:13	0	0	0	0.00	0
14:49:14	0	0	0	0.00	0
14:49:15	0	0	0	0.00	0
14:49:16	0	0	0	0.00	0
14:49:17	0	0	0	0.00	0
14:49:18	0	0	0	0.00	0
14:49:19	0	0	0	0.00	0
14:49:20	0	0	0	0.00	0
14:49:21	0	0	0	0.00	0
14:49:22	0	0	0	0.00	0
14:49:23	0	0	0	0.00	0
14:49:24	0	0	0	0.00	0
14:49:25	0	0	0	0.00	0
14:49:26	0	0	0	0.00	0
14:49:27	0	0	0	0.00	0
14:49:28	0	0	0	0.00	0
14:49:29	0	0	0	0.00	0
14:49:30	0	0	0	0.00	0
14:49:31	0	0	0	0.00	0
14:49:32	0	0	0	0.00	0
14:49:33	0	0	0	0.00	0
14:49:34	0	0	0	0.00	0
14:49:35	0	0	0	0.00	0
14:49:36	0	0	0	0.00	0
14:49:37	0	0	0	0.00	0
14:49:38	0	0	0	0.00	0
14:49:39	0	0	0	0.00	0
14:49:40	0	0	0	0.00	0
14:49:41	0	0	0	0.00	0
14:49:42	0	0	0	0.00	0
14:49:43	0	0	0	0.00	0

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
14:49:44	0	0	0	0.00	0
14:49:45	0	0	0	0.00	0
14:49:46	0	0	0	0.00	0
14:49:47	0	0	0	0.00	0
14:49:48	0	0	0	0.00	0
14:49:49	0	0	0	0.00	0
14:49:50	0	0	0	0.00	0
14:49:51	0	0	0	0.00	0
14:49:52	0	0	0	0.00	0
14:49:53	0	0	0	0.00	0
14:49:54	0	0	0	0.00	0
14:49:55	0	0	0	0.00	0
14:49:56	0	0	0	0.00	0
14:49:57	0	0	0	0.00	0
14:49:58	0	0	0	0.00	0
14:49:59	0	0	0	0.00	0
14:50:00	0	0	0	0.00	0
14:50:01	0	0	0	0.00	0
14:50:02	0	0	0	0.00	0
14:50:03	0	0	0	0.00	0
14:50:04	0	0	0	0.00	0
14:50:05	0	0	0	0.00	0
14:50:06	0	0	0	0.00	0
14:50:07	0	0	0	0.00	0
14:50:08	0	0	0	0.00	0
14:50:09	0	0	0	0.00	0
14:50:10	0	0	0	0.00	0
14:50:11	0	0	0	0.00	0
14:50:12	0	0	0	0.00	0
14:50:13	0	0	0	0.00	0
14:50:14	0	0	0	0.00	0
14:50:15	0	0	0	0.00	0
14:50:16	0	0	0	0.00	0
14:50:17	0	0	0	0.00	0
14:50:18	0	0	0	0.00	0
14:50:19	0	0	0	0.00	0
14:50:20	0	0	0	0.00	0
14:50:21	0	0	0	0.00	0
14:50:22	0	0	0	0.00	0
14:50:23	0	0	0	0.00	0
14:50:24	0	0	0	0.00	0
14:50:25	0	0	0	0.00	0
14:50:26	0	0	0	0.00	0
14:50:27	0	0	0	0.00	0

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
14:50:28	0	0	0	0.00	0
14:50:29	0	0	0	0.00	0
14:50:30	0	0	0	0.00	0
14:50:31	0	0	0	0.00	0
14:50:32	0	0	0	0.00	0
14:50:33	0	0	0	0.00	0
14:50:34	0	0	0	0.00	0
14:50:35	0	0	0	0.00	0
14:50:36	0	0	0	0.00	0
14:50:37	0	0	0	0.00	0
14:50:38	0	0	0	0.00	0
14:50:39	0	0	0	0.00	0
14:50:40	0	0	0	0.00	0
14:50:41	0	0	0	0.00	0
14:50:42	0	0	0	0.00	0
14:50:43	0	0	0	0.00	0
14:50:44	0	0	0	0.00	0
14:50:45	0	0	0	0.00	0
14:50:46	0	0	0	0.00	0
14:50:47	0	0	0	0.00	0
14:50:48	0	0	0	0.00	0
14:50:49	0	0	0	0.00	0
14:50:50	0	0	0	0.00	0
14:50:51	0	0	0	0.00	0
14:50:52	0	0	0	0.00	0
14:50:53	0	0	0	0.00	0
14:50:54	0	0	0	0.00	0
14:50:55	0	0	0	0.00	0
14:50:56	0	0	0	0.00	0
14:50:57	0	0	0	0.00	0
14:50:58	0	0	0	0.00	0
14:50:59	0	0	0	0.00	0
14:51:00	0	0	0	0.00	0
14:51:01	0	0	0	0.00	0
14:51:02	0	0	0	0.00	0
14:51:03	0	0	0	0.00	0
14:51:04	0	0	0	0.00	0
14:51:05	0	0	0	0.00	0
14:51:06	0	0	0	0.00	0
14:51:07	0	0	0	0.00	0
14:51:08	0	0	0	0.00	0
14:51:09	0	0	0	0.00	0
14:51:10	0	0	0	0.00	0
14:51:11	0	0	0	0.00	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
14:51:12	0	0	0	0
14:51:13	0	0	0	0
14:51:14	0	0	0	0
14:51:15	0	0	0	0
14:51:16	0	0	0	0
14:51:17	0	0	0	0
14:51:18	0	0	0	0
14:51:19	0	0	0	0
14:51:20	0	0	0	0
14:51:21	0	0	0	0
14:51:22	0	0	0	0
14:51:23	0	0	0	0
14:51:24	0	0	0	0
14:51:25	0	0	0	0
14:51:26	0	0	0	0
14:51:27	0	0	0	0
14:51:28	0	0	0	0
14:51:29	0	0	0	0
14:51:30	0	0	0	0
14:51:31	0	0	0	0
14:51:32	0	0	0	0
14:51:33	0	0	0	0
14:51:34	0	0	0	0
14:51:35	0	0	0	0
14:51:36	0	0	0	0
14:51:37	0	0	0	0
14:51:38	0	0	0	0
14:51:39	0	0	0	0
14:51:40	0	0	0	0
14:51:41	0	0	0	0
14:51:42	0	0	0	0
14:51:43	0	0	0	0
14:51:44	0	0	0	0
14:51:45	0	0	0	0
14:51:46	0	0	0	0
14:51:47	0	0	0	0
14:51:48	0	0	0	0
14:51:49	0	0	0	0
14:51:50	0	0	0	0
14:51:51	0	0	0	0
14:51:52	0	0	0	0
14:51:53	0	0	0	0
14:51:54	0	0	0	0
14:51:55	0	0	0	0

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
14:51:56	0	0	0	0.00	0
14:51:57	0	0	0	0.00	0
14:51:58	0	0	0	0.00	0
14:51:59	0	0	0	0.00	0
14:52:00	0	0	0	0.00	0
14:52:01	0	0	0	0.00	0
14:52:02	0	0	0	0.00	0
14:52:03	0	0	0	0.00	0
14:52:04	0	0	0	0.00	0
14:52:05	0	0	0	0.00	0
14:52:06	0	0	0	0.00	0
14:52:07	0	0	0	0.00	0
14:52:08	0	0	0	0.00	0
14:52:09	0	0	0	0.00	0
14:52:10	0	0	0	0.00	0
14:52:11	0	0	0	0.00	0
14:52:12	0	0	0	0.00	0
14:52:13	0	0	0	0.00	0
14:52:14	0	0	0	0.00	0
14:52:15	0	0	0	0.00	0
14:52:16	0	0	0	0.00	0
14:52:17	0	0	0	0.00	0
14:52:18	0	0	0	0.00	0
14:52:19	0	0	0	0.00	0
14:52:20	0	0	0	0.00	0
14:52:21	0	0	0	0.00	0
14:52:22	0	0	0	0.00	0
14:52:23	0	0	0	0.00	0
14:52:24	0	0	0	0.00	0
14:52:25	0	0	0	0.00	0
14:52:26	0	0	0	0.00	0
14:52:27	0	0	0	0.00	0
14:52:28	0	0	0	0.00	0
14:52:29	0	0	0	0.00	0
14:52:30	0	0	0	0.00	0
14:52:31	0	0	0	0.00	0
14:52:32	0	0	0	0.00	0
14:52:33	0	0	0	0.00	0
14:52:34	0	0	0	0.00	0
14:52:35	0	0	0	0.00	0
14:52:36	0	0	0	0.00	0
14:52:37	0	0	0	0.00	0
14:52:38	0	0	0	0.00	0
14:52:39	0	0	0	0.00	0

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
14:52:40	0	0	0	0.00	0
14:52:41	0	0	0	0.00	0
14:52:42	0	0	0	0.00	0
14:52:43	0	0	0	0.00	0
14:52:44	0	0	0	0.00	0
14:52:45	0	0	0	0.00	0
14:52:46	0	0	0	0.00	0
14:52:47	0	0	0	0.00	0
14:52:48	0	0	0	0.00	0
14:52:49	0	0	0	0.00	0
14:52:50	0	0	0	0.00	0
14:52:51	0	0	0	0.00	0
14:52:52	0	0	0	0.00	0
14:52:53	0	0	0	0.00	0
14:52:54	0	0	0	0.00	0
14:52:55	0	0	0	0.00	0
14:52:56	0	0	0	0.00	0
14:52:57	0	0	0	0.00	0
14:52:58	0	0	0	0.00	0
14:52:59	0	0	0	0.00	0
14:53:00	0	0	0	0.00	0
14:53:01	0	0	0	0.00	0
14:53:02	0	0	0	0.00	0
14:53:03	0	0	0	0.00	0
14:53:04	0	0	0	0.00	0
14:53:05	0	0	0	0.00	0
14:53:06	0	0	0	0.00	0
14:53:07	0	0	0	0.00	0
14:53:08	0	0	0	0.00	0
14:53:09	0	0	0	0.00	0
14:53:10	0	0	0	0.00	0
14:53:11	0	0	0	0.00	0
14:53:12	0	0	0	0.00	0
14:53:13	0	0	0	0.00	0
14:53:14	0	0	0	0.00	0
14:53:15	0	0	0	0.00	0
14:53:16	0	0	0	0.00	0
14:53:17	0	0	0	0.00	0
14:53:18	0	0	0	0.00	0
14:53:19	0	0	0	0.00	0
14:53:20	0	0	0	0.00	0
14:53:21	0	0	0	0.00	0
14:53:22	0	0	0	0.00	0
14:53:23	0	0	0	0.00	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
14:53:24	0	0	0	0
14:53:25	0	0	0	0
14:53:26	0	0	0	0
14:53:27	0	0	0	0
14:53:28	0	0	0	0
14:53:29	0	0	0	0
14:53:30	0	0	0	0
14:53:31	0	0	0	0
14:53:32	0	0	0	0
14:53:33	0	0	0	0
14:53:34	0	0	0	0
14:53:35	0	0	0	0
14:53:36	0	0	0	0
14:53:37	0	0	0	0
14:53:38	0	0	0	0
14:53:39	0	0	0	0
14:53:40	0	0	0	0
14:53:41	0	0	0	0
14:53:42	0	0	0	0
14:53:43	0	0	0	0
14:53:44	0	0	0	0
14:53:45	0	0	0	0
14:53:46	0	0	0	0
14:53:47	0	0	0	0
14:53:48	0	0	0	0
14:53:49	0	0	0	0
14:53:50	0	0	0	0
14:53:51	0	0	0	0
14:53:52	0	0	0	0
14:53:53	0	0	0	0
14:53:54	0	0	0	0
14:53:55	0	0	0	0
14:53:56	0	0	0	0
14:53:57	0	0	0	0
14:53:58	0	0	0	0
14:53:59	0	0	0	0
14:54:00	0	0	0	0
14:54:01	0	0	0	0
14:54:02	0	0	0	0
14:54:03	0	0	0	0
14:54:04	0	0	0	0
14:54:05	0	0	0	0
14:54:06	0	0	0	0
14:54:07	0	0	0	0

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
14:54:08	0	0	0	0.00	0
14:54:09	0	0	0	0.00	0
14:54:10	0	0	0	0.00	0
14:54:11	0	0	0	0.00	0
14:54:12	0	0	0	0.00	0
14:54:13	0	0	0	0.00	0
14:54:14	0	0	0	0.00	0
14:54:15	0	0	0	0.00	0
14:54:16	0	0	0	0.00	0
14:54:17	0	0	0	0.00	0
14:54:18	0	0	0	0.00	0
14:54:19	0	0	0	0.00	0
14:54:20	0	0	0	0.00	0
14:54:21	0	0	0	0.00	0
14:54:22	0	0	0	0.00	0
14:54:23	0	0	0	0.00	0
14:54:24	0	0	0	0.00	0
14:54:25	0	0	0	0.00	0
14:54:26	0	0	0	0.00	0
14:54:27	0	0	0	0.00	0
14:54:28	0	0	0	0.00	0
14:54:29	0	0	0	0.00	0
14:54:30	0	0	0	0.00	0
14:54:31	0	0	0	0.00	0
14:54:32	0	0	0	0.00	0
14:54:33	0	0	0	0.00	0
14:54:34	0	0	0	0.00	0
14:54:35	0	0	0	0.00	0
14:54:36	0	0	0	0.00	0
14:54:37	0	0	0	0.00	0
14:54:38	0	0	0	0.00	0
14:54:39	0	0	0	0.00	0
14:54:40	0	0	0	0.00	0
14:54:41	0	0	0	0.00	0
14:54:42	0	0	0	0.00	0
14:54:43	0	0	0	0.00	0
14:54:44	0	0	0	0.00	0
14:54:45	0	0	0	0.00	0
14:54:46	0	0	0	0.00	0
14:54:47	0	0	0	0.00	0
14:54:48	0	0	0	0.00	0
14:54:49	0	0	0	0.00	0
14:54:50	0	0	0	0.00	0
14:54:51	0	0	0	0.00	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
14:54:52	0	0	0	0
14:54:53	0	0	0	0
14:54:54	0	0	0	0
14:54:55	0	0	0	0
14:54:56	0	0	0	0
14:54:57	0	0	0	0
14:54:58	0	0	0	0
14:54:59	0	0	0	0
14:55:00	0	0	0	0
14:55:01	0	0	0	0
14:55:02	0	0	0	0
14:55:03	0	0	0	0
14:55:04	0	0	0	0
14:55:05	0	0	0	0
14:55:06	0	0	0	0
14:55:07	0	0	0	0
14:55:08	0	0	0	0
14:55:09	0	0	0	0
14:55:10	0	0	0	0
14:55:11	0	0	0	0
14:55:12	0	0	0	0
14:55:13	0	0	0	0
14:55:14	0	0	0	0
14:55:15	0	0	0	0
14:55:16	0	0	0	0
14:55:17	0	0	0	0
14:55:18	0	0	0	0
14:55:19	0	0	0	0
14:55:20	0	0	0	0
14:55:21	0	0	0	0
14:55:22	0	0	0	0
14:55:23	0	0	0	0
14:55:24	0	0	0	0
14:55:25	0	0	0	0
14:55:26	0	0	0	0
14:55:27	0	0	0	0
14:55:28	0	0	0	0
14:55:29	0	0	0	0
14:55:30	0	0	0	0
14:55:31	0	0	0	0
14:55:32	0	0	0	0
14:55:33	0	0	0	0
14:55:34	0	0	0	0
14:55:35	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
14:55:36	0	0	0	0
14:55:37	0	0	0	0
14:55:38	0	0	0	0
14:55:39	0	0	0	0
14:55:40	0	0	0	0
14:55:41	0	0	0	0
14:55:42	0	0	0	0
14:55:43	0	0	0	0
14:55:44	0	0	0	0
14:55:45	0	0	0	0
14:55:46	0	0	0	0
14:55:47	0	0	0	0
14:55:48	0	0	0	0
14:55:49	0	0	0	0
14:55:50	0	0	0	0
14:55:51	0	0	0	0
14:55:52	0	0	0	0
14:55:53	0	0	0	0
14:55:54	0	0	0	0
14:55:55	0	0	0	0
14:55:56	0	0	0	0
14:55:57	0	0	0	0
14:55:58	0	0	0	0
14:55:59	0	0	0	0
14:56:00	0	0	0	0
14:56:01	0	0	0	0
14:56:02	0	0	0	0
14:56:03	0	0	0	0
14:56:04	0	0	0	0
14:56:05	0	0	0	0
14:56:06	0	0	0	0
14:56:07	0	0	0	0
14:56:08	0	0	0	0
14:56:09	0	0	0	0
14:56:10	0	0	0	0
14:56:11	0	0	0	0
14:56:12	0	0	0	0
14:56:13	0	0	0	0
14:56:14	0	0	0	0
14:56:15	0	0	0	0
14:56:16	0	0	0	0
14:56:17	0	0	0	0
14:56:18	0	0	0	0
14:56:19	0	0	0	0

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
14:56:20	0	0	0	0.00	0
14:56:21	0	0	0	0.00	0
14:56:22	0	0	0	0.00	0
14:56:23	0	0	0	0.00	0
14:56:24	0	0	0	0.00	0
14:56:25	0	0	0	0.00	0
14:56:26	0	0	0	0.00	0
14:56:27	0	0	0	0.00	0
14:56:28	0	0	0	0.00	0
14:56:29	0	0	0	0.00	0
14:56:30	0	0	0	0.00	0
14:56:31	0	0	0	0.00	0
14:56:32	0	0	0	0.00	0
14:56:33	0	0	0	0.00	0
14:56:34	0	0	0	0.00	0
14:56:35	0	0	0	0.00	0
14:56:36	0	0	0	0.00	0
14:56:37	0	0	0	0.00	0
14:56:38	0	0	0	0.00	0
14:56:39	0	0	0	0.00	0
14:56:40	0	0	0	0.00	0
14:56:41	0	0	0	0.00	0
14:56:42	0	0	0	0.00	0
14:56:43	0	0	0	0.00	0
14:56:44	0	0	0	0.00	0
14:56:45	0	0	0	0.00	0
14:56:46	0	0	0	0.00	0
14:56:47	0	0	0	0.00	0
14:56:48	0	0	0	0.00	0
14:56:49	0	0	0	0.00	0
14:56:50	0	0	0	0.00	0
14:56:51	0	0	0	0.00	0
14:56:52	0	0	0	0.00	0
14:56:53	0	0	0	0.00	0
14:56:54	0	0	0	0.00	0
14:56:55	0	0	0	0.00	0
14:56:56	0	0	0	0.00	0
14:56:57	0	0	0	0.00	0
14:56:58	0	0	0	0.00	0
14:56:59	0	0	0	0.00	0
14:57:00	0	0	0	0.00	0
14:57:01	0	0	0	0.00	0
14:57:02	0	0	0	0.00	0
14:57:03	0	0	0	0.00	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
14:57:04	0	0	0	0
14:57:05	0	0	0	0
14:57:06	0	0	0	0
14:57:07	0	0	0	0
14:57:08	0	0	0	0
14:57:09	0	0	0	0
14:57:10	0	0	0	0
14:57:11	0	0	0	0
14:57:12	0	0	0	0
14:57:13	0	0	0	0
14:57:14	0	0	0	0
14:57:15	0	0	0	0
14:57:16	0	0	0	0
14:57:17	0	0	0	0
14:57:18	0	0	0	0
14:57:19	0	0	0	0
14:57:20	0	0	0	0
14:57:21	0	0	0	0
14:57:22	0	0	0	0
14:57:23	0	0	0	0
14:57:24	0	0	0	0
14:57:25	0	0	0	0
14:57:26	0	0	0	0
14:57:27	0	0	0	0
14:57:28	0	0	0	0
14:57:29	0	0	0	0
14:57:30	0	0	0	0
14:57:31	0	0	0	0
14:57:32	0	0	0	0
14:57:33	0	0	0	0
14:57:34	0	0	0	0
14:57:35	0	0	0	0
14:57:36	0	0	0	0
14:57:37	0	0	0	0
14:57:38	0	0	0	0
14:57:39	0	0	0	0
14:57:40	0	0	0	0
14:57:41	0	0	0	0
14:57:42	0	0	0	0
14:57:43	0	0	0	0
14:57:44	0	0	0	0
14:57:45	0	0	0	0
14:57:46	0	0	0	0
14:57:47	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
14:57:48	0	0	0	0
14:57:49	0	0	0	0
14:57:50	0	0	0	0
14:57:51	0	0	0	0
14:57:52	0	0	0	0
14:57:53	0	0	0	0
14:57:54	0	0	0	0
14:57:55	0	0	0	0
14:57:56	0	0	0	0
14:57:57	0	0	0	0
14:57:58	0	0	0	0
14:57:59	0	0	0	0
14:58:00	0	0	0	0
14:58:01	0	0	0	0
14:58:02	0	0	0	0
14:58:03	0	0	0	0
14:58:04	0	0	0	0
14:58:05	0	0	0	0
14:58:06	0	0	0	0
14:58:07	0	0	0	0
14:58:08	0	0	0	0
14:58:09	0	0	0	0
14:58:10	0	0	0	0
14:58:11	0	0	0	0
14:58:12	0	0	0	0
14:58:13	0	0	0	0
14:58:14	0	0	0	0
14:58:15	0	0	0	0
14:58:16	0	0	0	0
14:58:17	0	0	0	0
14:58:18	0	0	0	0
14:58:19	0	0	0	0
14:58:20	0	0	0	0
14:58:21	0	0	0	0
14:58:22	0	0	0	0
14:58:23	0	0	0	0
14:58:24	0	0	0	0
14:58:25	0	0	0	0
14:58:26	0	0	0	0
14:58:27	0	0	0	0
14:58:28	0	0	0	0
14:58:29	0	0	0	0
14:58:30	0	0	0	0
14:58:31	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
14:58:32	0	0	0	0
14:58:33	0	0	0	0
14:58:34	0	0	0	0
14:58:35	0	0	0	0
14:58:36	0	0	0	0
14:58:37	0	0	0	0
14:58:38	0	0	0	0
14:58:39	0	0	0	0
14:58:40	0	0	0	0
14:58:41	0	0	0	0
14:58:42	0	0	0	0
14:58:43	0	0	0	0
14:58:44	0	0	0	0
14:58:45	0	0	0	0
14:58:46	0	0	0	0
14:58:47	0	0	0	0
14:58:48	0	0	0	0
14:58:49	0	0	0	0
14:58:50	0	0	0	0
14:58:51	0	0	0	0
14:58:52	0	0	0	0
14:58:53	0	0	0	0
14:58:54	0	0	0	0
14:58:55	0	0	0	0
14:58:56	0	0	0	0
14:58:57	0	0	0	0
14:58:58	0	0	0	0
14:58:59	0	0	0	0
14:59:00	0	0	0	0
14:59:01	0	0	0	0
14:59:02	0	0	0	0
14:59:03	0	0	0	0
14:59:04	0	0	0	0
14:59:05	0	0	0	0
14:59:06	0	0	0	0
14:59:07	0	0	0	0
14:59:08	0	0	0	0
14:59:09	0	0	0	0
14:59:10	0	0	0	0
14:59:11	0	0	0	0
14:59:12	0	0	0	0
14:59:13	0	0	0	0
14:59:14	0	0	0	0
14:59:15	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
14:59:16	0	0	0	0
14:59:17	0	0	0	0
14:59:18	0	0	0	0
14:59:19	0	0	0	0
14:59:20	0	0	0	0
14:59:21	0	0	0	0
14:59:22	0	0	0	0
14:59:23	0	0	0	0
14:59:24	0	0	0	0
14:59:25	0	0	0	0
14:59:26	0	0	0	0
14:59:27	0	0	0	0
14:59:28	0	0	0	0
14:59:29	0	0	0	0
14:59:30	0	0	0	0
14:59:31	0	0	0	0
14:59:32	0	0	0	0
14:59:33	0	0	0	0
14:59:34	0	0	0	0
14:59:35	0	0	0	0
14:59:36	0	0	0	0
14:59:37	0	0	0	0
14:59:38	0	0	0	0
14:59:39	0	0	0	0
14:59:40	0	0	0	0
14:59:41	0	0	0	0
14:59:42	0	0	0	0
14:59:43	0	0	0	0
14:59:44	0	0	0	0
14:59:45	0	0	0	0
14:59:46	0	0	0	0
14:59:47	0	0	0	0
14:59:48	0	0	0	0
14:59:49	0	0	0	0
14:59:50	0	0	0	0
14:59:51	0	0	0	0
14:59:52	0	0	0	0
14:59:53	0	0	0	0
14:59:54	0	0	0	0
14:59:55	0	0	0	0
14:59:56	0	0	0	0
14:59:57	0	0	0	0
14:59:58	0	0	0	0
14:59:59	0	0	0	0

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
15:00:00	0	0	0	0.00	0
15:00:01	0	0	0	0.00	0
15:00:02	0	0	0	0.00	0
15:00:03	0	0	0	0.00	0
15:00:04	0	0	0	0.00	0
15:00:05	0	0	0	0.00	0
15:00:06	0	0	0	0.00	0
15:00:07	0	0	0	0.00	0
15:00:08	0	0	0	0.00	0
15:00:09	0	0	0	0.00	0
15:00:10	0	0	0	0.00	0
15:00:11	0	0	0	0.00	0
15:00:12	0	0	0	0.00	0
15:00:13	0	0	0	0.00	0
15:00:14	0	0	0	0.00	0
15:00:15	0	0	0	0.00	0
15:00:16	0	0	0	0.00	0
15:00:17	0	0	0	0.00	0
15:00:18	0	0	0	0.00	0
15:00:19	0	0	0	0.00	0
15:00:20	0	0	0	0.00	0
15:00:21	0	0	0	0.00	0
15:00:22	0	0	0	0.00	0
15:00:23	0	0	0	0.00	0
15:00:24	0	0	0	0.00	0
15:00:25	0	0	0	0.00	0
15:00:26	0	0	0	0.00	0
15:00:27	0	0	0	0.00	0
15:00:28	0	0	0	0.00	0
15:00:29	0	0	0	0.00	0
15:00:30	0	0	0	0.00	0
15:00:31	0	0	0	0.00	0
15:00:32	0	0	0	0.00	0
15:00:33	0	0	0	0.00	0
15:00:34	0	0	0	0.00	0
15:00:35	0	0	0	0.00	0
15:00:36	0	0	0	0.00	0
15:00:37	0	0	0	0.00	0
15:00:38	0	0	0	0.00	0
15:00:39	0	0	0	0.00	0
15:00:40	0	0	0	0.00	0
15:00:41	0	0	0	0.00	0
15:00:42	0	0	0	0.00	0
15:00:43	0	0	0	0.00	0

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
15:00:44	0	0	0	0.00	0
15:00:45	0	0	0	0.00	0
15:00:46	0	0	0	0.00	0
15:00:47	0	0	0	0.00	0
15:00:48	0	0	0	0.00	0
15:00:49	0	0	0	0.00	0
15:00:50	0	0	0	0.00	0
15:00:51	0	0	0	0.00	0
15:00:52	0	0	0	0.00	0
15:00:53	0	0	0	0.00	0
15:00:54	0	0	0	0.00	0
15:00:55	0	0	0	0.00	0
15:00:56	0	0	0	0.00	0
15:00:57	0	0	0	0.00	0
15:00:58	0	0	0	0.00	0
15:00:59	0	0	0	0.00	0
15:01:00	0	0	0	0.00	0
15:01:01	0	0	0	0.00	0
15:01:02	0	0	0	0.00	0
15:01:03	0	0	0	0.00	0
15:01:04	0	0	0	0.00	0
15:01:05	0	0	0	0.00	0
15:01:06	0	0	0	0.00	0
15:01:07	0	0	0	0.00	0
15:01:08	0	0	0	0.00	0
15:01:09	0	0	0	0.00	0
15:01:10	0	0	0	0.00	0
15:01:11	0	0	0	0.00	0
15:01:12	0	0	0	0.00	0
15:01:13	0	0	0	0.00	0
15:01:14	0	0	0	0.00	0
15:01:15	0	0	0	0.00	0
15:01:16	0	0	0	0.00	0
15:01:17	0	0	0	0.00	0
15:01:18	0	0	0	0.00	0
15:01:19	0	0	0	0.00	0
15:01:20	0	0	0	0.00	0
15:01:21	0	0	0	0.00	0
15:01:22	0	0	0	0.00	0
15:01:23	0	0	0	0.00	0
15:01:24	0	0	0	0.00	0
15:01:25	0	0	0	0.00	0
15:01:26	0	0	0	0.00	0
15:01:27	0	0	0	0.00	0

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
15:01:28	0	0	0	0.00	0
15:01:29	0	0	0	0.00	0
15:01:30	0	0	0	0.00	0
15:01:31	0	0	0	0.00	0
15:01:32	0	0	0	0.00	0
15:01:33	0	0	0	0.00	0
15:01:34	0	0	0	0.00	0
15:01:35	0	0	0	0.00	0
15:01:36	0	0	0	0.00	0
15:01:37	0	0	0	0.00	0
15:01:38	0	0	0	0.00	0
15:01:39	0	0	0	0.00	0
15:01:40	0	0	0	0.00	0
15:01:41	0	0	0	0.00	0
15:01:42	0	0	0	0.00	0
15:01:43	0	0	0	0.00	0
15:01:44	0	0	0	0.00	0
15:01:45	0	0	0	0.00	0
15:01:46	0	0	0	0.00	0
15:01:47	0	0	0	0.00	0
15:01:48	0	0	0	0.00	0
15:01:49	0	0	0	0.00	0
15:01:50	0	0	0	0.00	0
15:01:51	0	0	0	0.00	0
15:01:52	0	0	0	0.00	0
15:01:53	0	0	0	0.00	0
15:01:54	0	0	0	0.00	0
15:01:55	0	0	0	0.00	0
15:01:56	0	0	0	0.00	0
15:01:57	0	0	0	0.00	0
15:01:58	0	0	0	0.00	0
15:01:59	0	0	0	0.00	0
15:02:00	0	0	0	0.00	0
15:02:01	0	0	0	0.00	0
15:02:02	0	0	0	0.00	0
15:02:03	0	0	0	0.00	0
15:02:04	0	0	0	0.00	0
15:02:05	0	0	0	0.00	0
15:02:06	0	0	0	0.00	0
15:02:07	0	0	0	0.00	0
15:02:08	0	0	0	0.00	0
15:02:09	0	0	0	0.00	0
15:02:10	0	0	0	0.00	0
15:02:11	0	0	0	0.00	0

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
15:02:12	0	0	0	0.00	0
15:02:13	0	0	0	0.00	0
15:02:14	0	0	0	0.00	0
15:02:15	0	0	0	0.00	0
15:02:16	0	0	0	0.00	0
15:02:17	0	0	0	0.00	0
15:02:18	0	0	0	0.00	0
15:02:19	0	0	0	0.00	0
15:02:20	0	0	0	0.00	0
15:02:21	0	0	0	0.00	0
15:02:22	0	0	0	0.00	0
15:02:23	0	0	0	0.00	0
15:02:24	0	0	0	0.00	0
15:02:25	0	0	0	0.00	0
15:02:26	0	0	0	0.00	0
15:02:27	0	0	0	0.00	0
15:02:28	0	0	0	0.00	0
15:02:29	0	0	0	0.00	0
15:02:30	0	0	0	0.00	0
15:02:31	0	0	0	0.00	0
15:02:32	0	0	0	0.00	0
15:02:33	0	0	0	0.00	0
15:02:34	0	0	0	0.00	0
15:02:35	0	0	0	0.00	0
15:02:36	0	0	0	0.00	0
15:02:37	0	0	0	0.00	0
15:02:38	0	0	0	0.00	0
15:02:39	0	0	0	0.00	0
15:02:40	0	0	0	0.00	0
15:02:41	0	0	0	0.00	0
15:02:42	0	0	0	0.00	0
15:02:43	0	0	0	0.00	0
15:02:44	0	0	0	0.00	0
15:02:45	0	0	0	0.00	0
15:02:46	0	0	0	0.00	0
15:02:47	0	0	0	0.00	0
15:02:48	0	0	0	0.00	0
15:02:49	0	0	0	0.00	0
15:02:50	0	0	0	0.00	0
15:02:51	0	0	0	0.00	0
15:02:52	0	0	0	0.00	0
15:02:53	0	0	0	0.00	0
15:02:54	0	0	0	0.00	0
15:02:55	0	0	0	0.00	0

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
15:02:56	0	0	0	0.00	0
15:02:57	0	0	0	0.00	0
15:02:58	0	0	0	0.00	0
15:02:59	0	0	0	0.00	0
15:03:00	0	0	0	0.00	0
15:03:01	0	0	0	0.00	0
15:03:02	0	0	0	0.00	0
15:03:03	0	0	0	0.00	0
15:03:04	0	0	0	0.00	0
15:03:05	0	0	0	0.00	0
15:03:06	0	0	0	0.00	0
15:03:07	0	0	0	0.00	0
15:03:08	0	0	0	0.00	0
15:03:09	0	0	0	0.00	0
15:03:10	0	0	0	0.00	0
15:03:11	0	0	0	0.00	0
15:03:12	0	0	0	0.00	0
15:03:13	0	0	0	0.00	0
15:03:14	0	0	0	0.00	0
15:03:15	0	0	0	0.00	0
15:03:16	0	0	0	0.00	0
15:03:17	0	0	0	0.00	0
15:03:18	0	0	0	0.00	0
15:03:19	0	0	0	0.00	0
15:03:20	0	0	0	0.00	0
15:03:21	0	0	0	0.00	0
15:03:22	0	0	0	0.00	0
15:03:23	0	0	0	0.00	0
15:03:24	0	0	0	0.00	0
15:03:25	0	0	0	0.00	0
15:03:26	0	0	0	0.00	0
15:03:27	0	0	0	0.00	0
15:03:28	0	0	0	0.00	0
15:03:29	0	0	0	0.00	0
15:03:30	0	0	0	0.00	0
15:03:31	0	0	0	0.00	0
15:03:32	0	0	0	0.00	0
15:03:33	0	0	0	0.00	0
15:03:34	0	0	0	0.00	0
15:03:35	0	0	0	0.00	0
15:03:36	0	0	0	0.00	0
15:03:37	0	0	0	0.00	0
15:03:38	0	0	0	0.00	0
15:03:39	0	0	0	0.00	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
15:03:40	0	0	0	0
15:03:41	0	0	0	0
15:03:42	0	0	0	0
15:03:43	0	0	0	0
15:03:44	0	0	0	0
15:03:45	0	0	0	0
15:03:46	0	0	0	0
15:03:47	0	0	0	0
15:03:48	0	0	0	0
15:03:49	0	0	0	0
15:03:50	0	0	0	0
15:03:51	0	0	0	0
15:03:52	0	0	0	0
15:03:53	0	0	0	0
15:03:54	0	0	0	0
15:03:55	0	0	0	0
15:03:56	0	0	0	0
15:03:57	0	0	0	0
15:03:58	0	0	0	0
15:03:59	0	0	0	0
15:04:00	0	0	0	0
15:04:01	0	0	0	0
15:04:02	0	0	0	0
15:04:03	0	0	0	0
15:04:04	0	0	0	0
15:04:05	0	0	0	0
15:04:06	0	0	0	0
15:04:07	0	0	0	0
15:04:08	0	0	0	0
15:04:09	0	0	0	0
15:04:10	0	0	0	0
15:04:11	0	0	0	0
15:04:12	0	0	0	0
15:04:13	0	0	0	0
15:04:14	0	0	0	0
15:04:15	0	0	0	0
15:04:16	0	0	0	0
15:04:17	0	0	0	0
15:04:18	0	0	0	0
15:04:19	0	0	0	0
15:04:20	0	0	0	0
15:04:21	0	0	0	0
15:04:22	0	0	0	0
15:04:23	0	0	0	0

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
15:04:24	0	0	0	0.00	0
15:04:25	0	0	0	0.00	0
15:04:26	0	0	0	0.00	0
15:04:27	0	0	0	0.00	0
15:04:28	0	0	0	0.00	0
15:04:29	0	0	0	0.00	0
15:04:30	0	0	0	0.00	0
15:04:31	0	0	0	0.00	0
15:04:32	0	0	0	0.00	0
15:04:33	0	0	0	0.00	0
15:04:34	0	0	0	0.00	0
15:04:35	0	0	0	0.00	0
15:04:36	0	0	0	0.00	0
15:04:37	0	0	0	0.00	0
15:04:38	0	0	0	0.00	0
15:04:39	0	0	0	0.00	0
15:04:40	0	0	0	0.00	0
15:04:41	0	0	0	0.00	0
15:04:42	0	0	0	0.00	0
15:04:43	0	0	0	0.00	0
15:04:44	0	0	0	0.00	0
15:04:45	0	0	0	0.00	0
15:04:46	0	0	0	0.00	0
15:04:47	0	0	0	0.00	0
15:04:48	0	0	0	0.00	0
15:04:49	0	0	0	0.00	0
15:04:50	0	0	0	0.00	0
15:04:51	0	0	0	0.00	0
15:04:52	0	0	0	0.00	0
15:04:53	0	0	0	0.00	0
15:04:54	0	0	0	0.00	0
15:04:55	0	0	0	0.00	0
15:04:56	0	0	0	0.00	0
15:04:57	0	0	0	0.00	0
15:04:58	0	0	0	0.00	0
15:04:59	0	0	0	0.00	0
15:05:00	0	0	0	0.00	0
15:05:01	0	0	0	0.00	0
15:05:02	0	0	0	0.00	0
15:05:03	0	0	0	0.00	0
15:05:04	0	0	0	0.00	0
15:05:05	0	0	0	0.00	0
15:05:06	0	0	0	0.00	0
15:05:07	0	0	0	0.00	0

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
15:05:08	0	0	0	0.00	0
15:05:09	0	0	0	0.00	0
15:05:10	0	0	0	0.00	0
15:05:11	0	0	0	0.00	0
15:05:12	0	0	0	0.00	0
15:05:13	0	0	0	0.00	0
15:05:14	0	0	0	0.00	0
15:05:15	0	0	0	0.00	0
15:05:16	0	0	0	0.00	0
15:05:17	0	0	0	0.00	0
15:05:18	0	0	0	0.00	0
15:05:19	0	0	0	0.00	0
15:05:20	0	0	0	0.00	0
15:05:21	0	0	0	0.00	0
15:05:22	0	0	0	0.00	0
15:05:23	0	0	0	0.00	0
15:05:24	0	0	0	0.00	0
15:05:25	0	0	0	0.00	0
15:05:26	0	0	0	0.00	0
15:05:27	0	0	0	0.00	0
15:05:28	0	0	0	0.00	0
15:05:29	0	0	0	0.00	0
15:05:30	0	0	0	0.00	0
15:05:31	0	0	0	0.00	0
15:05:32	0	0	0	0.00	0
15:05:33	0	0	0	0.00	0
15:05:34	0	0	0	0.00	0
15:05:35	0	0	0	0.00	0
15:05:36	0	0	0	0.00	0
15:05:37	0	0	0	0.00	0
15:05:38	0	0	0	0.00	0
15:05:39	0	0	0	0.00	0
15:05:40	0	0	0	0.00	0
15:05:41	0	0	0	0.00	0
15:05:42	0	0	0	0.00	0
15:05:43	0	0	0	0.00	0
15:05:44	0	0	0	0.00	0
15:05:45	0	0	0	0.00	0
15:05:46	0	0	0	0.00	0
15:05:47	0	0	0	0.00	0
15:05:48	0	0	0	0.00	0
15:05:49	0	0	0	0.00	0
15:05:50	0	0	0	0.00	0
15:05:51	0	0	0	0.00	0

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
15:05:52	0	0	0	0.00	0
15:05:53	0	0	0	0.00	0
15:05:54	0	0	0	0.00	0
15:05:55	0	0	0	0.00	0
15:05:56	0	0	0	0.00	0
15:05:57	0	0	0	0.00	0
15:05:58	0	0	0	0.00	0
15:05:59	0	0	0	0.00	0
15:06:00	0	0	0	0.00	0
15:06:01	0	0	0	0.00	0
15:06:02	0	0	0	0.00	0
15:06:03	0	0	0	0.00	0
15:06:04	0	0	0	0.00	0
15:06:05	0	0	0	0.00	0
15:06:06	0	0	0	0.00	0
15:06:07	0	0	0	0.00	0
15:06:08	0	0	0	0.00	0
15:06:09	0	0	0	0.00	0
15:06:10	0	0	0	0.00	0
15:06:11	0	0	0	0.00	0
15:06:12	0	0	0	0.00	0
15:06:13	0	0	0	0.00	0
15:06:14	0	0	0	0.00	0
15:06:15	0	0	0	0.00	0
15:06:16	0	0	0	0.00	0
15:06:17	0	0	0	0.00	0
15:06:18	0	0	0	0.00	0
15:06:19	0	0	0	0.00	0
15:06:20	0	0	0	0.00	0
15:06:21	0	0	0	0.00	0
15:06:22	0	0	0	0.00	0
15:06:23	0	0	0	0.00	0
15:06:24	0	0	0	0.00	0
15:06:25	0	0	0	0.00	0
15:06:26	0	0	0	0.00	0
15:06:27	0	0	0	0.00	0
15:06:28	0	0	0	0.00	0
15:06:29	0	0	0	0.00	0
15:06:30	0	0	0	0.00	0
15:06:31	0	0	0	0.00	0
15:06:32	0	0	0	0.00	0
15:06:33	0	0	0	0.00	0
15:06:34	0	0	0	0.00	0
15:06:35	0	0	0	0.00	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
15:06:36	0	0	0	0
15:06:37	0	0	0	0
15:06:38	0	0	0	0
15:06:39	0	0	0	0
15:06:40	0	0	0	0
15:06:41	0	0	0	0
15:06:42	0	0	0	0
15:06:43	0	0	0	0
15:06:44	0	0	0	0
15:06:45	0	0	0	0
15:06:46	0	0	0	0
15:06:47	0	0	0	0
15:06:48	0	0	0	0
15:06:49	0	0	0	0
15:06:50	0	0	0	0
15:06:51	0	0	0	0
15:06:52	0	0	0	0
15:06:53	0	0	0	0
15:06:54	0	0	0	0
15:06:55	0	0	0	0
15:06:56	0	0	0	0
15:06:57	0	0	0	0
15:06:58	0	0	0	0
15:06:59	0	0	0	0
15:07:00	0	0	0	0
15:07:01	0	0	0	0
15:07:02	0	0	0	0
15:07:03	0	0	0	0
15:07:04	0	0	0	0
15:07:05	0	0	0	0
15:07:06	0	0	0	0
15:07:07	0	0	0	0
15:07:08	0	0	0	0
15:07:09	0	0	0	0
15:07:10	0	0	0	0
15:07:11	0	0	0	0
15:07:12	0	0	0	0
15:07:13	0	0	0	0
15:07:14	0	0	0	0
15:07:15	0	0	0	0
15:07:16	0	0	0	0
15:07:17	0	0	0	0
15:07:18	0	0	0	0
15:07:19	0	0	0	0

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
15:07:20	0	0	0	0.00	0
15:07:21	0	0	0	0.00	0
15:07:22	0	0	0	0.00	0
15:07:23	0	0	0	0.00	0
15:07:24	0	0	0	0.00	0
15:07:25	0	0	0	0.00	0
15:07:26	0	0	0	0.00	0
15:07:27	0	0	0	0.00	0
15:07:28	0	0	0	0.00	0
15:07:29	0	0	0	0.00	0
15:07:30	0	0	0	0.00	0
15:07:31	0	0	0	0.00	0
15:07:32	0	0	0	0.00	0
15:07:33	0	0	0	0.00	0
15:07:34	0	0	0	0.00	0
15:07:35	0	0	0	0.00	0
15:07:36	0	0	0	0.00	0
15:07:37	0	0	0	0.00	0
15:07:38	0	0	0	0.00	0
15:07:39	0	0	0	0.00	0
15:07:40	0	0	0	0.00	0
15:07:41	0	0	0	0.00	0
15:07:42	0	0	0	0.00	0
15:07:43	0	0	0	0.00	0
15:07:44	0	0	0	0.00	0
15:07:45	0	0	0	0.00	0
15:07:46	0	0	0	0.00	0
15:07:47	0	0	0	0.00	0
15:07:48	0	0	0	0.00	0
15:07:49	0	0	0	0.00	0
15:07:50	0	0	0	0.00	0
15:07:51	0	0	0	0.00	0
15:07:52	0	0	0	0.00	0
15:07:53	0	0	0	0.00	0
15:07:54	0	0	0	0.00	0
15:07:55	0	0	0	0.00	0
15:07:56	0	0	0	0.00	0
15:07:57	0	0	0	0.00	0
15:07:58	0	0	0	0.00	0
15:07:59	0	0	0	0.00	0
15:08:00	0	0	0	0.00	0
15:08:01	0	0	0	0.00	0
15:08:02	0	0	0	0.00	0
15:08:03	0	0	0	0.00	0

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
15:08:04	0	0	0	0.00	0
15:08:05	0	0	0	0.00	0
15:08:06	0	0	0	0.00	0
15:08:07	0	0	0	0.00	0
15:08:08	0	0	0	0.00	0
15:08:09	0	0	0	0.00	0
15:08:10	0	0	0	0.00	0
15:08:11	0	0	0	0.00	0
15:08:12	0	0	0	0.00	0
15:08:13	0	0	0	0.00	0
15:08:14	0	0	0	0.00	0
15:08:15	0	0	0	0.00	0
15:08:16	0	0	0	0.00	0
15:08:17	0	0	0	0.00	0
15:08:18	0	0	0	0.00	0
15:08:19	0	0	0	0.00	0
15:08:20	0	0	0	0.00	0
15:08:21	0	0	0	0.00	0
15:08:22	0	0	0	0.00	0
15:08:23	0	0	0	0.00	0
15:08:24	0	0	0	0.00	0
15:08:25	0	0	0	0.00	0
15:08:26	0	0	0	0.00	0
15:08:27	0	0	0	0.00	0
15:08:28	0	0	0	0.00	0
15:08:29	0	0	0	0.00	0
15:08:30	0	0	0	0.00	0
15:08:31	0	0	0	0.00	0
15:08:32	0	0	0	0.00	0
15:08:33	0	0	0	0.00	0
15:08:34	0	0	0	0.00	0
15:08:35	0	0	0	0.00	0
15:08:36	0	0	0	0.00	0
15:08:37	0	0	0	0.00	0
15:08:38	0	0	0	0.00	0
15:08:39	0	0	0	0.00	0
15:08:40	0	0	0	0.00	0
15:08:41	0	0	0	0.00	0
15:08:42	0	0	0	0.00	0
15:08:43	0	0	0	0.00	0
15:08:44	0	0	0	0.00	0
15:08:45	0	0	0	0.00	0
15:08:46	0	0	0	0.00	0
15:08:47	0	0	0	0.00	0

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
15:08:48	0	0	0	0.00	0
15:08:49	0	0	0	0.00	0
15:08:50	0	0	0	0.00	0
15:08:51	0	0	0	0.00	0
15:08:52	0	0	0	0.00	0
15:08:53	0	0	0	0.00	0
15:08:54	0	0	0	0.00	0
15:08:55	0	0	0	0.00	0
15:08:56	0	0	0	0.00	0
15:08:57	0	0	0	0.00	0
15:08:58	0	0	0	0.00	0
15:08:59	0	0	0	0.00	0
15:09:00	0	0	0	0.00	0
15:09:01	0	0	0	0.00	0
15:09:02	0	0	0	0.00	0
15:09:03	0	0	0	0.00	0
15:09:04	0	0	0	0.00	0
15:09:05	0	0	0	0.00	0
15:09:06	0	0	0	0.00	0
15:09:07	0	0	0	0.00	0
15:09:08	0	0	0	0.00	0
15:09:09	0	0	0	0.00	0
15:09:10	0	0	0	0.00	0
15:09:11	0	0	0	0.00	0
15:09:12	0	0	0	0.00	0
15:09:13	0	0	0	0.00	0
15:09:14	0	0	0	0.00	0
15:09:15	0	0	0	0.00	0
15:09:16	0	0	0	0.00	0
15:09:17	0	0	0	0.00	0
15:09:18	0	0	0	0.00	0
15:09:19	0	0	0	0.00	0
15:09:20	0	0	0	0.00	0
15:09:21	0	0	0	0.00	0
15:09:22	0	0	0	0.00	0
15:09:23	0	0	0	0.00	0
15:09:24	0	0	0	0.00	0
15:09:25	0	0	0	0.00	0
15:09:26	0	0	0	0.00	0
15:09:27	0	0	0	0.00	0
15:09:28	0	0	0	0.00	0
15:09:29	0	0	0	0.00	0
15:09:30	0	0	0	0.00	0
15:09:31	0	0	0	0.00	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
15:09:32	0	0	0	0
15:09:33	0	0	0	0
15:09:34	0	0	0	0
15:09:35	0	0	0	0
15:09:36	0	0	0	0
15:09:37	0	0	0	0
15:09:38	0	0	0	0
15:09:39	0	0	0	0
15:09:40	0	0	0	0
15:09:41	0	0	0	0
15:09:42	0	0	0	0
15:09:43	0	0	0	0
15:09:44	0	0	0	0
15:09:45	0	0	0	0
15:09:46	0	0	0	0
15:09:47	0	0	0	0
15:09:48	0	0	0	0
15:09:49	0	0	0	0
15:09:50	0	0	0	0
15:09:51	0	0	0	0
15:09:52	0	0	0	0
15:09:53	0	0	0	0
15:09:54	0	0	0	0
15:09:55	0	0	0	0
15:09:56	0	0	0	0
15:09:57	0	0	0	0
15:09:58	0	0	0	0
15:09:59	0	0	0	0
15:10:00	0	0	0	0
15:10:01	0	0	0	0
15:10:02	0	0	0	0
15:10:03	0	0	0	0
15:10:04	0	0	0	0
15:10:05	0	0	0	0
15:10:06	0	0	0	0
15:10:07	0	0	0	0
15:10:08	0	0	0	0
15:10:09	0	0	0	0
15:10:10	0	0	0	0
15:10:11	0	0	0	0
15:10:12	0	0	0	0
15:10:13	0	0	0	0
15:10:14	0	0	0	0
15:10:15	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
15:10:16	0	0	0	0
15:10:17	0	0	0	0
15:10:18	0	0	0	0
15:10:19	0	0	0	0
15:10:20	0	0	0	0
15:10:21	0	0	0	0
15:10:22	0	0	0	0
15:10:23	0	0	0	0
15:10:24	0	0	0	0
15:10:25	0	0	0	0
15:10:26	0	0	0	0
15:10:27	0	0	0	0
15:10:28	0	0	0	0
15:10:29	0	0	0	0
15:10:30	0	0	0	0
15:10:31	0	0	0	0
15:10:32	0	0	0	0
15:10:33	0	0	0	0
15:10:34	0	0	0	0
15:10:35	0	0	0	0
15:10:36	0	0	0	0
15:10:37	0	0	0	0
15:10:38	0	0	0	0
15:10:39	0	0	0	0
15:10:40	0	0	0	0
15:10:41	0	0	0	0
15:10:42	0	0	0	0
15:10:43	0	0	0	0
15:10:44	0	0	0	0
15:10:45	0	0	0	0
15:10:46	0	0	0	0
15:10:47	0	0	0	0
15:10:48	0	0	0	0
15:10:49	0	0	0	0
15:10:50	0	0	0	0
15:10:51	0	0	0	0
15:10:52	0	0	0	0
15:10:53	0	0	0	0
15:10:54	0	0	0	0
15:10:55	0	0	0	0
15:10:56	0	0	0	0
15:10:57	0	0	0	0
15:10:58	0	0	0	0
15:10:59	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
15:11:00	0	0	0	0
15:11:01	0	0	0	0
15:11:02	0	0	0	0
15:11:03	0	0	0	0
15:11:04	0	0	0	0
15:11:05	0	0	0	0
15:11:06	0	0	0	0
15:11:07	0	0	0	0
15:11:08	0	0	0	0
15:11:09	0	0	0	0
15:11:10	0	0	0	0
15:11:11	0	0	0	0
15:11:12	0	0	0	0
15:11:13	0	0	0	0
15:11:14	0	0	0	0
15:11:15	0	0	0	0
15:11:16	0	0	0	0
15:11:17	0	0	0	0
15:11:18	0	0	0	0
15:11:19	0	0	0	0
15:11:20	0	0	0	0
15:11:21	0	0	0	0
15:11:22	0	0	0	0
15:11:23	0	0	0	0
15:11:24	0	0	0	0
15:11:25	0	0	0	0
15:11:26	0	0	0	0
15:11:27	0	0	0	0
15:11:28	0	0	0	0
15:11:29	0	0	0	0
15:11:30	0	0	0	0
15:11:31	0	0	0	0
15:11:32	0	0	0	0
15:11:33	0	0	0	0
15:11:34	0	0	0	0
15:11:35	0	0	0	0
15:11:36	0	0	0	0
15:11:37	0	0	0	0
15:11:38	0	0	0	0
15:11:39	0	0	0	0
15:11:40	0	0	0	0
15:11:41	0	0	0	0
15:11:42	0	0	0	0
15:11:43	0	0	0	0

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
15:11:44	0	0	0	0.00	0
15:11:45	0	0	0	0.00	0
15:11:46	0	0	0	0.00	0
15:11:47	0	0	0	0.00	0
15:11:48	0	0	0	0.00	0
15:11:49	0	0	0	0.00	0
15:11:50	0	0	0	0.00	0
15:11:51	0	0	0	0.00	0
15:11:52	0	0	0	0.00	0
15:11:53	0	0	0	0.00	0
15:11:54	0	0	0	0.00	0
15:11:55	0	0	0	0.00	0
15:11:56	0	0	0	0.00	0
15:11:57	0	0	0	0.00	0
15:11:58	0	0	0	0.00	0
15:11:59	0	0	0	0.00	0
15:12:00	0	0	0	0.00	0
15:12:01	0	0	0	0.00	0
15:12:02	0	0	0	0.00	0
15:12:03	0	0	0	0.00	0
15:12:04	0	0	0	0.00	0
15:12:05	0	0	0	0.00	0
15:12:06	0	0	0	0.00	0
15:12:07	0	0	0	0.00	0
15:12:08	0	0	0	0.00	0
15:12:09	0	0	0	0.00	0
15:12:10	0	0	0	0.00	0
15:12:11	0	0	0	0.00	0
15:12:12	0	0	0	0.00	0
15:12:13	0	0	0	0.00	0
15:12:14	0	0	0	0.00	0
15:12:15	0	0	0	0.00	0
15:12:16	0	0	0	0.00	0
15:12:17	0	0	0	0.00	0
15:12:18	0	0	0	0.00	0
15:12:19	0	0	0	0.00	0
15:12:20	0	0	0	0.00	0
15:12:21	0	0	0	0.00	0
15:12:22	0	0	0	0.00	0
15:12:23	0	0	0	0.00	0
15:12:24	0	0	0	0.00	0
15:12:25	0	0	0	0.00	0
15:12:26	0	0	0	0.00	0
15:12:27	0	0	0	0.00	0

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
15:12:28	0	0	0	0.00	0
15:12:29	0	0	0	0.00	0
15:12:30	0	0	0	0.00	0
15:12:31	0	0	0	0.00	0
15:12:32	0	0	0	0.00	0
15:12:33	0	0	0	0.00	0
15:12:34	0	0	0	0.00	0
15:12:35	0	0	0	0.00	0
15:12:36	0	0	0	0.00	0
15:12:37	0	0	0	0.00	0
15:12:38	0	0	0	0.00	0
15:12:39	0	0	0	0.00	0
15:12:40	0	0	0	0.00	0
15:12:41	0	0	0	0.00	0
15:12:42	0	0	0	0.00	0
15:12:43	0	0	0	0.00	0
15:12:44	0	0	0	0.00	0
15:12:45	0	0	0	0.00	0
15:12:46	0	0	0	0.00	0
15:12:47	0	0	0	0.00	0
15:12:48	0	0	0	0.00	0
15:12:49	0	0	0	0.00	0
15:12:50	0	0	0	0.00	0
15:12:51	0	0	0	0.00	0
15:12:52	0	0	0	0.00	0
15:12:53	0	0	0	0.00	0
15:12:54	0	0	0	0.00	0
15:12:55	0	0	0	0.00	0
15:12:56	0	0	0	0.00	0
15:12:57	0	0	0	0.00	0
15:12:58	0	0	0	0.00	0
15:12:59	0	0	0	0.00	0
15:13:00	0	0	0	0.00	0
15:13:01	0	0	0	0.00	0
15:13:02	0	0	0	0.00	0
15:13:03	0	0	0	0.00	0
15:13:04	0	0	0	0.00	0
15:13:05	0	0	0	0.00	0
15:13:06	0	0	0	0.00	0
15:13:07	0	0	0	0.00	0
15:13:08	0	0	0	0.00	0
15:13:09	0	0	0	0.00	0
15:13:10	0	0	0	0.00	0
15:13:11	0	0	0	0.00	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
15:13:12	0	0	0	0
15:13:13	0	0	0	0
15:13:14	0	0	0	0
15:13:15	0	0	0	0
15:13:16	0	0	0	0
15:13:17	0	0	0	0
15:13:18	0	0	0	0
15:13:19	0	0	0	0
15:13:20	0	0	0	0
15:13:21	0	0	0	0
15:13:22	0	0	0	0
15:13:23	0	0	0	0
15:13:24	0	0	0	0
15:13:25	0	0	0	0
15:13:26	0	0	0	0
15:13:27	0	0	0	0
15:13:28	0	0	0	0
15:13:29	0	0	0	0
15:13:30	0	0	0	0
15:13:31	0	0	0	0
15:13:32	0	0	0	0
15:13:33	0	0	0	0
15:13:34	0	0	0	0
15:13:35	0	0	0	0
15:13:36	0	0	0	0
15:13:37	0	0	0	0
15:13:38	0	0	0	0
15:13:39	0	0	0	0
15:13:40	0	0	0	0
15:13:41	0	0	0	0
15:13:42	0	0	0	0
15:13:43	0	0	0	0
15:13:44	0	0	0	0
15:13:45	0	0	0	0
15:13:46	0	0	0	0
15:13:47	0	0	0	0
15:13:48	0	0	0	0
15:13:49	0	0	0	0
15:13:50	0	0	0	0
15:13:51	0	0	0	0
15:13:52	0	0	0	0
15:13:53	0	0	0	0
15:13:54	0	0	0	0
15:13:55	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
15:13:56	0	0	0	0
15:13:57	0	0	0	0
15:13:58	0	0	0	0
15:13:59	0	0	0	0
15:14:00	0	0	0	0
15:14:01	0	0	0	0
15:14:02	0	0	0	0
15:14:03	0	0	0	0
15:14:04	0	0	0	0
15:14:05	0	0	0	0
15:14:06	0	0	0	0
15:14:07	0	0	0	0
15:14:08	0	0	0	0
15:14:09	0	0	0	0
15:14:10	0	0	0	0
15:14:11	0	0	0	0
15:14:12	0	0	0	0
15:14:13	0	0	0	0
15:14:14	0	0	0	0
15:14:15	0	0	0	0
15:14:16	0	0	0	0
15:14:17	0	0	0	0
15:14:18	0	0	0	0
15:14:19	0	0	0	0
15:14:20	0	0	0	0
15:14:21	0	0	0	0
15:14:22	0	0	0	0
15:14:23	0	0	0	0
15:14:24	0	0	0	0
15:14:25	0	0	0	0
15:14:26	0	0	0	0
15:14:27	0	0	0	0
15:14:28	0	0	0	0
15:14:29	0	0	0	0
15:14:30	0	0	0	0
15:14:31	0	0	0	0
15:14:32	0	0	0	0
15:14:33	0	0	0	0
15:14:34	0	0	0	0
15:14:35	0	0	0	0
15:14:36	0	0	0	0
15:14:37	0	0	0	0
15:14:38	0	0	0	0
15:14:39	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
15:14:40	0	0	0	0
15:14:41	0	0	0	0
15:14:42	0	0	0	0
15:14:43	0	0	0	0
15:14:44	0	0	0	0
15:14:45	0	0	0	0
15:14:46	0	0	0	0
15:14:47	0	0	0	0
15:14:48	0	0	0	0
15:14:49	0	0	0	0
15:14:50	0	0	0	0
15:14:51	0	0	0	0
15:14:52	0	0	0	0
15:14:53	0	0	0	0
15:14:54	0	0	0	0
15:14:55	0	0	0	0
15:14:56	0	0	0	0
15:14:57	0	0	0	0
15:14:58	0	0	0	0
15:14:59	0	0	0	0
15:15:00	0	0	0	0
15:15:01	0	0	0	0
15:15:02	0	0	0	0
15:15:03	0	0	0	0
15:15:04	0	0	0	0
15:15:05	0	0	0	0
15:15:06	0	0	0	0
15:15:07	0	0	0	0
15:15:08	0	0	0	0
15:15:09	0	0	0	0
15:15:10	0	0	0	0
15:15:11	0	0	0	0
15:15:12	0	0	0	0
15:15:13	0	0	0	0
15:15:14	0	0	0	0
15:15:15	0	0	0	0
15:15:16	0	0	0	0
15:15:17	0	0	0	0
15:15:18	0	0	0	0
15:15:19	0	0	0	0
15:15:20	0	0	0	0
15:15:21	0	0	0	0
15:15:22	0	0	0	0
15:15:23	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
15:15:24	0	0	0	0
15:15:25	0	0	0	0
15:15:26	0	0	0	0
15:15:27	0	0	0	0
15:15:28	0	0	0	0
15:15:29	0	0	0	0
15:15:30	0	0	0	0
15:15:31	0	0	0	0
15:15:32	0	0	0	0
15:15:33	0	0	0	0
15:15:34	0	0	0	0
15:15:35	0	0	0	0
15:15:36	0	0	0	0
15:15:37	0	0	0	0
15:15:38	0	0	0	0
15:15:39	0	0	0	0
15:15:40	0	0	0	0
15:15:41	0	0	0	0
15:15:42	0	0	0	0
15:15:43	0	0	0	0
15:15:44	0	0	0	0
15:15:45	0	0	0	0
15:15:46	0	0	0	0
15:15:47	0	0	0	0
15:15:48	0	0	0	0
15:15:49	0	0	0	0
15:15:50	0	0	0	0
15:15:51	0	0	0	0
15:15:52	0	0	0	0
15:15:53	0	0	0	0
15:15:54	0	0	0	0
15:15:55	0	0	0	0
15:15:56	0	0	0	0
15:15:57	0	0	0	0
15:15:58	0	0	0	0
15:15:59	0	0	0	0
15:16:00	0	0	0	0
15:16:01	0	0	0	0
15:16:02	0	0	0	0
15:16:03	0	0	0	0
15:16:04	0	0	0	0
15:16:05	0	0	0	0
15:16:06	0	0	0	0
15:16:07	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
15:16:08	0	0	0	0
15:16:09	0	0	0	0
15:16:10	0	0	0	0
15:16:11	0	0	0	0
15:16:12	0	0	0	0
15:16:13	0	0	0	0
15:16:14	0	0	0	0
15:16:15	0	0	0	0
15:16:16	0	0	0	0
15:16:17	0	0	0	0
15:16:18	0	0	0	0
15:16:19	0	0	0	0
15:16:20	0	0	0	0
15:16:21	0	0	0	0
15:16:22	0	0	0	0
15:16:23	0	0	0	0
15:16:24	0	0	0	0
15:16:25	0	0	0	0
15:16:26	0	0	0	0
15:16:27	0	0	0	0
15:16:28	0	0	0	0
15:16:29	0	0	0	0
15:16:30	0	0	0	0
15:16:31	0	0	0	0
15:16:32	0	0	0	0
15:16:33	0	0	0	0
15:16:34	0	0	0	0
15:16:35	0	0	0	0
15:16:36	0	0	0	0
15:16:37	0	0	0	0
15:16:38	0	0	0	0
15:16:39	0	0	0	0
15:16:40	0	0	0	0
15:16:41	0	0	0	0
15:16:42	0	0	0	0
15:16:43	0	0	0	0
15:16:44	0	0	0	0
15:16:45	0	0	0	0
15:16:46	0	0	0	0
15:16:47	0	0	0	0
15:16:48	0	0	0	0
15:16:49	0	0	0	0
15:16:50	0	0	0	0
15:16:51	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
15:16:52	0	0	0	0
15:16:53	0	0	0	0
15:16:54	0	0	0	0
15:16:55	0	0	0	0
15:16:56	0	0	0	0
15:16:57	0	0	0	0
15:16:58	0	0	0	0
15:16:59	0	0	0	0
15:17:00	0	0	0	0
15:17:01	0	0	0	0
15:17:02	0	0	0	0
15:17:03	0	0	0	0
15:17:04	0	0	0	0
15:17:05	0	0	0	0
15:17:06	0	0	0	0
15:17:07	0	0	0	0
15:17:08	0	0	0	0
15:17:09	0	0	0	0
15:17:10	0	0	0	0
15:17:11	0	0	0	0
15:17:12	0	0	0	0
15:17:13	0	0	0	0
15:17:14	0	0	0	0
15:17:15	0	0	0	0
15:17:16	0	0	0	0
15:17:17	0	0	0	0
15:17:18	0	0	0	0
15:17:19	0	0	0	0
15:17:20	0	0	0	0
15:17:21	0	0	0	0
15:17:22	0	0	0	0
15:17:23	0	0	0	0
15:17:24	0	0	0	0
15:17:25	0	0	0	0
15:17:26	0	0	0	0
15:17:27	0	0	0	0
15:17:28	0	0	0	0
15:17:29	0	0	0	0
15:17:30	0	0	0	0
15:17:31	0	0	0	0
15:17:32	0	0	0	0
15:17:33	0	0	0	0
15:17:34	0	0	0	0
15:17:35	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
15:17:36	0	0	0	0
15:17:37	0	0	0	0
15:17:38	0	0	0	0
15:17:39	0	0	0	0
15:17:40	0	0	0	0
15:17:41	0	0	0	0
15:17:42	0	0	0	0
15:17:43	0	0	0	0
15:17:44	0	0	0	0
15:17:45	0	0	0	0
15:17:46	0	0	0	0
15:17:47	0	0	0	0
15:17:48	0	0	0	0
15:17:49	0	0	0	0
15:17:50	0	0	0	0
15:17:51	0	0	0	0
15:17:52	0	0	0	0
15:17:53	0	0	0	0
15:17:54	0	0	0	0
15:17:55	0	0	0	0
15:17:56	0	0	0	0
15:17:57	0	0	0	0
15:17:58	0	0	0	0
15:17:59	0	0	0	0
15:18:00	0	0	0	0
15:18:01	0	0	0	0
15:18:02	0	0	0	0
15:18:03	0	0	0	0
15:18:04	0	0	0	0
15:18:05	0	0	0	0
15:18:06	0	0	0	0
15:18:07	0	0	0	0
15:18:08	0	0	0	0
15:18:09	0	0	0	0
15:18:10	0	0	0	0
15:18:11	0	0	0	0
15:18:12	0	0	0	0
15:18:13	0	0	0	0
15:18:14	0	0	0	0
15:18:15	0	0	0	0
15:18:16	0	0	0	0
15:18:17	0	0	0	0
15:18:18	0	0	0	0
15:18:19	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
15:18:20	0	0	0	0
15:18:21	0	0	0	0
15:18:22	0	0	0	0
15:18:23	0	0	0	0
15:18:24	0	0	0	0
15:18:25	0	0	0	0
15:18:26	0	0	0	0
15:18:27	0	0	0	0
15:18:28	0	0	0	0
15:18:29	0	0	0	0
15:18:30	0	0	0	0
15:18:31	0	0	0	0
15:18:32	0	0	0	0
15:18:33	0	0	0	0
15:18:34	0	0	0	0
15:18:35	0	0	0	0
15:18:36	0	0	0	0
15:18:37	0	0	0	0
15:18:38	0	0	0	0
15:18:39	0	0	0	0
15:18:40	0	0	0	0
15:18:41	0	0	0	0
15:18:42	0	0	0	0
15:18:43	0	0	0	0
15:18:44	0	0	0	0
15:18:45	0	0	0	0
15:18:46	0	0	0	0
15:18:47	0	0	0	0
15:18:48	0	0	0	0
15:18:49	0	0	0	0
15:18:50	0	0	0	0
15:18:51	0	0	0	0
15:18:52	0	0	0	0
15:18:53	0	0	0	0
15:18:54	0	0	0	0
15:18:55	0	0	0	0
15:18:56	0	0	0	0
15:18:57	0	0	0	0
15:18:58	0	0	0	0
15:18:59	0	0	0	0
15:19:00	0	0	0	0
15:19:01	0	0	0	0
15:19:02	0	0	0	0
15:19:03	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
15:19:04	0	0	0	0
15:19:05	0	0	0	0
15:19:06	0	0	0	0
15:19:07	0	0	0	0
15:19:08	0	0	0	0
15:19:09	0	0	0	0
15:19:10	0	0	0	0
15:19:11	0	0	0	0
15:19:12	0	0	0	0
15:19:13	0	0	0	0
15:19:14	0	0	0	0
15:19:15	0	0	0	0
15:19:16	0	0	0	0
15:19:17	0	0	0	0
15:19:18	0	0	0	0
15:19:19	0	0	0	0
15:19:20	0	0	0	0
15:19:21	0	0	0	0
15:19:22	0	0	0	0
15:19:23	0	0	0	0
15:19:24	0	0	0	0
15:19:25	0	0	0	0
15:19:26	0	0	0	0
15:19:27	0	0	0	0
15:19:28	0	0	0	0
15:19:29	0	0	0	0
15:19:30	0	0	0	0
15:19:31	0	0	0	0
15:19:32	0	0	0	0
15:19:33	0	0	0	0
15:19:34	0	0	0	0
15:19:35	0	0	0	0
15:19:36	0	0	0	0
15:19:37	0	0	0	0
15:19:38	0	0	0	0
15:19:39	0	0	0	0
15:19:40	0	0	0	0
15:19:41	0	0	0	0
15:19:42	0	0	0	0
15:19:43	0	0	0	0
15:19:44	0	0	0	0
15:19:45	0	0	0	0
15:19:46	0	0	0	0
15:19:47	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
15:19:48	0	0	0	0
15:19:49	0	0	0	0
15:19:50	0	0	0	0
15:19:51	0	0	0	0
15:19:52	0	0	0	0
15:19:53	0	0	0	0
15:19:54	0	0	0	0
15:19:55	0	0	0	0
15:19:56	0	0	0	0
15:19:57	0	0	0	0
15:19:58	0	0	0	0
15:19:59	0	0	0	0
15:20:00	0	0	0	0
15:20:01	0	0	0	0
15:20:02	0	0	0	0
15:20:03	0	0	0	0
15:20:04	0	0	0	0
15:20:05	0	0	0	0
15:20:06	0	0	0	0
15:20:07	0	0	0	0
15:20:08	0	0	0	0
15:20:09	0	0	0	0
15:20:10	0	0	0	0
15:20:11	0	0	0	0
15:20:12	0	0	0	0
15:20:13	0	0	0	0
15:20:14	0	0	0	0
15:20:15	0	0	0	0
15:20:16	0	0	0	0
15:20:17	0	0	0	0
15:20:18	0	0	0	0
15:20:19	0	0	0	0
15:20:20	0	0	0	0
15:20:21	0	0	0	0
15:20:22	0	0	0	0
15:20:23	0	0	0	0
15:20:24	0	0	0	0
15:20:25	0	0	0	0
15:20:26	0	0	0	0
15:20:27	0	0	0	0
15:20:28	0	0	0	0
15:20:29	0	0	0	0
15:20:30	0	0	0	0
15:20:31	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
15:20:32	0	0	0	0
15:20:33	0	0	0	0
15:20:34	0	0	0	0
15:20:35	0	0	0	0
15:20:36	0	0	0	0
15:20:37	0	0	0	0
15:20:38	0	0	0	0
15:20:39	0	0	0	0
15:20:40	0	0	0	0
15:20:41	0	0	0	0
15:20:42	0	0	0	0
15:20:43	0	0	0	0
15:20:44	0	0	0	0
15:20:45	0	0	0	0
15:20:46	0	0	0	0
15:20:47	0	0	0	0
15:20:48	0	0	0	0
15:20:49	0	0	0	0
15:20:50	0	0	0	0
15:20:51	0	0	0	0
15:20:52	0	0	0	0
15:20:53	0	0	0	0
15:20:54	0	0	0	0
15:20:55	0	0	0	0
15:20:56	0	0	0	0
15:20:57	0	0	0	0
15:20:58	0	0	0	0
15:20:59	0	0	0	0
15:21:00	0	0	0	0
15:21:01	0	0	0	0
15:21:02	0	0	0	0
15:21:03	0	0	0	0
15:21:04	0	0	0	0
15:21:05	0	0	0	0
15:21:06	0	0	0	0
15:21:07	0	0	0	0
15:21:08	0	0	0	0
15:21:09	0	0	0	0
15:21:10	0	0	0	0
15:21:11	0	0	0	0
15:21:12	0	0	0	0
15:21:13	0	0	0	0
15:21:14	0	0	0	0
15:21:15	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
15:21:16	0	0	0	0
15:21:17	0	0	0	0
15:21:18	0	0	0	0
15:21:19	0	0	0	0
15:21:20	0	0	0	0
15:21:21	0	0	0	0
15:21:22	0	0	0	0
15:21:23	0	0	0	0
15:21:24	0	0	0	0
15:21:25	0	0	0	0
15:21:26	0	0	0	0
15:21:27	0	0	0	0
15:21:28	0	0	0	0
15:21:29	0	0	0	0
15:21:30	0	0	0	0
15:21:31	0	0	0	0
15:21:32	0	0	0	0
15:21:33	0	0	0	0
15:21:34	0	0	0	0
15:21:35	0	0	0	0
15:21:36	0	0	0	0
15:21:37	0	0	0	0
15:21:38	0	0	0	0
15:21:39	0	0	0	0
15:21:40	0	0	0	0
15:21:41	0	0	0	0
15:21:42	0	0	0	0
15:21:43	0	0	0	0
15:21:44	0	0	0	0
15:21:45	0	0	0	0
15:21:46	0	0	0	0
15:21:47	0	0	0	0
15:21:48	0	0	0	0
15:21:49	0	0	0	0
15:21:50	0	0	0	0
15:21:51	0	0	0	0
15:21:52	0	0	0	0
15:21:53	0	0	0	0
15:21:54	0	0	0	0
15:21:55	0	0	0	0
15:21:56	0	0	0	0
15:21:57	0	0	0	0
15:21:58	0	0	0	0
15:21:59	0	0	0	0

Time (hh:mm:ss)	I1 Flow 1			Job Clean
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Vol (gal)
15:22:00	0	0	0	0
15:22:01	0	0	0	0
15:22:02	0	0	0	0
15:22:03	0	0	0	0
15:22:04	0	0	0	0
15:22:05	0	0	0	0
15:22:06	0	0	0	0
15:22:07	0	0	0	0
15:22:08	0	0	0	0
15:22:09	0	0	0	0
15:22:10	0	0	0	0
15:22:11	0	0	0	0
15:22:12	0	0	0	0
15:22:13	0	0	0	0
15:22:14	0	0	0	0
15:22:15	0	0	0	0
15:22:16	0	0	0	0
15:22:17	0	0	0	0
15:22:18	0	0	0	0
15:22:19	0	0	0	0
15:22:20	0	0	0	0
15:22:21	0	0	0	0
15:22:22	-12	1895	265	687
15:22:23	-12	1895	265	687
15:22:24	-12	1895	265	687
15:22:25	-12	1895	265	687
15:22:26	-12	1895	265	687
15:22:27	-13	1895	265	687
15:22:28	-11	1895	265	687
15:22:29	-12	1895	265	687
15:22:30	-13	1895	265	687
15:22:31	-13	1895	265	687
15:22:32	-12	1895	265	687
15:22:33	-13	1895	265	687
15:22:34	-13	1895	265	687
15:22:35	-13	1895	265	687
15:22:36	-12	1895	265	687
15:22:37	-11	1895	265	687
15:22:38	-12	1895	265	687
15:22:39	-12	1895	265	687
15:22:40	-13	1895	265	687
15:22:41	-13	1895	265	687
15:22:42	-13	1895	265	687
15:22:43	-12	1895	265	687

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:22:44	-12	1895	265	0.00	687
15:22:45	-11	1895	265	0.00	687
15:22:46	-12	1895	265	0.00	687
15:22:47	-13	1895	265	0.00	687
15:22:48	-13	1895	265	0.00	687
15:22:49	-13	1895	265	0.00	687
15:22:50	-13	1895	265	0.00	687
15:22:51	-12	1895	265	0.00	687
15:22:52	-12	1895	265	0.00	687
15:22:53	-13	1895	265	0.00	687
15:22:54	-13	1895	265	0.00	687
15:22:55	-13	1895	265	0.00	687
15:22:56	-13	1895	265	0.00	687
15:22:57	-13	1895	265	0.00	687
15:22:58	-13	1895	265	0.00	687
15:22:59	-13	1895	265	0.00	687
15:23:00	-13	1895	265	0.00	687
15:23:01	-13	1895	265	0.00	687
15:23:02	-13	1895	265	0.00	687
15:23:03	-12	1895	265	0.00	687
15:23:04	-12	1895	265	0.00	687
15:23:05	-13	1895	265	0.00	687
15:23:06	-13	1895	265	0.00	687
15:23:07	-13	1895	265	0.00	687
15:23:08	-13	1895	265	0.00	687
15:23:09	-13	1895	265	0.00	687
15:23:10	-13	1895	265	0.00	687
15:23:11	-13	1895	265	0.00	687
15:23:12	-13	1895	265	0.00	687
15:23:13	-13	1895	265	0.00	687
15:23:14	-13	1895	265	0.00	687
15:23:15	-13	1895	265	0.00	687
15:23:16	-13	1895	265	0.00	687
15:23:17	-13	1895	265	0.00	687
15:23:18	-13	1895	265	0.00	687
15:23:19	-13	1895	265	0.00	687
15:23:20	-13	1895	265	0.00	687
15:23:21	-12	1895	265	0.00	687
15:23:22	-12	1895	265	0.00	687
15:23:23	-12	1895	264	0.00	687
15:23:24	-12	1895	264	0.00	687
15:23:25	-13	1894	265	0.00	687
15:23:26	-13	1894	265	0.00	687
15:23:27	-13	1894	265	0.00	687

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:23:28	-13	1894	265	0.00	687
15:23:29	-13	1894	265	0.00	687
15:23:30	-13	1894	265	0.00	687
15:23:31	-13	1894	265	0.00	687
15:23:32	-13	1894	265	0.00	687
15:23:33	-13	1894	265	0.00	687
15:23:34	-13	1894	265	0.00	687
15:23:35	-13	1894	265	0.00	687
15:23:36	-13	1894	265	0.00	687
15:23:37	-13	1894	265	0.00	687
15:23:38	-13	1894	265	0.00	687
15:23:39	-13	1894	265	0.00	687
15:23:40	-13	1894	265	0.00	687
15:23:41	-13	1894	265	0.00	687
15:23:42	-13	1894	265	0.00	687
15:23:43	-13	1894	265	0.00	687
15:23:44	-13	1894	265	0.00	687
15:23:45	-13	1894	265	0.00	687
15:23:46	-13	1894	265	0.00	687
15:23:47	-13	1894	265	0.00	687
15:23:48	-13	1894	265	0.00	687
15:23:49	-12	1894	265	0.00	687
15:23:50	-13	1894	265	0.00	687
15:23:51	-13	1894	265	0.00	687
15:23:52	-12	1894	265	0.00	687
15:23:53	-13	1894	265	0.00	687
15:23:54	-12	1894	265	0.00	687
15:23:55	-13	1894	265	0.00	687
15:23:56	-12	1894	265	0.00	687
15:23:57	-12	1894	265	0.00	687
15:23:58	-13	1894	265	0.00	687
15:23:59	-13	1894	265	0.00	687
15:24:00	-11	1894	265	0.00	687
15:24:01	-12	1894	265	0.00	687
15:24:02	-12	1894	265	0.00	687
15:24:03	-13	1894	265	0.00	687
15:24:04	-13	1894	265	0.00	687
15:24:05	-13	1894	265	0.00	687
15:24:06	-13	1894	265	0.00	687
15:24:07	-13	1894	265	0.00	687
15:24:08	-13	1894	265	0.00	687
15:24:09	-12	1894	265	0.00	687
15:24:10	-12	1894	265	0.00	687
15:24:11	-12	1894	265	0.00	687

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:24:12	-13	1894	265	0.00	687
15:24:13	-13	1894	265	0.00	687
15:24:14	-11	1894	265	0.00	687
15:24:15	-12	1894	265	0.00	687
15:24:16	-12	1894	265	0.00	687
15:24:17	-11	1894	265	0.00	687
15:24:18	-12	1894	265	0.00	687
15:24:19	-13	1894	265	0.00	687
15:24:20	-13	1894	265	0.00	687
15:24:21	-12	1894	265	0.00	687
15:24:22	-13	1894	265	0.00	687
15:24:23	-13	1894	265	0.00	687
15:24:24	-13	1894	265	0.00	687
15:24:25	-13	1894	265	0.00	687
15:24:26	-13	1894	265	0.00	687
15:24:27	-13	1894	265	0.00	687
15:24:28	-13	1894	265	0.00	687
15:24:29	-13	1894	265	0.00	687
15:24:30	-13	1894	265	0.00	687
15:24:31	-13	1894	265	0.00	687
15:24:32	-13	1894	265	0.00	687
15:24:33	-13	1894	265	0.00	687
15:24:34	-13	1894	265	0.00	687
15:24:35	-12	1894	265	0.00	687
15:24:36	-13	1894	265	0.00	687
15:24:37	-13	1894	265	0.00	687
15:24:38	-13	1894	265	0.00	687
15:24:39	-13	1894	265	0.00	687
15:24:40	-13	1894	265	0.00	687
15:24:41	-13	1894	265	0.00	687
15:24:42	-13	1894	265	0.00	687
15:24:43	-11	1894	265	0.00	687
15:24:44	-12	1894	265	0.00	687
15:24:45	-12	1894	265	0.00	687
15:24:46	-11	1894	265	0.00	687
15:24:47	-12	1894	265	0.00	687
15:24:48	-13	1894	265	0.00	687
15:24:49	-13	1894	265	0.00	687
15:24:50	-13	1894	265	0.00	687
15:24:51	-13	1894	265	0.00	687
15:24:52	-13	1894	265	0.00	687
15:24:53	-12	1894	265	0.00	687
15:24:54	-13	1894	265	0.00	687
15:24:55	-12	1894	265	0.00	687

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:24:56	-13	1894	265	0.00	687
15:24:57	-13	1894	265	0.00	687
15:24:58	-13	1894	265	0.00	687
15:24:59	-13	1894	265	0.00	687
15:25:00	-13	1894	265	0.00	687
15:25:01	-11	1894	265	0.00	687
15:25:02	-12	1894	265	0.00	687
15:25:03	-12	1894	265	0.00	687
15:25:04	-12	1894	265	0.00	687
15:25:05	-13	1894	265	0.00	687
15:25:06	-10	1894	265	0.00	687
15:25:07	-12	1894	265	0.00	687
15:25:08	-13	1894	265	0.00	687
15:25:09	-10	1894	265	0.00	687
15:25:10	-10	1894	265	0.01	687
15:25:11	-10	1894	265	0.00	687
15:25:12	-10	1894	265	0.00	687
15:25:13	-8	1894	265	0.11	687
15:25:14	-3	1894	265	1.00	687
15:25:15	0	1894	265	1.57	688
15:25:16	1	1894	265	1.73	689
15:25:17	3	1894	265	1.33	690
15:25:18	6	1894	265	0.41	691
15:25:19	9	1894	265	0.18	692
15:25:20	12	1894	266	0.14	692
15:25:21	14	1894	266	0.10	692
15:25:22	17	1894	266	0.07	692
15:25:23	19	1894	266	0.05	692
15:25:24	21	1894	266	0.04	692
15:25:25	23	1894	266	0.03	692
15:25:26	25	1894	266	0.02	692
15:25:27	26	1894	266	0.02	692
15:25:28	28	1894	266	0.01	692
15:25:29	29	1894	266	0.01	692
15:25:30	31	1894	266	0.01	692
15:25:31	32	1894	266	0.00	692
15:25:32	33	1894	266	0.00	692
15:25:33	34	1894	266	0.00	692
15:25:34	35	1894	266	0.00	692
15:25:35	36	1894	266	0.09	692
15:25:36	341	1894	266	0.96	692
15:25:37	590	1894	266	1.03	692
15:25:38	640	1894	266	0.50	693
15:25:39	688	1894	266	0.26	693

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
15:25:40	698	1894	266	0.17	693
15:25:41	683	1894	266	0.13	693
15:25:42	1670	1894	266	0.15	693
15:25:43	1666	1894	266	0.11	694
15:25:44	1610	1894	266	0.08	694
15:25:45	1553	1894	266	0.06	694
15:25:46	1532	1894	266	0.05	694
15:25:47	1779	1894	266	0.03	694
15:25:48	1828	1894	266	0.03	694
15:25:49	1832	1894	266	0.02	694
15:25:50	1833	1894	266	0.01	694
15:25:51	1830	1894	266	0.01	694
15:25:52	1835	1894	266	0.01	694
15:25:53	2462	1894	266	0.01	694
15:25:54	2922	1894	266	0.00	694
15:25:55	2975	1894	266	0.00	694
15:25:56	2976	1894	266	0.00	694
15:25:57	2970	1894	266	0.00	694
15:25:58	2943	1894	266	0.00	694
15:25:59	2865	1894	265	0.00	694
15:26:00	2992	1894	265	0.00	694
15:26:01	3324	1894	265	0.00	694
15:26:02	3372	1894	265	0.00	694
15:26:03	3373	1894	265	0.00	694
15:26:04	3371	1894	265	0.00	694
15:26:05	3358	1894	265	0.00	694
15:26:06	3316	1894	265	0.00	694
15:26:07	3309	1894	266	0.00	694
15:26:08	3295	1894	266	0.00	694
15:26:09	4074	1894	266	0.00	694
15:26:10	5096	1894	266	0.00	694
15:26:11	5154	1894	266	0.00	694
15:26:12	4962	1894	266	0.00	694
15:26:13	4816	1894	266	0.00	694
15:26:14	5236	1894	266	0.00	694
15:26:15	5227	1894	266	0.00	694
15:26:16	5044	1894	265	0.00	694
15:26:17	5313	1894	266	0.00	694
15:26:18	5348	1894	266	0.00	694
15:26:19	5347	1894	266	0.00	694
15:26:20	6735	1894	266	0.00	694
15:26:21	6952	1894	266	0.00	694
15:26:22	6975	1894	265	0.00	694
15:26:23	6981	1894	265	0.00	694

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
15:26:24	6986	1894	265	0.00	694
15:26:25	6989	1894	265	0.00	694
15:26:26	6992	1894	265	0.00	694
15:26:27	6996	1894	266	0.00	694
15:26:28	6999	1894	266	0.00	694
15:26:29	7000	1894	266	0.00	694
15:26:30	7002	1894	266	0.00	694
15:26:31	7004	1894	266	0.00	694
15:26:32	7005	1894	266	0.00	694
15:26:33	7006	1894	266	0.00	694
15:26:34	7007	1894	266	0.00	694
15:26:35	7007	1894	266	0.00	694
15:26:36	7008	1894	266	0.00	694
15:26:37	7008	1894	265	0.00	694
15:26:38	7008	1894	265	0.00	694
15:26:39	7008	1894	265	0.00	694
15:26:40	7008	1894	265	0.00	694
15:26:41	7007	1894	265	0.00	694
15:26:42	7007	1894	265	0.00	694
15:26:43	7342	1894	265	0.00	694
15:26:44	7514	1894	265	0.00	694
15:26:45	7568	1894	265	0.00	694
15:26:46	7576	1894	265	0.00	694
15:26:47	7851	1894	265	0.00	694
15:26:48	7946	1894	265	0.00	694
15:26:49	8002	1894	265	0.00	694
15:26:50	8010	1894	265	0.00	694
15:26:51	8016	1894	265	0.00	694
15:26:52	8021	1894	265	0.00	694
15:26:53	8024	1894	265	0.00	694
15:26:54	8029	1894	266	0.00	694
15:26:55	8033	1894	266	0.00	694
15:26:56	8036	1894	266	0.00	694
15:26:57	8039	1894	266	0.00	694
15:26:58	8041	1894	266	0.00	694
15:26:59	8044	1894	266	0.00	694
15:27:00	8046	1894	266	0.00	694
15:27:01	8047	1894	266	0.00	694
15:27:02	8049	1894	266	0.00	694
15:27:03	8050	1894	266	0.00	694
15:27:04	8051	1894	266	0.00	694
15:27:05	8052	1894	266	0.00	694
15:27:06	8053	1894	266	0.00	694
15:27:07	8053	1894	266	0.00	694

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
15:27:08	8054	1894	266	0.00	694
15:27:09	8054	1894	266	0.00	694
15:27:10	8054	1894	266	0.00	694
15:27:11	8055	1894	266	0.00	694
15:27:12	8055	1894	266	0.00	694
15:27:13	8055	1894	266	0.00	694
15:27:14	8055	1894	266	0.00	694
15:27:15	8054	1894	266	0.00	694
15:27:16	8054	1894	266	0.00	694
15:27:17	8054	1894	266	0.00	694
15:27:18	8053	1894	266	0.00	694
15:27:19	8053	1894	266	0.00	694
15:27:20	8052	1894	266	0.00	694
15:27:21	8051	1894	266	0.00	694
15:27:22	8051	1894	266	0.00	694
15:27:23	8050	1894	266	0.00	694
15:27:24	8049	1894	266	0.00	694
15:27:25	8048	1894	266	0.00	694
15:27:26	8048	1894	266	0.00	694
15:27:27	8047	1894	266	0.00	694
15:27:28	8046	1894	266	0.00	694
15:27:29	8045	1894	265	0.00	694
15:27:30	8044	1894	265	0.00	694
15:27:31	8043	1894	265	0.00	694
15:27:32	8042	1894	265	0.00	694
15:27:33	8041	1894	265	0.00	694
15:27:34	8040	1894	265	0.00	694
15:27:35	8038	1894	265	0.00	694
15:27:36	8037	1894	265	0.00	694
15:27:37	8036	1894	266	0.00	694
15:27:38	8035	1894	266	0.00	694
15:27:39	8034	1894	266	0.00	694
15:27:40	8033	1894	266	0.00	694
15:27:41	8031	1894	266	0.00	694
15:27:42	8030	1894	266	0.00	694
15:27:43	8029	1894	266	0.00	694
15:27:44	8028	1894	266	0.00	694
15:27:45	8026	1894	266	0.00	694
15:27:46	8025	1894	266	0.00	694
15:27:47	8024	1894	266	0.00	694
15:27:48	8022	1894	266	0.00	694
15:27:49	8021	1894	266	0.00	694
15:27:50	8020	1894	266	0.00	694
15:27:51	8019	1894	266	0.00	694

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:27:52	8017	1894	266	0.00	694
15:27:53	8016	1894	266	0.00	694
15:27:54	8015	1894	266	0.00	694
15:27:55	8013	1894	266	0.00	694
15:27:56	8012	1894	266	0.00	694
15:27:57	8011	1894	266	0.00	694
15:27:58	8010	1894	266	0.00	694
15:27:59	8008	1894	266	0.00	694
15:28:00	8007	1894	266	0.00	694
15:28:01	8006	1894	266	0.00	694
15:28:02	8004	1894	266	0.00	694
15:28:03	8003	1894	266	0.00	694
15:28:04	8002	1894	266	0.00	694
15:28:05	8001	1894	266	0.00	694
15:28:06	7999	1894	266	0.00	694
15:28:07	7998	1894	266	0.00	694
15:28:08	7997	1894	266	0.00	694
15:28:09	7996	1894	266	0.00	694
15:28:10	7994	1894	266	0.00	694
15:28:11	7993	1894	266	0.00	694
15:28:12	7991	1894	266	0.00	694
15:28:13	7990	1894	266	0.00	694
15:28:14	7989	1894	266	0.00	694
15:28:15	7987	1894	266	0.00	694
15:28:16	7985	1894	266	0.00	694
15:28:17	7984	1894	266	0.00	694
15:28:18	7982	1894	266	0.00	694
15:28:19	7596	1894	266	0.00	694
15:28:20	5490	1894	266	0.00	694
15:28:21	3703	1894	266	0.00	694
15:28:22	2394	1894	266	0.00	694
15:28:23	1558	1894	266	0.00	694
15:28:24	1082	1894	266	0.00	694
15:28:25	806	1894	266	0.00	694
15:28:26	663	1894	266	0.00	694
15:28:27	553	1894	266	0.00	694
15:28:28	461	1894	266	0.00	694
15:28:29	358	1894	266	0.00	694
15:28:30	258	1894	266	0.00	694
15:28:31	189	1894	266	0.00	694
15:28:32	181	1894	266	0.00	694
15:28:33	173	1894	266	0.00	694
15:28:34	165	1894	266	0.00	694
15:28:35	47	1894	266	0.00	694

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	(psi)	(psi)	(psi)	Rate (bpm)	Vol (gal)
15:28:36	0	1894	266	0.00	694
15:28:37	-2	1894	266	0.00	694
15:28:38	-5	1894	266	0.00	694
15:28:39	-5	1894	266	0.00	694
15:28:40	-6	1894	266	0.00	694
15:28:41	-7	1894	266	0.00	694
15:28:42	-5	1894	266	0.00	694
15:28:43	-7	1894	266	0.00	694
15:28:44	-6	1894	266	0.00	694
15:28:45	-7	1894	266	0.00	694
15:28:46	-7	1894	266	0.00	694
15:28:47	-8	1894	266	0.00	694
15:28:48	-8	1894	266	0.00	694
15:28:49	-8	1894	266	0.00	694
15:28:50	-10	1894	266	0.00	694
15:28:51	-9	1894	266	0.00	694
15:28:52	-9	1894	266	0.00	694
15:28:53	-10	1894	266	0.00	694
15:28:54	-10	1894	266	0.00	694
15:28:55	-8	1894	266	0.00	694
15:28:56	-9	1894	266	0.00	694
15:28:57	-8	1894	266	0.00	694
15:28:58	-8	1894	266	0.00	694
15:28:59	-9	1894	266	0.00	694
15:29:00	-10	1894	266	0.00	694
15:29:01	-9	1894	266	0.00	694
15:29:02	-8	1894	266	0.00	694
15:29:03	-10	1894	266	0.00	694
15:29:04	-8	1894	266	0.00	694
15:29:05	-8	1894	266	0.00	694
15:29:06	-10	1894	266	0.00	694
15:29:07	-10	1894	266	0.00	694
15:29:08	-10	1894	266	0.00	694
15:29:09	-8	1894	266	0.00	694
15:29:10	-10	1894	266	0.00	694
15:29:11	-8	1894	266	0.00	694
15:29:12	-10	1894	266	0.00	694
15:29:13	-10	1894	266	0.00	694
15:29:14	-10	1894	266	0.00	694
15:29:15	-8	1894	266	0.00	694
15:29:16	-10	1894	266	0.00	694
15:29:17	-10	1894	266	0.00	694
15:29:18	-9	1894	266	0.00	694
15:29:19	-10	1894	266	0.00	694

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:29:20	-8	1894	266	0.00	694
15:29:21	-9	1894	266	0.00	694
15:29:22	-10	1894	266	0.00	694
15:29:23	-10	1894	266	0.00	694
15:29:24	-8	1894	266	0.00	694
15:29:25	-9	1894	266	0.00	694
15:29:26	-9	1894	266	0.00	694
15:29:27	-10	1894	266	0.00	694
15:29:28	-8	1894	266	0.00	694
15:29:29	-9	1894	266	0.00	694
15:29:30	-10	1894	266	0.00	694
15:29:31	-10	1894	266	0.00	694
15:29:32	-10	1894	266	0.00	694
15:29:33	-10	1894	266	0.00	694
15:29:34	-12	1894	266	0.00	694
15:29:35	-10	1894	266	0.00	694
15:29:36	-10	1894	266	0.00	694
15:29:37	-11	1894	266	0.00	694
15:29:38	-11	1894	266	0.00	694
15:29:39	-11	1894	266	0.00	694
15:29:40	-12	1894	266	0.00	694
15:29:41	-11	1894	266	0.00	694
15:29:42	-10	1894	266	0.00	694
15:29:43	-10	1894	266	0.00	694
15:29:44	-10	1894	266	0.00	694
15:29:45	-10	1894	266	0.00	694
15:29:46	-11	1894	266	0.00	694
15:29:47	-12	1894	266	0.00	694
15:29:48	-11	1894	266	0.00	694
15:29:49	-12	1894	265	0.00	694
15:29:50	-12	1894	266	0.00	694
15:29:51	-11	1894	266	0.00	694
15:29:52	-10	1894	266	0.00	694
15:29:53	-12	1894	266	0.00	694
15:29:54	-12	1894	266	0.00	694
15:29:55	-10	1894	266	0.00	694
15:29:56	-12	1894	266	0.00	694
15:29:57	-12	1894	265	0.00	694
15:29:58	-10	1894	266	0.00	694
15:29:59	-12	1894	266	0.00	694
15:30:00	-12	1894	266	0.00	694
15:30:01	-12	1894	266	0.00	694
15:30:02	-12	1894	266	0.00	694
15:30:03	-13	1894	266	0.00	694

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	(psi)	(psi)	(psi)	Rate (bpm)	Vol (gal)
15:30:04	-11	1894	266	0.00	694
15:30:05	-12	1894	266	0.00	694
15:30:06	-12	1894	266	0.00	694
15:30:07	-13	1894	266	0.00	694
15:30:08	-11	1894	266	0.00	694
15:30:09	-13	1894	266	0.00	694
15:30:10	-12	1895	266	0.00	694
15:30:11	-15	1895	266	0.00	694
15:30:12	-12	1895	266	0.00	694
15:30:13	-14	1894	266	0.00	694
15:30:14	-13	1895	266	0.00	694
15:30:15	-13	1894	266	0.00	694
15:30:16	-13	1894	266	0.00	694
15:30:17	-14	1894	266	0.00	694
15:30:18	-13	1894	266	0.00	694
15:30:19	-15	1894	266	0.00	694
15:30:20	-15	1895	266	0.00	694
15:30:21	-12	1894	266	0.00	694
15:30:22	-12	1894	266	0.00	694
15:30:23	-14	1894	266	0.00	694
15:30:24	-11	1894	266	0.00	694
15:30:25	-12	1894	266	0.00	694
15:30:26	-12	1894	266	0.00	694
15:30:27	-12	1894	266	0.00	694
15:30:28	-12	1894	266	0.00	694
15:30:29	-12	1894	266	0.00	694
15:30:30	-12	1894	266	0.00	694
15:30:31	-11	1894	266	0.00	694
15:30:32	-11	1894	266	0.00	694
15:30:33	-12	1894	266	0.00	694
15:30:34	-11	1895	266	0.00	694
15:30:35	-12	1895	266	0.00	694
15:30:36	-12	1895	266	0.00	694
15:30:37	-12	1894	266	0.00	694
15:30:38	-13	1894	266	0.00	694
15:30:39	-13	1895	266	0.00	694
15:30:40	-12	1894	266	0.00	694
15:30:41	-15	1894	266	0.00	694
15:30:42	-13	1895	266	0.00	694
15:30:43	-13	1894	266	0.00	694
15:30:44	-12	1894	266	0.00	694
15:30:45	-11	1894	266	0.00	694
15:30:46	-12	1894	266	0.00	694
15:30:47	-13	1894	266	0.00	694

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:30:48	-13	1894	266	0.00	694
15:30:49	-13	1894	266	0.00	694
15:30:50	-13	1894	266	0.00	694
15:30:51	-13	1894	266	0.00	694
15:30:52	-13	1894	266	0.00	694
15:30:53	-13	1894	266	0.00	694
15:30:54	-13	1894	266	0.00	694
15:30:55	-13	1894	266	0.00	694
15:30:56	-13	1894	266	0.00	694
15:30:57	-13	1894	266	0.00	694
15:30:58	-13	1894	266	0.00	694
15:30:59	-13	1894	266	0.00	694
15:31:00	-13	1894	266	0.00	694
15:31:01	-13	1894	266	0.00	694
15:31:02	-13	1894	266	0.00	694
15:31:03	-13	1894	266	0.00	694
15:31:04	-13	1894	266	0.00	694
15:31:05	-13	1894	266	0.00	694
15:31:06	-13	1894	266	0.00	694
15:31:07	-13	1894	266	0.00	694
15:31:08	-13	1894	266	0.00	694
15:31:09	-13	1894	266	0.00	694
15:31:10	-13	1894	266	0.00	694
15:31:11	-12	1894	266	0.00	694
15:31:12	-13	1894	266	0.00	694
15:31:13	-12	1894	266	0.00	694
15:31:14	-12	1894	266	0.00	694
15:31:15	-13	1894	266	0.00	694
15:31:16	-13	1894	266	0.00	694
15:31:17	-13	1894	266	0.00	694
15:31:18	-12	1894	266	0.00	694
15:31:19	-13	1894	266	0.00	694
15:31:20	-12	1894	266	0.00	694
15:31:21	-12	1894	266	0.00	694
15:31:22	-12	1894	266	0.00	694
15:31:23	-11	1894	266	0.00	694
15:31:24	-12	1894	266	0.00	694
15:31:25	-13	1894	266	0.00	694
15:31:26	-12	1894	266	0.00	694
15:31:27	-13	1894	266	0.00	694
15:31:28	-13	1894	266	0.00	694
15:31:29	-13	1894	266	0.00	694
15:31:30	-13	1894	266	0.00	694
15:31:31	-13	1894	266	0.00	694

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	(psi)	(psi)	(psi)	Rate (bpm)	Vol (gal)
15:31:32	-13	1894	266	0.00	694
15:31:33	-13	1894	266	0.00	694
15:31:34	-12	1894	266	0.00	694
15:31:35	-12	1894	266	0.00	694
15:31:36	-13	1894	266	0.00	694
15:31:37	-13	1894	266	0.00	694
15:31:38	-13	1894	266	0.00	694
15:31:39	-13	1894	266	0.00	694
15:31:40	-13	1894	266	0.00	694
15:31:41	-13	1894	266	0.00	694
15:31:42	-13	1894	266	0.00	694
15:31:43	-12	1894	266	0.00	694
15:31:44	-12	1894	266	0.00	694
15:31:45	-13	1894	266	0.00	694
15:31:46	-11	1894	266	0.00	694
15:31:47	-12	1894	266	0.00	694
15:31:48	-13	1894	266	0.00	694
15:31:49	-13	1894	266	0.00	694
15:31:50	-13	1894	266	0.00	694
15:31:51	-13	1895	266	0.00	694
15:31:52	-12	1894	266	0.00	694
15:31:53	-12	1894	266	0.00	694
15:31:54	-12	1894	266	0.00	694
15:31:55	-10	1894	266	0.00	694
15:31:56	-10	1895	266	0.00	694
15:31:57	-10	1895	266	0.00	694
15:31:58	-10	1895	266	0.00	694
15:31:59	-8	1895	266	0.00	694
15:32:00	-9	1895	266	0.00	694
15:32:01	-10	1894	266	0.00	694
15:32:02	-8	1895	266	0.00	694
15:32:03	-8	1895	266	0.00	694
15:32:04	-10	1895	266	0.00	694
15:32:05	-8	1895	266	0.00	694
15:32:06	-10	1895	266	0.00	694
15:32:07	-10	1895	266	0.00	694
15:32:08	-10	1895	266	0.00	694
15:32:09	-10	1895	266	0.00	694
15:32:10	-9	1895	266	0.00	694
15:32:11	-10	1895	266	0.00	694
15:32:12	-10	1895	266	0.00	694
15:32:13	-10	1895	266	0.00	694
15:32:14	-10	1895	266	0.00	694
15:32:15	-10	1895	266	0.00	694

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:32:16	-10	1895	266	0.00	694
15:32:17	-10	1895	266	0.00	694
15:32:18	-10	1895	266	0.00	694
15:32:19	-10	1895	266	0.00	694
15:32:20	-10	1895	266	0.00	694
15:32:21	-10	1895	266	0.00	694
15:32:22	-10	1895	266	0.00	694
15:32:23	-10	1895	266	0.00	694
15:32:24	-10	1895	266	0.00	694
15:32:25	-10	1895	266	0.00	694
15:32:26	-10	1895	266	0.00	694
15:32:27	-10	1895	266	0.00	694
15:32:28	-10	1895	266	0.00	694
15:32:29	-10	1895	266	0.00	694
15:32:30	-10	1895	266	0.00	694
15:32:31	-10	1895	266	0.00	694
15:32:32	-10	1895	266	0.00	694
15:32:33	-10	1895	266	0.00	694
15:32:34	-10	1895	266	0.00	694
15:32:35	-10	1895	266	0.00	694
15:32:36	-10	1895	266	0.00	694
15:32:37	-10	1895	266	0.00	694
15:32:38	-10	1895	266	0.00	694
15:32:39	-10	1895	266	0.00	694
15:32:40	-10	1895	266	0.00	694
15:32:41	-10	1895	266	0.00	694
15:32:42	-10	1895	266	0.00	694
15:32:43	-10	1895	266	0.00	694
15:32:44	-10	1895	266	0.00	694
15:32:45	-10	1895	266	0.00	694
15:32:46	-10	1895	266	0.00	694
15:32:47	-10	1895	266	0.00	694
15:32:48	-10	1895	266	0.00	694
15:32:49	-10	1895	266	0.00	694
15:32:50	-10	1895	266	0.00	694
15:32:51	-10	1895	266	0.00	694
15:32:52	-10	1895	266	0.00	694
15:32:53	-10	1895	266	0.00	694
15:32:54	-10	1895	266	0.00	694
15:32:55	-10	1895	266	0.00	694
15:32:56	-10	1895	266	0.00	694
15:32:57	-10	1895	266	0.00	694
15:32:58	-10	1895	266	0.00	694
15:32:59	-10	1895	266	0.00	694

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
15:33:00	-10	1895	266	0.00	694
15:33:01	-10	1895	266	0.00	694
15:33:02	-10	1895	266	0.00	694
15:33:03	-10	1895	266	0.00	694
15:33:04	-10	1895	266	0.00	694
15:33:05	-10	1895	266	0.00	694
15:33:06	-10	1895	266	0.00	694
15:33:07	-10	1895	266	0.00	694
15:33:08	-10	1895	266	0.00	694
15:33:09	-11	1895	266	0.00	694
15:33:10	-10	1895	266	0.00	694
15:33:11	-10	1895	266	0.00	694
15:33:12	-10	1895	266	0.00	694
15:33:13	-12	1895	266	0.00	694
15:33:14	-10	1895	266	0.00	694
15:33:15	-10	1895	266	0.00	694
15:33:16	-11	1895	266	0.00	694
15:33:17	-12	1895	266	0.00	694
15:33:18	-10	1895	266	0.00	694
15:33:19	-10	1895	266	0.00	694
15:33:20	-12	1895	266	0.00	694
15:33:21	-10	1895	266	0.00	694
15:33:22	-12	1895	266	0.00	694
15:33:23	-12	1895	266	0.00	694
15:33:24	-10	1895	266	0.00	694
15:33:25	-12	1895	266	0.00	694
15:33:26	-12	1895	266	0.00	694
15:33:27	-12	1895	266	0.00	694
15:33:28	-11	1895	266	0.00	694
15:33:29	-12	1895	266	0.00	694
15:33:30	-10	1895	266	0.00	694
15:33:31	-12	1895	266	0.00	694
15:33:32	-12	1895	266	0.00	694
15:33:33	-12	1895	266	0.00	694
15:33:34	-11	1895	266	0.00	694
15:33:35	-12	1895	266	0.00	694
15:33:36	-11	1895	266	0.00	694
15:33:37	-12	1895	266	0.00	694
15:33:38	-12	1895	266	0.00	694
15:33:39	-13	1895	266	0.00	694
15:33:40	-10	1895	266	0.00	694
15:33:41	-12	1895	266	0.00	694
15:33:42	-12	1895	266	0.00	694
15:33:43	-12	1895	266	0.00	694

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:33:44	-10	1895	266	0.00	694
15:33:45	-12	1895	266	0.00	694
15:33:46	-12	1895	266	0.00	694
15:33:47	-10	1895	266	0.00	694
15:33:48	-11	1895	266	0.00	694
15:33:49	-12	1895	266	0.00	694
15:33:50	-11	1895	266	0.00	694
15:33:51	-12	1895	266	0.00	694
15:33:52	-12	1895	266	0.00	694
15:33:53	-10	1895	266	0.00	694
15:33:54	-11	1895	266	0.00	694
15:33:55	-12	1895	266	0.00	694
15:33:56	-12	1895	266	0.00	694
15:33:57	-10	1895	266	0.00	694
15:33:58	-12	1895	266	0.00	694
15:33:59	-10	1895	266	0.00	694
15:34:00	-10	1895	266	0.00	694
15:34:01	-12	1895	266	0.00	694
15:34:02	-10	1895	266	0.00	694
15:34:03	-11	1895	266	0.00	694
15:34:04	-10	1895	266	0.00	694
15:34:05	-12	1895	266	0.00	694
15:34:06	-12	1895	266	0.00	694
15:34:07	-12	1895	266	0.00	694
15:34:08	-12	1895	266	0.00	694
15:34:09	-10	1895	266	0.00	694
15:34:10	-10	1895	266	0.00	694
15:34:11	-12	1895	266	0.00	694
15:34:12	-10	1895	266	0.00	694
15:34:13	-11	1895	266	0.00	694
15:34:14	-11	1895	266	0.00	694
15:34:15	-12	1895	266	0.00	694
15:34:16	-12	1895	266	0.00	694
15:34:17	-11	1895	266	0.00	694
15:34:18	-12	1895	266	0.00	694
15:34:19	-11	1895	266	0.00	694
15:34:20	-11	1895	266	0.00	694
15:34:21	-12	1895	266	0.00	694
15:34:22	-10	1895	266	0.00	694
15:34:23	-12	1895	266	0.00	694
15:34:24	-12	1895	266	0.00	694
15:34:25	-12	1895	266	0.00	694
15:34:26	-12	1895	266	0.00	694
15:34:27	-12	1895	266	0.00	694

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
15:34:28	-12	1895	266	0.00	694
15:34:29	-12	1895	266	0.00	694
15:34:30	-12	1895	266	0.00	694
15:34:31	-12	1895	266	0.00	694
15:34:32	-12	1895	266	0.00	694
15:34:33	-12	1895	266	0.00	694
15:34:34	-13	1895	266	0.00	694
15:34:35	-12	1895	266	0.00	694
15:34:36	-12	1895	266	0.00	694
15:34:37	-12	1895	266	0.00	694
15:34:38	-12	1895	266	0.00	694
15:34:39	-10	1895	266	0.00	694
15:34:40	-11	1895	266	0.00	694
15:34:41	-10	1895	266	0.00	694
15:34:42	-12	1895	266	0.00	694
15:34:43	-12	1895	266	0.00	694
15:34:44	-12	1895	266	0.00	694
15:34:45	-12	1895	266	0.00	694
15:34:46	-12	1895	266	0.00	694
15:34:47	-11	1895	266	0.00	694
15:34:48	-12	1895	266	0.00	694
15:34:49	-10	1895	266	0.00	694
15:34:50	-12	1895	266	0.00	694
15:34:51	-12	1895	266	0.00	694
15:34:52	-12	1895	266	0.00	694
15:34:53	-11	1895	266	0.00	694
15:34:54	-12	1895	266	0.00	694
15:34:55	-12	1895	266	0.00	694
15:34:56	-12	1895	266	0.00	694
15:34:57	-10	1895	266	0.00	694
15:34:58	-12	1895	266	0.00	694
15:34:59	-12	1895	266	0.00	694
15:35:00	-12	1895	266	0.00	694
15:35:01	-10	1895	266	0.00	694
15:35:02	-10	1895	266	0.00	694
15:35:03	-12	1895	266	0.00	694
15:35:04	-12	1895	266	0.00	694
15:35:05	-12	1895	266	0.00	694
15:35:06	-12	1895	266	0.00	694
15:35:07	-10	1895	266	0.00	694
15:35:08	-12	1895	266	0.00	694
15:35:09	-12	1895	266	0.00	694
15:35:10	-12	1895	266	0.00	694
15:35:11	-12	1895	266	0.00	694

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:35:12	-12	1895	266	0.00	694
15:35:13	-11	1895	266	0.00	694
15:35:14	-12	1895	266	0.00	694
15:35:15	-12	1895	266	0.00	694
15:35:16	-12	1895	266	0.00	694
15:35:17	-13	1895	266	0.00	694
15:35:18	-12	1895	266	0.00	694
15:35:19	-12	1895	266	0.00	694
15:35:20	-13	1895	266	0.00	694
15:35:21	-13	1895	266	0.00	694
15:35:22	-12	1895	266	0.00	694
15:35:23	-11	1895	266	0.00	694
15:35:24	-12	1895	266	0.00	694
15:35:25	-12	1895	266	0.00	694
15:35:26	-12	1895	266	0.00	694
15:35:27	-12	1895	266	0.00	694
15:35:28	-13	1895	266	0.00	694
15:35:29	-13	1895	266	0.00	694
15:35:30	-13	1895	266	0.00	694
15:35:31	-12	1895	266	0.00	694
15:35:32	-12	1895	266	0.00	694
15:35:33	-12	1895	266	0.00	694
15:35:34	-12	1895	266	0.00	694
15:35:35	-13	1895	266	0.00	694
15:35:36	-12	1895	266	0.00	694
15:35:37	-13	1895	266	0.00	694
15:35:38	-12	1895	266	0.00	694
15:35:39	-13	1895	266	0.00	694
15:35:40	-12	1895	266	0.00	694
15:35:41	-12	1895	266	0.00	694
15:35:42	-12	1895	266	0.00	694
15:35:43	-13	1895	266	0.00	694
15:35:44	-12	1895	266	0.00	694
15:35:45	-12	1895	266	0.00	694
15:35:46	-12	1895	267	0.00	694
15:35:47	-13	1895	267	0.00	694
15:35:48	-12	1895	267	0.00	694
15:35:49	-12	1895	267	0.00	694
15:35:50	-12	1894	267	0.00	694
15:35:51	-12	1894	267	0.00	694
15:35:52	-13	1894	267	0.00	694
15:35:53	-12	1894	267	0.00	694
15:35:54	-11	1895	267	0.00	694
15:35:55	-12	1895	267	0.00	694

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
15:35:56	-11	1894	267	0.00	694
15:35:57	-12	1894	267	0.00	694
15:35:58	-13	1894	267	0.00	694
15:35:59	-13	1894	267	0.00	694
15:36:00	-12	1894	267	0.00	694
15:36:01	-13	1894	267	0.00	694
15:36:02	-12	1894	267	0.00	694
15:36:03	-12	1894	267	0.00	694
15:36:04	-12	1894	267	0.00	694
15:36:05	-13	1894	267	0.00	694
15:36:06	-12	1894	267	0.00	694
15:36:07	-11	1894	267	0.00	694
15:36:08	-12	1894	267	0.00	694
15:36:09	-12	1894	267	0.00	694
15:36:10	-10	1894	267	0.00	694
15:36:11	-12	1894	267	0.00	694
15:36:12	-12	1894	267	0.00	694
15:36:13	-13	1894	267	0.00	694
15:36:14	-12	1895	267	0.00	694
15:36:15	-12	1895	267	0.00	694
15:36:16	-12	1895	267	0.00	694
15:36:17	-12	1895	267	0.00	694
15:36:18	-13	1895	267	0.00	694
15:36:19	-12	1895	267	0.00	694
15:36:20	-12	1895	267	0.00	694
15:36:21	-12	1895	267	0.00	694
15:36:22	-12	1894	267	0.00	694
15:36:23	-12	1894	267	0.00	694
15:36:24	-12	1894	267	0.00	694
15:36:25	-12	1894	267	0.00	694
15:36:26	-12	1894	267	0.00	694
15:36:27	-13	1894	267	0.00	694
15:36:28	-11	1894	267	0.00	694
15:36:29	-12	1894	267	0.00	694
15:36:30	-12	1894	267	0.00	694
15:36:31	-13	1894	267	0.00	694
15:36:32	-12	1894	267	0.00	694
15:36:33	-12	1894	267	0.00	694
15:36:34	-13	1894	267	0.00	694
15:36:35	-12	1894	267	0.00	694
15:36:36	-11	1894	267	0.00	694
15:36:37	-12	1894	267	0.00	694
15:36:38	-12	1894	267	0.00	694
15:36:39	-12	1894	267	0.00	694

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:36:40	-13	1894	267	0.00	694
15:36:41	-10	1894	267	0.00	694
15:36:42	-12	1894	267	0.00	694
15:36:43	-12	1894	267	0.00	694
15:36:44	-12	1894	267	0.00	694
15:36:45	-12	1894	267	0.00	694
15:36:46	-12	1894	267	0.00	694
15:36:47	-10	1894	267	0.00	694
15:36:48	-10	1894	267	0.00	694
15:36:49	-12	1894	267	0.00	694
15:36:50	-12	1894	267	0.00	694
15:36:51	-13	1894	267	0.00	694
15:36:52	-12	1894	267	0.00	694
15:36:53	-13	1894	267	0.00	694
15:36:54	-11	1894	267	0.00	694
15:36:55	-10	1894	267	0.00	694
15:36:56	-12	1894	267	0.00	694
15:36:57	-12	1894	267	0.00	694
15:36:58	-12	1894	267	0.00	694
15:36:59	-12	1894	267	0.00	694
15:37:00	-12	1894	267	0.00	694
15:37:01	-11	1894	267	0.00	694
15:37:02	-12	1894	267	0.00	694
15:37:03	-12	1894	267	0.00	694
15:37:04	-12	1894	267	0.00	694
15:37:05	-12	1894	267	0.00	694
15:37:06	-12	1894	267	0.00	694
15:37:07	-12	1894	267	0.00	694
15:37:08	-11	1894	267	0.00	694
15:37:09	-12	1894	267	0.00	694
15:37:10	-12	1894	267	0.00	694
15:37:11	-12	1894	267	0.00	694
15:37:12	-12	1894	267	0.00	694
15:37:13	-11	1894	267	0.00	694
15:37:14	-12	1894	267	0.00	694
15:37:15	-12	1894	267	0.00	694
15:37:16	-12	1894	267	0.00	694
15:37:17	-12	1894	267	0.00	694
15:37:18	-12	1894	267	0.00	694
15:37:19	-10	1894	267	0.00	694
15:37:20	-12	1894	267	0.00	694
15:37:21	-12	1894	267	0.00	694
15:37:22	-12	1894	267	0.00	694
15:37:23	-12	1894	267	0.00	694

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:37:24	-12	1894	267	0.00	694
15:37:25	-12	1894	267	0.00	694
15:37:26	-12	1894	267	0.00	694
15:37:27	-12	1894	267	0.00	694
15:37:28	-12	1894	267	0.00	694
15:37:29	-12	1894	267	0.00	694
15:37:30	-11	1894	267	0.00	694
15:37:31	-10	1894	267	0.00	694
15:37:32	-12	1894	267	0.00	694
15:37:33	-12	1894	267	0.00	694
15:37:34	-10	1894	267	0.00	694
15:37:35	-12	1894	267	0.00	694
15:37:36	-10	1894	267	0.00	694
15:37:37	-12	1894	267	0.00	694
15:37:38	-12	1894	267	0.00	694
15:37:39	-10	1894	267	0.00	694
15:37:40	-12	1894	268	0.00	694
15:37:41	-11	1894	268	0.00	694
15:37:42	-10	1894	267	0.00	694
15:37:43	-12	1894	267	0.00	694
15:37:44	-12	1894	267	0.00	694
15:37:45	-11	1894	267	0.00	694
15:37:46	-10	1894	267	0.00	694
15:37:47	-11	1894	268	0.00	694
15:37:48	-10	1894	268	0.00	694
15:37:49	-12	1894	268	0.00	694
15:37:50	-12	1894	268	0.00	694
15:37:51	-11	1894	268	0.00	694
15:37:52	-12	1894	267	0.00	694
15:37:53	-11	1894	267	0.00	694
15:37:54	-11	1894	267	0.00	694
15:37:55	-11	1894	267	0.00	694
15:37:56	-12	1894	267	0.00	694
15:37:57	-12	1894	267	0.00	694
15:37:58	-12	1894	267	0.00	694
15:37:59	-12	1894	267	0.00	694
15:38:00	-12	1894	267	0.00	694
15:38:01	-12	1894	267	0.00	694
15:38:02	-12	1894	267	0.00	694
15:38:03	-10	1894	267	0.00	694
15:38:04	-12	1894	267	0.00	694
15:38:05	-10	1894	267	0.00	694
15:38:06	-12	1894	268	0.00	694
15:38:07	-12	1894	268	0.00	694

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:38:08	-10	1894	268	0.00	694
15:38:09	-12	1894	268	0.00	694
15:38:10	-12	1894	268	0.00	694
15:38:11	-11	1894	268	0.00	694
15:38:12	-10	1894	268	0.00	694
15:38:13	-12	1894	268	0.00	694
15:38:14	-12	1894	267	0.00	694
15:38:15	-11	1894	267	0.00	694
15:38:16	-12	1894	267	0.00	694
15:38:17	-12	1894	268	0.00	694
15:38:18	-13	1894	268	0.00	694
15:38:19	-12	1894	268	0.00	694
15:38:20	-12	1894	268	0.00	694
15:38:21	-12	1894	268	0.00	694
15:38:22	-13	1894	268	0.00	694
15:38:23	-11	1894	268	0.00	694
15:38:24	-12	1894	268	0.00	694
15:38:25	-12	1894	268	0.00	694
15:38:26	-12	1894	268	0.00	694
15:38:27	-12	1894	268	0.00	694
15:38:28	-12	1894	268	0.00	694
15:38:29	-12	1894	268	0.00	694
15:38:30	-13	1894	268	0.00	694
15:38:31	-11	1894	268	0.00	694
15:38:32	-12	1894	268	0.00	694
15:38:33	-13	1894	267	0.00	694
15:38:34	-13	1894	267	0.00	694
15:38:35	-12	1894	267	0.00	694
15:38:36	-10	1894	267	0.00	694
15:38:37	-12	1894	267	0.00	694
15:38:38	-10	1894	268	0.00	694
15:38:39	-10	1894	268	0.00	694
15:38:40	-10	1894	268	0.00	694
15:38:41	-12	1894	268	0.00	694
15:38:42	-10	1894	267	0.00	694
15:38:43	-12	1894	267	0.00	694
15:38:44	-11	1894	267	0.00	694
15:38:45	-12	1894	267	0.00	694
15:38:46	-12	1894	267	0.00	694
15:38:47	-12	1894	268	0.00	694
15:38:48	-12	1894	268	0.00	694
15:38:49	-12	1894	268	0.00	694
15:38:50	-12	1894	268	0.00	694
15:38:51	-12	1894	268	0.00	694

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
15:38:52	-12	1894	268	0.00	694
15:38:53	-12	1894	268	0.00	694
15:38:54	-10	1894	268	0.00	694
15:38:55	-12	1894	268	0.00	694
15:38:56	-12	1894	268	0.00	694
15:38:57	-12	1894	268	0.00	694
15:38:58	-12	1894	268	0.00	694
15:38:59	-11	1894	268	0.00	694
15:39:00	-10	1894	268	0.00	694
15:39:01	-12	1894	268	0.00	694
15:39:02	-10	1894	268	0.00	694
15:39:03	-12	1894	268	0.00	694
15:39:04	-10	1894	268	0.00	694
15:39:05	-11	1894	268	0.00	694
15:39:06	-12	1894	268	0.00	694
15:39:07	-10	1894	268	0.00	694
15:39:08	-10	1894	268	0.00	694
15:39:09	-10	1894	268	0.00	694
15:39:10	-10	1894	268	0.00	694
15:39:11	-10	1894	268	0.00	694
15:39:12	-12	1894	268	0.00	694
15:39:13	-12	1894	268	0.00	694
15:39:14	-10	1894	268	0.00	694
15:39:15	-10	1894	268	0.00	694
15:39:16	-12	1894	268	0.00	694
15:39:17	-10	1894	268	0.00	694
15:39:18	-12	1894	268	0.00	694
15:39:19	-13	1894	268	0.00	694
15:39:20	-13	1894	268	0.00	694
15:39:21	-12	1894	268	0.00	694
15:39:22	-13	1894	268	0.00	694
15:39:23	-13	1894	268	0.00	694
15:39:24	-12	1894	268	0.00	694
15:39:25	-13	1894	268	0.00	694
15:39:26	-13	1894	268	0.00	694
15:39:27	-13	1894	268	0.00	694
15:39:28	-13	1894	268	0.00	694
15:39:29	-12	1894	268	0.00	694
15:39:30	-12	1894	268	0.00	694
15:39:31	-12	1894	268	0.00	694
15:39:32	-13	1894	268	0.00	694
15:39:33	-13	1894	268	0.00	694
15:39:34	-13	1894	268	0.00	694
15:39:35	-13	1894	268	0.00	694

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	(psi)	(psi)	(psi)	Rate (bpm)	Vol (gal)
15:39:36	-12	1894	268	0.00	694
15:39:37	-10	1894	268	0.00	694
15:39:38	-12	1894	268	0.00	694
15:39:39	-10	1894	268	0.00	694
15:39:40	-10	1894	268	0.00	694
15:39:41	-10	1894	268	0.00	694
15:39:42	-10	1894	268	0.00	694
15:39:43	-10	1894	268	0.00	694
15:39:44	-12	1894	268	0.00	694
15:39:45	-10	1894	268	0.00	694
15:39:46	-10	1894	268	0.00	694
15:39:47	-10	1894	268	0.00	694
15:39:48	-10	1894	268	0.00	694
15:39:49	-11	1894	268	0.00	694
15:39:50	-10	1894	268	0.00	694
15:39:51	-10	1894	268	0.00	694
15:39:52	-12	1894	268	0.00	694
15:39:53	-12	1894	268	0.00	694
15:39:54	-10	1894	268	0.00	694
15:39:55	-12	1894	268	0.00	694
15:39:56	-12	1894	268	0.00	694
15:39:57	-12	1894	268	0.00	694
15:39:58	-12	1894	268	0.00	694
15:39:59	-10	1894	268	0.00	694
15:40:00	-10	1894	268	0.00	694
15:40:01	-10	1894	268	0.00	694
15:40:02	-10	1894	268	0.00	694
15:40:03	-12	1894	268	0.00	694
15:40:04	-10	1894	268	0.00	694
15:40:05	-10	1894	268	0.00	694
15:40:06	-12	1894	268	0.00	694
15:40:07	-10	1894	268	0.00	694
15:40:08	-12	1894	268	0.00	694
15:40:09	-10	1894	268	0.00	694
15:40:10	-10	1894	268	0.00	694
15:40:11	-10	1894	268	0.00	694
15:40:12	-12	1894	268	0.00	694
15:40:13	-12	1894	268	0.00	694
15:40:14	-10	1894	268	0.00	694
15:40:15	-10	1894	268	0.00	694
15:40:16	-10	1894	268	0.00	694
15:40:17	-12	1894	268	0.00	694
15:40:18	-10	1894	268	0.00	694
15:40:19	-10	1894	268	0.00	694

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
15:40:20	-10	1894	268	0.00	694
15:40:21	-10	1894	268	0.00	694
15:40:22	-12	1894	268	0.00	694
15:40:23	-10	1894	268	0.00	694
15:40:24	-10	1894	268	0.00	694
15:40:25	-10	1894	268	0.00	694
15:40:26	-12	1894	268	0.00	694
15:40:27	-10	1894	268	0.00	694
15:40:28	-12	1894	268	0.00	694
15:40:29	-10	1894	268	0.00	694
15:40:30	-10	1894	268	0.00	694
15:40:31	-10	1894	268	0.05	694
15:40:32	-10	1894	268	0.45	694
15:40:33	-8	1894	268	0.66	694
15:40:34	-6	1894	268	0.81	695
15:40:35	-3	1894	268	0.54	696
15:40:36	-3	1894	268	0.97	696
15:40:37	0	1894	268	1.20	697
15:40:38	0	1894	268	1.31	698
15:40:39	0	1894	268	1.35	699
15:40:40	1	1894	268	1.37	700
15:40:41	2	1895	268	1.38	701
15:40:42	3	1894	268	1.38	702
15:40:43	5	1895	268	1.37	703
15:40:44	7	1895	268	1.36	704
15:40:45	9	1895	268	1.36	705
15:40:46	12	1895	268	1.37	706
15:40:47	16	1895	268	1.39	707
15:40:48	21	1895	268	1.40	708
15:40:49	25	1895	268	1.39	709
15:40:50	31	1895	268	1.36	710
15:40:51	37	1895	268	1.33	711
15:40:52	44	1895	268	1.28	712
15:40:53	50	1895	268	1.23	712
15:40:54	57	1895	268	1.14	713
15:40:55	65	1895	268	1.03	714
15:40:56	76	1895	268	0.98	714
15:40:57	84	1895	268	0.82	715
15:40:58	100	1895	268	0.49	715
15:40:59	107	1895	268	0.24	715
15:41:00	114	1895	268	0.16	715
15:41:01	121	1895	268	0.12	715
15:41:02	126	1895	268	0.10	715
15:41:03	132	1895	268	0.07	715

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:41:04	140	1895	268	0.05	715
15:41:05	146	1895	268	0.04	715
15:41:06	150	1895	268	0.03	715
15:41:07	155	1895	268	0.02	715
15:41:08	160	1895	268	0.01	715
15:41:09	165	1895	268	0.01	715
15:41:10	169	1895	268	0.01	715
15:41:11	172	1895	268	0.01	715
15:41:12	176	1895	268	0.00	715
15:41:13	179	1895	268	0.00	715
15:41:14	183	1895	268	0.00	715
15:41:15	186	1895	268	0.00	715
15:41:16	189	1895	268	0.00	715
15:41:17	191	1895	268	0.00	715
15:41:18	194	1895	268	0.00	715
15:41:19	197	1895	268	0.00	715
15:41:20	199	1895	268	0.00	715
15:41:21	201	1895	268	0.00	715
15:41:22	205	1895	268	0.18	715
15:41:23	209	1895	268	0.79	716
15:41:24	214	1895	268	0.95	717
15:41:25	218	1895	268	1.06	717
15:41:26	223	1895	268	1.17	718
15:41:27	242	1895	268	1.26	719
15:41:28	269	1895	268	1.33	720
15:41:29	283	1895	268	1.36	721
15:41:30	297	1895	268	1.38	722
15:41:31	311	1895	268	1.39	723
15:41:32	318	1895	268	1.40	724
15:41:33	359	1895	268	1.39	725
15:41:34	412	1895	268	1.39	726
15:41:35	432	1896	268	1.38	727
15:41:36	444	1896	268	1.38	728
15:41:37	467	1896	268	1.37	729
15:41:38	482	1896	268	1.36	730
15:41:39	528	1896	268	1.35	731
15:41:40	548	1896	268	1.35	732
15:41:41	584	1896	268	1.37	733
15:41:42	613	1896	268	1.46	734
15:41:43	643	1896	268	1.57	735
15:41:44	690	1896	268	1.76	736
15:41:45	716	1896	268	1.84	738
15:41:46	766	1896	268	1.99	740
15:41:47	815	1896	268	2.15	741

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
15:41:48	861	1896	268	2.51	743
15:41:49	939	1896	268	3.05	745
15:41:50	981	1896	268	3.08	748
15:41:51	1031	1896	268	3.11	749
15:41:52	1076	1896	268	3.11	752
15:41:53	1139	1896	268	3.11	754
15:41:54	1213	1896	268	3.13	756
15:41:55	1288	1896	268	3.13	758
15:41:56	1335	1896	268	3.14	761
15:41:57	1386	1896	268	3.14	763
15:41:58	1441	1896	268	3.13	765
15:41:59	1505	1896	268	3.14	768
15:42:00	1579	1896	268	3.14	770
15:42:01	1642	1896	268	3.14	771
15:42:02	1704	1896	268	3.18	774
15:42:03	1772	1896	268	3.64	777
15:42:04	1859	1896	268	4.04	779
15:42:05	1946	1896	268	4.42	782
15:42:06	2026	1897	268	4.72	787
15:42:07	2104	1897	268	4.83	790
15:42:08	2225	1897	268	4.89	793
15:42:09	2366	1897	268	4.91	797
15:42:10	2450	1897	268	4.93	801
15:42:11	2526	1897	268	4.95	803
15:42:12	2633	1897	268	4.96	806
15:42:13	2706	1897	268	4.96	811
15:42:14	2805	1897	268	5.02	814
15:42:15	2997	1897	268	5.68	818
15:42:16	3094	1898	268	6.25	821
15:42:17	3172	1898	268	6.49	828
15:42:18	3275	1898	268	6.61	832
15:42:19	3432	1898	268	6.67	836
15:42:20	3617	1898	268	6.71	843
15:42:21	3773	1898	268	6.73	847
15:42:22	3902	1898	268	6.75	851
15:42:23	3984	1899	268	6.76	857
15:42:24	4111	1899	268	6.77	861
15:42:25	4243	1899	268	6.77	866
15:42:26	4419	1899	268	6.77	870
15:42:27	4504	1899	268	6.76	874
15:42:28	4634	1899	268	6.76	878
15:42:29	4762	1899	268	6.76	885
15:42:30	4938	1899	268	6.75	885
15:42:31	5100	1899	268	6.74	890

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:42:32	5202	1899	268	6.74	893
15:42:33	5324	1900	268	6.73	899
15:42:34	5421	1900	268	6.73	904
15:42:35	5601	1900	268	6.72	908
15:42:36	5767	1900	268	6.71	912
15:42:37	5844	1900	268	6.70	919
15:42:38	5988	1900	268	6.70	922
15:42:39	6103	1901	268	6.69	927
15:42:40	6218	1901	268	6.68	931
15:42:41	6389	1901	268	6.68	937
15:42:42	6502	1901	268	6.67	941
15:42:43	6614	1901	268	6.66	945
15:42:44	6749	1901	268	6.65	951
15:42:45	6858	1901	268	6.65	955
15:42:46	7059	1901	268	6.63	959
15:42:47	7171	1901	268	6.63	963
15:42:48	7322	1901	268	6.61	969
15:42:49	7429	1901	268	6.61	973
15:42:50	7569	1902	268	6.60	977
15:42:51	7715	1902	268	6.59	983
15:42:52	7874	1902	268	6.59	988
15:42:53	8022	1902	268	6.57	991
15:42:54	8157	1902	268	6.57	995
15:42:55	8247	1902	268	6.56	1001
15:42:56	8418	1902	268	6.55	1005
15:42:57	8572	1902	268	6.54	1009
15:42:58	8719	1903	268	6.54	1015
15:42:59	8846	1903	268	6.53	1019
15:43:00	8991	1903	268	6.52	1023
15:43:01	9133	1903	268	6.51	1029
15:43:02	9257	1903	268	6.50	1033
15:43:03	9415	1903	268	6.50	1037
15:43:04	9533	1903	268	6.50	1042
15:43:05	9641	1903	268	6.49	1047
15:43:06	9794	1903	268	6.48	1051
15:43:07	9906	1903	268	6.48	1055
15:43:08	10063	1903	268	6.47	1061
15:43:09	10190	1904	268	6.46	1065
15:43:10	10256	1904	268	6.46	1069
15:43:11	10339	1904	268	6.46	1073
15:43:12	10442	1904	268	6.45	1079
15:43:13	10523	1904	268	6.45	1083
15:43:14	10563	1904	268	6.45	1090
15:43:15	10631	1904	268	6.45	1096

Time (hh:mm:ss)	I1 Pressure			I1 Flow 1	Job Clean
	1 (psi)	3 (psi)	4 (psi)	Rate (bpm)	Vol (gal)
15:43:16	10715	1904	268	6.44	1100
15:43:17	10783	1904	268	6.45	1104
15:43:18	10835	1904	268	6.44	1110
15:43:19	10880	1905	268	6.43	1114
15:43:20	10963	1905	268	6.43	1118
15:43:21	11017	1905	268	6.43	1124
15:43:22	11059	1905	268	6.42	1128
15:43:23	11122	1905	268	6.42	1132
15:43:24	11181	1905	268	6.41	1137
15:43:25	11211	1905	268	6.41	1140
15:43:26	11262	1905	268	6.41	1144
15:43:27	11325	1905	268	6.40	1150
15:43:28	11368	1905	268	6.41	1154
15:43:29	11399	1905	268	6.41	1158
15:43:30	11446	1905	268	6.41	1164
15:43:31	11466	1905	268	6.40	1168
15:43:32	11487	1905	268	6.40	1172
15:43:33	11525	1905	268	6.40	1176
15:43:34	11554	1905	268	6.40	1182
15:43:35	11573	1905	268	6.39	1185
15:43:36	11589	1905	268	6.40	1189
15:43:37	11610	1905	268	6.40	1195
15:43:38	11645	1905	268	6.40	1199
15:43:39	11659	1905	268	6.39	1203
15:43:40	11663	1905	268	6.39	1209
15:43:41	11685	1905	268	6.39	1213
15:43:42	11697	1905	268	6.39	1217
15:43:43	11712	1905	268	6.39	1221
15:43:44	11745	1905	268	6.39	1227
15:43:45	11749	1905	268	6.39	1231
15:43:46	11753	1905	268	6.39	1234
15:43:47	11764	1905	268	6.39	1238
15:43:48	11769	1905	268	6.38	1245
15:43:49	11778	1905	268	6.39	1248
15:43:50	11783	1905	268	6.39	1252
15:43:51	11786	1905	268	6.39	1258
15:43:52	11797	1905	268	6.40	1262
15:43:53	11800	1905	268	6.39	1266
15:43:54	11804	1905	268	6.39	1271
15:43:55	11807	1904	268	6.39	1275
15:43:56	11811	1904	268	6.39	1279
15:43:57	11815	1905	268	6.39	1284
15:43:58	11817	1904	268	6.39	1288
15:43:59	11820	1904	268	6.40	1293

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:44:00	11824	1904	268	6.40	1297
15:44:01	11827	1904	268	6.40	1301
15:44:02	11829	1904	268	6.40	1307
15:44:03	11832	1904	268	6.40	1311
15:44:04	11836	1904	268	6.39	1316
15:44:05	11837	1904	268	6.39	1319
15:44:06	11839	1904	268	6.39	1323
15:44:07	11842	1904	268	6.39	1327
15:44:08	11845	1904	268	6.39	1334
15:44:09	11847	1904	268	6.39	1337
15:44:10	11848	1903	268	6.39	1341
15:44:11	11851	1903	268	6.39	1347
15:44:12	11852	1903	268	6.39	1351
15:44:13	11852	1903	268	6.39	1356
15:44:14	11855	1903	268	6.40	1359
15:44:15	11857	1903	268	6.39	1363
15:44:16	11859	1903	268	6.39	1369
15:44:17	11860	1903	268	6.40	1373
15:44:18	11864	1903	268	6.39	1377
15:44:19	11867	1903	268	6.39	1383
15:44:20	11869	1903	268	6.39	1387
15:44:21	11870	1902	268	6.39	1391
15:44:22	11872	1902	268	6.40	1397
15:44:23	11875	1902	268	6.39	1399
15:44:24	11876	1902	268	6.40	1404
15:44:25	11876	1902	268	6.39	1408
15:44:26	11877	1902	268	6.39	1414
15:44:27	11877	1902	268	6.39	1418
15:44:28	11878	1902	268	6.39	1422
15:44:29	11878	1902	268	6.39	1428
15:44:30	11878	1902	268	6.39	1432
15:44:31	11878	1902	268	6.39	1436
15:44:32	11882	1902	268	6.39	1440
15:44:33	11893	1902	268	6.38	1445
15:44:34	11896	1902	268	6.38	1449
15:44:35	11899	1902	268	6.39	1454
15:44:36	11902	1901	268	6.39	1457
15:44:37	11906	1901	268	6.39	1463
15:44:38	11910	1901	268	6.39	1467
15:44:39	11912	1901	268	6.39	1471
15:44:40	11913	1901	268	6.38	1477
15:44:41	11917	1901	268	6.38	1481
15:44:42	11919	1901	268	6.38	1484
15:44:43	11921	1901	268	6.38	1490

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:44:44	11922	1901	268	6.37	1494
15:44:45	11924	1901	268	6.37	1498
15:44:46	11926	1901	268	6.36	1502
15:44:47	11928	1901	268	6.34	1508
15:44:48	11928	1901	268	6.33	1512
15:44:49	11930	1901	268	6.33	1515
15:44:50	11931	1900	268	6.33	1521
15:44:51	11933	1900	268	6.34	1525
15:44:52	11934	1900	268	6.35	1529
15:44:53	11937	1900	268	6.35	1533
15:44:54	11937	1900	268	6.36	1537
15:44:55	11938	1900	268	6.36	1543
15:44:56	11940	1900	268	6.37	1547
15:44:57	11941	1900	268	6.37	1551
15:44:58	11943	1900	268	6.37	1557
15:44:59	11943	1900	268	6.36	1561
15:45:00	11945	1900	268	6.36	1565
15:45:01	11945	1899	268	6.36	1568
15:45:02	11946	1899	268	6.36	1574
15:45:03	11946	1899	268	6.36	1578
15:45:04	11947	1899	268	6.36	1582
15:45:05	11947	1899	268	6.36	1588
15:45:06	11947	1899	268	6.37	1592
15:45:07	11948	1899	268	6.36	1596
15:45:08	11950	1899	268	6.35	1600
15:45:09	11951	1898	268	6.35	1605
15:45:10	11951	1898	268	6.35	1609
15:45:11	11951	1898	268	6.35	1613
15:45:12	11953	1898	268	6.35	1619
15:45:13	11954	1898	268	6.35	1623
15:45:14	11953	1898	268	6.35	1627
15:45:15	11954	1898	268	6.35	1631
15:45:16	11954	1898	268	6.35	1636
15:45:17	11953	1898	268	6.35	1640
15:45:18	11953	1898	268	6.35	1644
15:45:19	11953	1898	268	6.35	1648
15:45:20	11953	1897	268	6.35	1654
15:45:21	11953	1897	268	6.35	1658
15:45:22	11953	1897	268	6.36	1662
15:45:23	11955	1897	268	6.35	1668
15:45:24	11955	1897	268	6.35	1672
15:45:25	11954	1897	268	6.35	1676
15:45:26	11954	1897	268	6.36	1680
15:45:27	11954	1896	268	6.36	1685

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:45:28	11953	1896	268	6.36	1689
15:45:29	11951	1896	268	6.36	1694
15:45:30	11951	1896	268	6.35	1697
15:45:31	11950	1896	268	6.35	1703
15:45:32	11949	1896	268	6.35	1707
15:45:33	11948	1896	268	6.35	1711
15:45:34	11947	1896	268	6.35	1717
15:45:35	11946	1896	268	6.35	1720
15:45:36	11943	1896	268	6.35	1724
15:45:37	11934	1896	268	6.35	1730
15:45:38	11934	1896	268	6.35	1734
15:45:39	11932	1896	268	6.35	1738
15:45:40	11930	1895	268	6.35	1742
15:45:41	11928	1895	268	6.35	1748
15:45:42	11927	1895	268	6.35	1752
15:45:43	11926	1895	268	6.35	1755
15:45:44	11925	1895	268	6.35	1761
15:45:45	11924	1895	268	6.35	1766
15:45:46	11924	1895	268	6.35	1769
15:45:47	11922	1895	268	6.35	1774
15:45:48	11922	1894	268	6.35	1777
15:45:49	11921	1894	269	6.35	1783
15:45:50	11920	1894	269	6.34	1787
15:45:51	11918	1894	269	6.34	1791
15:45:52	11917	1894	269	6.34	1797
15:45:53	11916	1894	268	6.35	1801
15:45:54	11916	1894	268	6.35	1804
15:45:55	11914	1894	268	6.34	1808
15:45:56	11906	1894	268	6.34	1814
15:45:57	11905	1894	268	6.35	1818
15:45:58	11903	1894	268	6.34	1822
15:45:59	11901	1894	268	6.34	1828
15:46:00	11900	1894	268	6.34	1832
15:46:01	11898	1894	268	6.34	1835
15:46:02	11897	1894	268	6.35	1840
15:46:03	11894	1894	268	6.35	1845
15:46:04	11893	1894	268	6.35	1849
15:46:05	11891	1894	268	6.35	1853
15:46:06	11888	1894	268	6.35	1857
15:46:07	11885	1893	268	6.35	1863
15:46:08	11884	1893	268	6.35	1867
15:46:09	11882	1893	268	6.35	1871
15:46:10	11880	1893	268	6.34	1875
15:46:11	11877	1893	268	6.34	1879

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:46:12	11876	1893	268	6.34	1884
15:46:13	11876	1893	268	6.34	1889
15:46:14	11874	1893	268	6.34	1893
15:46:15	11873	1892	268	6.34	1899
15:46:16	11871	1892	268	6.34	1902
15:46:17	11870	1892	269	6.35	1906
15:46:18	11868	1892	269	6.35	1912
15:46:19	11868	1892	268	6.35	1916
15:46:20	11869	1892	268	6.34	1920
15:46:21	11870	1892	268	6.34	1924
15:46:22	11868	1892	268	6.34	1930
15:46:23	11869	1892	268	6.35	1934
15:46:24	11869	1892	268	6.34	1937
15:46:25	11870	1892	268	6.34	1943
15:46:26	11869	1891	268	6.34	1948
15:46:27	11869	1891	268	6.35	1952
15:46:28	11868	1891	268	6.35	1955
15:46:29	11868	1891	268	6.35	1959
15:46:30	11868	1891	268	6.35	1963
15:46:31	11867	1891	269	6.35	1969
15:46:32	11867	1891	269	6.35	1973
15:46:33	11865	1891	269	6.35	1977
15:46:34	11864	1891	269	6.35	1983
15:46:35	11864	1890	269	6.35	1987
15:46:36	11864	1890	269	6.34	1991
15:46:37	11862	1890	269	6.35	1997
15:46:38	11860	1890	269	6.35	2000
15:46:39	11858	1890	269	6.35	2004
15:46:40	11857	1890	269	6.35	2008
15:46:41	11848	1890	269	6.35	2014
15:46:42	11848	1890	269	6.35	2018
15:46:43	11847	1890	269	6.35	2022
15:46:44	11847	1890	269	6.35	2026
15:46:45	11846	1890	269	6.35	2032
15:46:46	11846	1890	269	6.35	2035
15:46:47	11844	1890	269	6.35	2039
15:46:48	11843	1889	269	6.34	2043
15:46:49	11842	1889	269	6.35	2049
15:46:50	11842	1889	269	6.35	2053
15:46:51	11841	1889	269	6.35	2057
15:46:52	11840	1889	269	6.35	2063
15:46:53	11824	1889	269	6.35	2066
15:46:54	11824	1889	269	6.35	2070
15:46:55	11824	1889	269	6.35	2076

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:46:56	11823	1889	269	6.35	2080
15:46:57	11822	1889	269	6.35	2084
15:46:58	11821	1888	269	6.35	2090
15:46:59	11820	1888	269	6.35	2094
15:47:00	11817	1888	269	6.35	2098
15:47:01	11816	1888	269	6.35	2101
15:47:02	11815	1888	269	6.35	2107
15:47:03	11814	1888	269	6.35	2112
15:47:04	11811	1888	269	6.35	2115
15:47:05	11811	1888	269	6.35	2119
15:47:06	11809	1888	269	6.36	2125
15:47:07	11808	1888	269	6.35	2129
15:47:08	11806	1888	269	6.35	2133
15:47:09	11805	1888	269	6.36	2137
15:47:10	11806	1888	270	6.36	2143
15:47:11	11805	1888	270	6.35	2147
15:47:12	11805	1888	270	6.36	2150
15:47:13	11806	1887	270	6.35	2154
15:47:14	11808	1887	270	6.35	2161
15:47:15	11810	1887	270	6.35	2165
15:47:16	11811	1887	270	6.35	2169
15:47:17	11812	1887	270	6.35	2173
15:47:18	11814	1887	270	6.35	2177
15:47:19	11815	1887	270	6.35	2183
15:47:20	11817	1887	270	6.35	2186
15:47:21	11819	1887	270	6.35	2190
15:47:22	11821	1887	270	6.35	2196
15:47:23	11821	1887	270	6.35	2200
15:47:24	11823	1887	269	6.35	2204
15:47:25	11824	1887	269	6.35	2208
15:47:26	11825	1886	269	6.36	2214
15:47:27	11825	1886	270	6.35	2218
15:47:28	11827	1886	270	6.35	2222
15:47:29	11827	1886	270	6.35	2226
15:47:30	11828	1886	270	6.36	2230
15:47:31	11829	1886	270	6.36	2236
15:47:32	11830	1886	270	6.36	2240
15:47:33	11831	1886	270	6.35	2244
15:47:34	11830	1885	270	6.35	2250
15:47:35	11830	1885	270	6.35	2253
15:47:36	11831	1885	270	6.35	2258
15:47:37	11832	1885	270	6.35	2261
15:47:38	11831	1885	270	6.35	2267
15:47:39	11831	1885	270	6.35	2271

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:47:40	11833	1885	270	6.36	2275
15:47:41	11833	1885	270	6.36	2279
15:47:42	11832	1885	270	6.36	2285
15:47:43	11832	1885	270	6.36	2289
15:47:44	11832	1885	270	6.36	2293
15:47:45	11830	1884	270	6.36	2297
15:47:46	11829	1884	270	6.36	2303
15:47:47	11827	1884	270	6.35	2306
15:47:48	11826	1884	270	6.35	2311
15:47:49	11824	1884	270	6.35	2315
15:47:50	11822	1884	270	6.35	2321
15:47:51	11822	1884	270	6.35	2324
15:47:52	11820	1884	270	6.35	2329
15:47:53	11819	1883	270	6.35	2332
15:47:54	11817	1883	270	6.35	2338
15:47:55	11818	1883	270	6.35	2342
15:47:56	11817	1883	270	6.35	2346
15:47:57	11817	1883	270	6.35	2352
15:47:58	11817	1883	270	6.35	2355
15:47:59	11816	1883	270	6.35	2359
15:48:00	11816	1883	270	6.35	2363
15:48:01	11815	1883	270	6.35	2369
15:48:02	11816	1883	270	6.35	2373
15:48:03	11816	1883	270	6.35	2377
15:48:04	11816	1883	270	6.35	2383
15:48:05	11814	1883	270	6.35	2387
15:48:06	11816	1882	270	6.35	2390
15:48:07	11817	1882	270	6.35	2396
15:48:08	11816	1882	270	6.35	2400
15:48:09	11817	1882	270	6.35	2404
15:48:10	11816	1882	270	6.35	2408
15:48:11	11817	1882	270	6.36	2414
15:48:12	11816	1882	270	6.35	2418
15:48:13	11816	1882	270	6.35	2423
15:48:14	11816	1882	270	6.36	2427
15:48:15	11816	1881	270	6.36	2431
15:48:16	11815	1881	270	6.37	2436
15:48:17	11814	1881	270	6.37	2440
15:48:18	11815	1881	270	6.37	2445
15:48:19	11813	1881	270	6.37	2450
15:48:20	11812	1881	269	6.37	2453
15:48:21	11812	1881	269	6.36	2459
15:48:22	11811	1881	270	6.36	2463
15:48:23	11811	1881	270	6.36	2467

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:48:24	11809	1881	270	6.36	2471
15:48:25	11806	1881	270	6.37	2475
15:48:26	11804	1881	270	6.37	2481
15:48:27	11802	1881	270	6.37	2485
15:48:28	11801	1881	270	6.37	2489
15:48:29	11799	1881	270	6.36	2494
15:48:30	11797	1880	270	6.36	2498
15:48:31	11794	1880	270	6.36	2502
15:48:32	11793	1880	270	6.36	2508
15:48:33	11791	1880	270	6.36	2512
15:48:34	11790	1880	270	6.36	2516
15:48:35	11786	1880	270	6.36	2520
15:48:36	11784	1880	270	6.36	2526
15:48:37	11782	1880	270	6.36	2530
15:48:38	11780	1880	270	6.36	2534
15:48:39	11777	1880	270	6.36	2540
15:48:40	11775	1880	270	6.36	2544
15:48:41	11773	1879	270	6.35	2548
15:48:42	11771	1879	270	6.36	2552
15:48:43	11770	1879	270	6.35	2556
15:48:44	11769	1879	270	6.36	2562
15:48:45	11768	1879	270	6.36	2565
15:48:46	11766	1879	270	6.36	2570
15:48:47	11765	1879	270	6.36	2574
15:48:48	11764	1879	270	6.36	2578
15:48:49	11763	1879	270	6.36	2583
15:48:50	11762	1879	270	6.36	2587
15:48:51	11761	1879	270	6.36	2591
15:48:52	11760	1879	270	6.36	2597
15:48:53	11759	1878	270	6.36	2601
15:48:54	11750	1878	270	6.36	2605
15:48:55	11751	1878	270	6.37	2610
15:48:56	11751	1878	270	6.36	2615
15:48:57	11750	1878	270	6.37	2619
15:48:58	11748	1878	270	6.36	2623
15:48:59	11747	1878	270	6.36	2629
15:49:00	11747	1878	270	6.36	2633
15:49:01	11745	1877	270	6.35	2636
15:49:02	11744	1877	270	6.35	2642
15:49:03	11744	1877	270	6.35	2646
15:49:04	11743	1877	270	6.35	2650
15:49:05	11741	1877	270	6.35	2654
15:49:06	11741	1877	270	6.35	2658
15:49:07	11742	1877	270	6.36	2664

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:49:08	11742	1877	270	6.35	2668
15:49:09	11741	1877	270	6.36	2671
15:49:10	11741	1877	270	6.36	2677
15:49:11	11741	1877	270	6.35	2681
15:49:12	11742	1877	270	6.35	2685
15:49:13	11741	1876	270	6.36	2691
15:49:14	11741	1876	270	6.36	2695
15:49:15	11741	1876	270	6.36	2699
15:49:16	11741	1876	270	6.35	2704
15:49:17	11740	1876	270	6.36	2708
15:49:18	11741	1876	270	6.36	2712
15:49:19	11741	1876	270	6.36	2716
15:49:20	11741	1875	270	6.36	2722
15:49:21	11741	1875	270	6.35	2726
15:49:22	11743	1875	270	6.35	2730
15:49:23	11743	1875	270	6.36	2734
15:49:24	11743	1875	270	6.36	2740
15:49:25	11743	1875	270	6.36	2743
15:49:26	11746	1875	270	6.35	2747
15:49:27	11746	1874	270	6.36	2754
15:49:28	11746	1874	270	6.36	2757
15:49:29	11747	1874	270	6.36	2761
15:49:30	11748	1874	270	6.36	2767
15:49:31	11749	1874	270	6.35	2770
15:49:32	11749	1874	270	6.35	2774
15:49:33	11750	1874	270	6.35	2779
15:49:34	11751	1874	270	6.35	2784
15:49:35	11751	1874	270	6.35	2788
15:49:36	11751	1874	270	6.36	2793
15:49:37	11753	1874	270	6.35	2797
15:49:38	11754	1874	270	6.35	2801
15:49:39	11754	1874	270	6.35	2806
15:49:40	11754	1874	270	6.35	2811
15:49:41	11756	1873	270	6.35	2814
15:49:42	11757	1873	270	6.34	2820
15:49:43	11757	1873	270	6.34	2824
15:49:44	11757	1873	270	6.35	2828
15:49:45	11760	1873	270	6.34	2832
15:49:46	11761	1873	270	6.35	2836
15:49:47	11762	1873	270	6.34	2841
15:49:48	11763	1873	270	6.35	2845
15:49:49	11763	1873	270	6.35	2850
15:49:50	11763	1873	270	6.34	2854
15:49:51	11763	1873	270	6.34	2859

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:49:52	11764	1873	270	6.34	2863
15:49:53	11763	1873	270	6.34	2867
15:49:54	11763	1873	270	6.34	2873
15:49:55	11763	1873	270	6.35	2877
15:49:56	11764	1873	270	6.35	2881
15:49:57	11764	1873	270	6.35	2885
15:49:58	11763	1873	270	6.34	2891
15:49:59	11763	1873	270	6.35	2894
15:50:00	11762	1872	270	6.34	2898
15:50:01	11761	1872	270	6.35	2904
15:50:02	11753	1872	270	6.35	2908
15:50:03	11753	1872	270	6.35	2912
15:50:04	11753	1872	270	6.35	2916
15:50:05	11752	1872	270	6.35	2920
15:50:06	11750	1872	270	6.35	2926
15:50:07	11751	1872	270	6.35	2930
15:50:08	11751	1872	270	6.35	2934
15:50:09	11750	1872	270	6.35	2939
15:50:10	11748	1871	270	6.35	2943
15:50:11	11748	1871	270	6.35	2948
15:50:12	11748	1871	270	6.35	2952
15:50:13	11746	1871	270	6.35	2957
15:50:14	11744	1871	270	6.36	2961
15:50:15	11744	1871	270	6.36	2965
15:50:16	11743	1871	270	6.36	2969
15:50:17	11741	1871	270	6.35	2975
15:50:18	11740	1871	270	6.35	2979
15:50:19	11739	1871	270	6.35	2983
15:50:20	11738	1871	270	6.35	2989
15:50:21	11735	1870	270	6.35	2992
15:50:22	11735	1870	270	6.35	2996
15:50:23	11733	1870	270	6.35	3000
15:50:24	11730	1870	270	6.35	3006
15:50:25	11729	1870	270	6.35	3010
15:50:26	11729	1870	270	6.35	3014
15:50:27	11727	1870	270	6.35	3020
15:50:28	11724	1870	270	6.35	3023
15:50:29	11724	1870	270	6.35	3027
15:50:30	11723	1870	270	6.35	3031
15:50:31	11722	1870	270	6.35	3037
15:50:32	11721	1869	270	6.35	3041
15:50:33	11721	1869	270	6.35	3045
15:50:34	11720	1869	270	6.35	3051
15:50:35	11719	1869	270	6.35	3055

Time (hh:mm:ss)	I1 Flow 1			Job Clean	
	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	Rate (bpm)	Vol (gal)
15:50:36	11718	1869	270	6.35	3058
15:50:37	11718	1869	270	6.35	3062
15:50:38	11719	1869	270	6.34	3068
15:50:39	11718	1869	270	6.35	3072
15:50:40	11718	1869	270	6.35	3076
15:50:41	11717	1869	270	6.35	3082
15:50:42	11718	1869	270	6.35	3086
15:50:43	11717	1869	270	6.35	3089
15:50:44	11717	1869	270	6.34	3094
15:50:45	11716	1869	270	6.35	3100
15:50:46	11716	1868	270	6.35	3103
15:50:47	11716	1868	270	6.35	3108
15:50:48	11714	1868	270	6.35	3112
15:50:49	11716	1868	270	6.34	3116
15:50:50	11715	1868	270	6.35	3121
15:50:51	11714	1868	270	6.35	3126
15:50:52	11713	1868	270	6.35	3129
15:50:53	11713	1868	270	6.35	3135
15:50:54	11713	1868	270	6.35	3139
15:50:55	11712	1868	270	6.35	3143
15:50:56	11713	1868	270	6.35	3147
15:50:57	11712	1868	270	6.35	3152
15:50:58	11712	1868	270	6.35	3156
15:50:59	11712	1868	270	6.35	3160
15:51:00	11712	1868	270	6.35	3166
15:51:01	11711	1868	270	6.35	3170
15:51:02	11710	1868	270	6.35	3174
15:51:03	11709	1868	270	6.35	3178
15:51:04	11710	1868	270	6.35	3184
15:51:05	11708	1868	270	6.35	3187
15:51:06	11707	1867	270	6.35	3191
15:51:07	11705	1867	270	6.35	3195
15:51:08	11705	1867	270	6.35	3201
15:51:09	11703	1867	270	6.34	3205
15:51:10	11702	1867	270	6.35	3209
15:51:11	11700	1867	270	6.35	3215
15:51:12	11700	1867	270	6.34	3218
15:51:13	11699	1867	270	6.34	3222
15:51:14	11697	1867	270	6.34	3228
15:51:15	11698	1867	270	6.34	3232
15:51:16	11697	1867	270	6.34	3236
15:51:17	11696	1867	270	6.34	3240
15:51:18	11696	1867	270	6.34	3246
15:51:19	11696	1867	270	6.34	3250

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:51:20	11694	1867	270	6.34	3254
15:51:21	11693	1867	270	6.34	3258
15:51:22	11693	1867	270	6.34	3264
15:51:23	11693	1866	271	6.34	3267
15:51:24	11693	1866	271	6.35	3272
15:51:25	11692	1866	271	6.35	3275
15:51:26	11692	1866	271	6.35	3281
15:51:27	11693	1866	271	6.36	3285
15:51:28	11692	1866	271	6.36	3289
15:51:29	11691	1866	271	6.36	3293
15:51:30	11691	1866	271	6.36	3299
15:51:31	11692	1866	271	6.36	3303
15:51:32	11690	1866	271	6.36	3307
15:51:33	11691	1866	271	6.36	3311
15:51:34	11690	1866	271	6.36	3317
15:51:35	11691	1866	271	6.36	3321
15:51:36	11690	1866	271	6.36	3325
15:51:37	11690	1866	271	6.36	3329
15:51:38	11691	1866	271	6.37	3333
15:51:39	11690	1865	271	6.36	3339
15:51:40	11689	1865	271	6.36	3343
15:51:41	11689	1865	271	6.36	3347
15:51:42	11689	1865	271	6.36	3353
15:51:43	11688	1865	271	6.36	3356
15:51:44	11688	1865	271	6.35	3360
15:51:45	11688	1865	271	6.36	3364
15:51:46	11689	1865	271	6.36	3370
15:51:47	11689	1865	271	6.36	3374
15:51:48	11689	1865	271	6.36	3378
15:51:49	11689	1865	271	6.35	3384
15:51:50	11688	1865	271	6.35	3388
15:51:51	11687	1865	271	6.36	3391
15:51:52	11688	1865	271	6.36	3395
15:51:53	11688	1865	271	6.35	3401
15:51:54	11688	1865	271	6.35	3405
15:51:55	11688	1864	271	6.35	3409
15:51:56	11687	1864	271	6.35	3414
15:51:57	11689	1864	271	6.36	3418
15:51:58	11688	1864	271	6.36	3424
15:51:59	11688	1864	271	6.36	3427
15:52:00	11686	1864	271	6.36	3432
15:52:01	11686	1864	271	6.36	3436
15:52:02	11686	1864	271	6.36	3442
15:52:03	11685	1864	271	6.36	3446

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:52:04	11684	1864	271	6.36	3450
15:52:05	11684	1864	271	6.36	3454
15:52:06	11683	1864	271	6.36	3458
15:52:07	11682	1864	271	6.36	3464
15:52:08	11682	1864	271	6.36	3468
15:52:09	11681	1864	271	6.36	3472
15:52:10	11680	1863	271	6.36	3476
15:52:11	11678	1863	271	6.37	3480
15:52:12	11679	1863	271	6.36	3486
15:52:13	11678	1863	271	6.36	3490
15:52:14	11679	1863	271	6.36	3494
15:52:15	11677	1863	271	6.36	3499
15:52:16	11677	1863	271	6.36	3503
15:52:17	11676	1863	271	6.37	3507
15:52:18	11674	1863	271	6.36	3513
15:52:19	11672	1863	271	6.36	3517
15:52:20	11672	1863	271	6.36	3521
15:52:21	11672	1862	271	6.36	3525
15:52:22	11670	1862	271	6.36	3530
15:52:23	11671	1862	271	6.36	3535
15:52:24	11670	1862	271	6.35	3538
15:52:25	11669	1862	271	6.35	3542
15:52:26	11668	1862	271	6.36	3548
15:52:27	11670	1862	271	6.36	3552
15:52:28	11669	1862	271	6.36	3556
15:52:29	11668	1862	271	6.36	3562
15:52:30	11668	1862	271	6.36	3565
15:52:31	11668	1862	271	6.36	3569
15:52:32	11668	1862	271	6.36	3574
15:52:33	11668	1862	271	6.36	3579
15:52:34	11667	1862	271	6.36	3583
15:52:35	11668	1862	271	6.36	3587
15:52:36	11668	1862	271	6.36	3593
15:52:37	11668	1862	271	6.37	3597
15:52:38	11668	1862	271	6.36	3600
15:52:39	11668	1862	271	6.36	3606
15:52:40	11666	1861	271	6.35	3610
15:52:41	11667	1861	271	6.36	3614
15:52:42	11666	1861	271	6.35	3618
15:52:43	11667	1861	271	6.36	3624
15:52:44	11665	1861	271	6.36	3628
15:52:45	11665	1861	271	6.36	3632
15:52:46	11665	1861	271	6.36	3636
15:52:47	11665	1861	271	6.37	3642

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:52:48	11665	1861	271	6.36	3646
15:52:49	11665	1861	271	6.36	3650
15:52:50	11666	1861	271	6.35	3655
15:52:51	11665	1861	271	6.36	3659
15:52:52	11664	1861	271	6.36	3663
15:52:53	11664	1860	271	6.36	3667
15:52:54	11665	1860	271	6.36	3673
15:52:55	11663	1860	271	6.37	3677
15:52:56	11662	1860	271	6.37	3681
15:52:57	11662	1860	271	6.37	3685
15:52:58	11663	1860	271	6.38	3690
15:52:59	11662	1860	271	6.38	3695
15:53:00	11661	1860	271	6.39	3698
15:53:01	11661	1860	271	6.39	3704
15:53:02	11661	1860	271	6.39	3708
15:53:03	11661	1860	272	6.38	3712
15:53:04	11658	1860	272	6.38	3716
15:53:05	11659	1860	272	6.38	3722
15:53:06	11658	1860	272	6.37	3726
15:53:07	11657	1860	272	6.37	3730
15:53:08	11656	1860	272	6.37	3735
15:53:09	11657	1860	272	6.37	3739
15:53:10	11655	1860	272	6.37	3743
15:53:11	11655	1860	272	6.36	3749
15:53:12	11653	1860	272	6.35	3753
15:53:13	11653	1860	271	6.35	3757
15:53:14	11653	1860	271	6.36	3761
15:53:15	11652	1860	271	6.36	3765
15:53:16	11654	1860	271	6.37	3771
15:53:17	11653	1860	271	6.37	3775
15:53:18	11653	1860	271	6.37	3779
15:53:19	11651	1860	271	6.37	3785
15:53:20	11651	1860	271	6.37	3788
15:53:21	11651	1860	271	6.37	3792
15:53:22	11650	1860	271	6.37	3796
15:53:23	11648	1860	271	6.37	3802
15:53:24	11648	1859	271	6.37	3806
15:53:25	11648	1859	271	6.37	3810
15:53:26	11647	1859	271	6.36	3816
15:53:27	11646	1859	271	6.36	3820
15:53:28	11646	1859	271	6.37	3823
15:53:29	11646	1859	271	6.37	3827
15:53:30	11644	1859	271	6.36	3833
15:53:31	11645	1859	271	6.36	3837

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:53:32	11645	1859	271	6.36	3841
15:53:33	11645	1859	272	6.36	3847
15:53:34	11645	1859	272	6.35	3851
15:53:35	11646	1859	272	6.36	3855
15:53:36	11646	1859	272	6.36	3858
15:53:37	11646	1859	272	6.36	3864
15:53:38	11645	1859	272	6.35	3868
15:53:39	11645	1858	272	6.35	3872
15:53:40	11646	1858	272	6.36	3878
15:53:41	11645	1858	272	6.35	3882
15:53:42	11647	1858	272	6.35	3886
15:53:43	11647	1858	272	6.35	3890
15:53:44	11647	1858	272	6.35	3894
15:53:45	11647	1858	272	6.35	3900
15:53:46	11649	1858	272	6.35	3904
15:53:47	11649	1858	272	6.35	3907
15:53:48	11650	1858	272	6.35	3913
15:53:49	11650	1858	272	6.35	3917
15:53:50	11651	1858	272	6.36	3921
15:53:51	11651	1858	272	6.36	3925
15:53:52	11650	1858	272	6.36	3931
15:53:53	11649	1858	272	6.37	3935
15:53:54	11650	1858	272	6.37	3939
15:53:55	11651	1858	272	6.37	3943
15:53:56	11650	1858	272	6.38	3949
15:53:57	11651	1857	272	6.38	3953
15:53:58	11651	1857	272	6.38	3957
15:53:59	11651	1857	272	6.39	3963
15:54:00	11648	1857	272	6.39	3967
15:54:01	11648	1857	272	6.39	3970
15:54:02	11648	1857	272	6.38	3974
15:54:03	11646	1857	272	6.39	3978
15:54:04	11646	1857	272	6.39	3984
15:54:05	11645	1857	272	6.39	3988
15:54:06	11645	1857	272	6.38	3994
15:54:07	11645	1857	272	6.37	3998
15:54:08	11644	1857	272	6.36	4002
15:54:09	11643	1857	272	6.36	4006
15:54:10	11643	1856	272	6.36	4011
15:54:11	11642	1856	272	6.35	4015
15:54:12	11642	1856	272	6.36	4019
15:54:13	11642	1856	272	6.36	4025
15:54:14	11641	1856	272	6.36	4029
15:54:15	11640	1856	272	6.36	4033

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:54:16	11640	1856	272	6.36	4037
15:54:17	11640	1856	272	6.36	4042
15:54:18	11639	1856	272	6.36	4046
15:54:19	11636	1856	272	6.36	4050
15:54:20	11636	1856	272	6.36	4056
15:54:21	11636	1856	272	6.36	4060
15:54:22	11636	1856	272	6.36	4064
15:54:23	11626	1856	272	6.37	4068
15:54:24	11627	1856	272	6.36	4073
15:54:25	11626	1856	272	6.37	4078
15:54:26	11625	1855	272	6.36	4082
15:54:27	11625	1855	272	6.37	4086
15:54:28	11625	1855	272	6.37	4090
15:54:29	11624	1855	272	6.37	4096
15:54:30	11622	1855	272	6.37	4100
15:54:31	11621	1855	272	6.37	4104
15:54:32	11621	1855	272	6.36	4109
15:54:33	11610	1855	272	6.36	4113
15:54:34	11592	1855	272	5.83	4117
15:54:35	11572	1855	272	4.63	4121
15:54:36	11569	1855	272	4.64	4123
15:54:37	11558	1855	272	4.64	4128
15:54:38	11532	1855	272	4.65	4130
15:54:39	11493	1855	272	4.65	4133
15:54:40	11489	1855	272	4.65	4137
15:54:41	11467	1855	272	4.65	4141
15:54:42	11450	1855	272	4.65	4144
15:54:43	11437	1855	272	4.64	4146
15:54:44	11404	1855	272	4.65	4151
15:54:45	11376	1855	272	4.66	4154
15:54:46	11356	1854	272	4.66	4156
15:54:47	11351	1854	272	4.66	4160
15:54:48	11347	1854	272	4.66	4164
15:54:49	11319	1854	272	4.67	4166
15:54:50	11299	1854	272	4.67	4169
15:54:51	11293	1854	272	4.68	4174
15:54:52	11290	1854	272	4.67	4176
15:54:53	11278	1854	272	4.68	4179
15:54:54	11267	1854	272	4.67	4184
15:54:55	11264	1854	272	4.67	4186
15:54:56	11261	1854	272	4.67	4189
15:54:57	11258	1854	272	4.67	4192
15:54:58	11248	1854	272	4.67	4197
15:54:59	11244	1854	272	4.66	4199

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:55:00	11241	1854	272	4.66	4202
15:55:01	11239	1854	272	4.66	4205
15:55:02	11228	1854	272	4.66	4209
15:55:03	11225	1854	272	4.65	4212
15:55:04	11222	1854	272	4.66	4215
15:55:05	11219	1853	272	4.66	4219
15:55:06	11209	1853	272	4.66	4222
15:55:07	11208	1853	272	4.66	4225
15:55:08	11206	1853	272	4.66	4229
15:55:09	11204	1853	272	4.66	4232
15:55:10	11201	1853	272	4.64	4235
15:55:11	11178	1853	272	3.37	4238
15:55:12	11164	1853	272	3.16	4240
15:55:13	11145	1853	272	3.07	4242
15:55:14	11140	1853	272	3.03	4244
15:55:15	11121	1853	272	3.01	4247
15:55:16	11069	1853	272	2.99	4249
15:55:17	11020	1853	272	2.98	4250
15:55:18	10999	1853	272	2.96	4252
15:55:19	10986	1853	272	2.95	4254
15:55:20	10965	1853	272	2.95	4257
15:55:21	10926	1853	272	2.95	4258
15:55:22	10896	1853	272	2.95	4261
15:55:23	10883	1853	272	2.94	4263
15:55:24	10872	1853	272	2.94	4265
15:55:25	10843	1853	272	2.94	4267
15:55:26	10816	1853	272	2.94	4269
15:55:27	10812	1853	272	2.93	4271
15:55:28	10784	1853	272	2.93	4273
15:55:29	10782	1852	272	2.93	4275
15:55:30	10762	1852	272	2.93	4277
15:55:31	10751	1852	272	2.93	4280
15:55:32	10740	1852	272	2.93	4282
15:55:33	10738	1852	272	2.93	4283
15:55:34	10735	1852	272	2.92	4285
15:55:35	10707	1852	272	2.93	4287
15:55:36	10697	1852	272	2.93	4289
15:55:37	10696	1852	272	2.93	4291
15:55:38	10692	1852	272	2.93	4293
15:55:39	10691	1852	272	2.93	4295
15:55:40	10681	1852	272	2.92	4298
15:55:41	10677	1852	272	2.93	4299
15:55:42	10674	1852	272	2.93	4301
15:55:43	10665	1852	272	2.93	4304

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:55:44	10666	1852	272	2.92	4306
15:55:45	10663	1852	272	2.92	4308
15:55:46	10660	1852	272	2.93	4310
15:55:47	10657	1852	272	2.93	4312
15:55:48	10634	1852	272	2.71	4314
15:55:49	10598	1852	272	0.44	4315
15:55:50	10558	1852	272	0.19	4315
15:55:51	10539	1852	272	0.14	4315
15:55:52	10520	1852	272	0.10	4315
15:55:53	10428	1852	272	0.08	4315
15:55:54	10354	1852	272	0.06	4315
15:55:55	10314	1851	272	0.04	4315
15:55:56	10301	1851	272	0.03	4315
15:55:57	10288	1851	272	0.02	4315
15:55:58	10213	1851	272	0.02	4315
15:55:59	10132	1851	272	0.01	4315
15:56:00	10110	1851	272	0.01	4315
15:56:01	10097	1851	272	0.01	4315
15:56:02	10091	1851	272	0.01	4315
15:56:03	10026	1851	272	0.00	4315
15:56:04	9965	1851	272	0.00	4315
15:56:05	9951	1851	272	0.00	4315
15:56:06	9938	1851	272	0.00	4315
15:56:07	9932	1851	272	0.00	4315
15:56:08	9863	1851	272	0.00	4315
15:56:09	9820	1851	272	0.00	4315
15:56:10	9813	1851	272	0.00	4315
15:56:11	9806	1851	272	0.00	4315
15:56:12	9800	1851	272	0.00	4315
15:56:13	9728	1851	272	0.00	4315
15:56:14	9700	1851	272	0.00	4315
15:56:15	9694	1851	272	0.00	4315
15:56:16	9687	1851	273	0.00	4315
15:56:17	9681	1851	273	0.00	4315
15:56:18	9621	1851	273	0.00	4315
15:56:19	9607	1851	273	0.00	4315
15:56:20	9600	1851	273	0.00	4315
15:56:21	9593	1851	273	0.00	4315
15:56:22	9571	1851	273	0.00	4315
15:56:23	9528	1851	272	0.00	4315
15:56:24	9523	1851	272	0.00	4315
15:56:25	9516	1851	272	0.00	4315
15:56:26	9510	1851	272	0.00	4315
15:56:27	9503	1851	272	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
15:56:28	9459	1851	272	0.00	4315
15:56:29	9454	1851	272	0.00	4315
15:56:30	9447	1851	272	0.00	4315
15:56:31	9438	1851	272	0.00	4315
15:56:32	9424	1851	272	0.00	4315
15:56:33	9396	1851	272	0.00	4315
15:56:34	9388	1851	272	0.00	4315
15:56:35	9381	1851	272	0.00	4315
15:56:36	9374	1851	272	0.00	4315
15:56:37	9368	1851	272	0.00	4315
15:56:38	9340	1851	272	0.00	4315
15:56:39	9332	1851	272	0.00	4315
15:56:40	9325	1851	272	0.00	4315
15:56:41	9318	1851	272	0.00	4315
15:56:42	9311	1851	272	0.00	4315
15:56:43	9290	1851	272	0.00	4315
15:56:44	9282	1851	272	0.00	4315
15:56:45	9275	1851	272	0.00	4315
15:56:46	9268	1851	272	0.00	4315
15:56:47	9259	1851	272	0.00	4315
15:56:48	9247	1851	272	0.00	4315
15:56:49	9230	1851	272	0.00	4315
15:56:50	9223	1851	272	0.00	4315
15:56:51	9216	1851	272	0.00	4315
15:56:52	9212	1851	272	0.00	4315
15:56:53	9204	1851	272	0.00	4315
15:56:54	9196	1851	272	0.00	4315
15:56:55	9189	1851	272	0.00	4315
15:56:56	9182	1851	272	0.00	4315
15:56:57	9175	1851	272	0.00	4315
15:56:58	9168	1851	272	0.00	4315
15:56:59	9160	1851	272	0.00	4315
15:57:00	9150	1851	272	0.00	4315
15:57:01	9143	1851	272	0.00	4315
15:57:02	9136	1851	272	0.00	4315
15:57:03	9129	1851	272	0.00	4315
15:57:04	9123	1851	272	0.00	4315
15:57:05	9116	1851	272	0.00	4315
15:57:06	9107	1851	273	0.00	4315
15:57:07	9103	1851	273	0.00	4315
15:57:08	9093	1851	273	0.00	4315
15:57:09	9086	1851	273	0.00	4315
15:57:10	9078	1851	273	0.00	4315
15:57:11	9072	1851	273	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
15:57:12	9066	1851	273	0.00	4315
15:57:13	9059	1851	272	0.00	4315
15:57:14	9052	1851	273	0.00	4315
15:57:15	9045	1851	272	0.00	4315
15:57:16	9039	1852	272	0.00	4315
15:57:17	9033	1852	272	0.00	4315
15:57:18	9026	1852	272	0.00	4315
15:57:19	9020	1852	272	0.00	4315
15:57:20	9013	1852	272	0.00	4315
15:57:21	9007	1852	272	0.00	4315
15:57:22	9002	1852	273	0.00	4315
15:57:23	8995	1852	273	0.00	4315
15:57:24	8989	1852	273	0.00	4315
15:57:25	8983	1852	273	0.00	4315
15:57:26	8977	1852	273	0.00	4315
15:57:27	8970	1852	273	0.00	4315
15:57:28	8965	1852	273	0.00	4315
15:57:29	8959	1852	273	0.00	4315
15:57:30	8953	1852	273	0.00	4315
15:57:31	8948	1852	273	0.00	4315
15:57:32	8943	1852	273	0.00	4315
15:57:33	8938	1852	273	0.00	4315
15:57:34	8932	1852	273	0.00	4315
15:57:35	8927	1852	273	0.00	4315
15:57:36	8922	1852	273	0.00	4315
15:57:37	8917	1852	273	0.00	4315
15:57:38	8912	1852	273	0.00	4315
15:57:39	8907	1852	273	0.00	4315
15:57:40	8903	1852	273	0.00	4315
15:57:41	8898	1852	273	0.00	4315
15:57:42	8894	1852	273	0.00	4315
15:57:43	8889	1852	273	0.00	4315
15:57:44	8884	1852	273	0.00	4315
15:57:45	8880	1852	273	0.00	4315
15:57:46	8875	1852	273	0.00	4315
15:57:47	8871	1852	273	0.00	4315
15:57:48	8867	1852	273	0.00	4315
15:57:49	8863	1852	273	0.00	4315
15:57:50	8858	1852	273	0.00	4315
15:57:51	8853	1852	273	0.00	4315
15:57:52	8849	1852	273	0.00	4315
15:57:53	8845	1852	273	0.00	4315
15:57:54	8841	1852	273	0.00	4315
15:57:55	8837	1852	273	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:57:56	8834	1852	273	0.00	4315
15:57:57	8830	1852	273	0.00	4315
15:57:58	8826	1852	273	0.00	4315
15:57:59	8823	1852	273	0.00	4315
15:58:00	8819	1852	273	0.00	4315
15:58:01	8816	1852	273	0.00	4315
15:58:02	8812	1852	273	0.00	4315
15:58:03	8809	1852	273	0.00	4315
15:58:04	8805	1852	273	0.00	4315
15:58:05	8802	1852	273	0.00	4315
15:58:06	8799	1852	273	0.00	4315
15:58:07	8796	1852	273	0.00	4315
15:58:08	8793	1852	273	0.00	4315
15:58:09	8789	1852	273	0.00	4315
15:58:10	8785	1852	273	0.00	4315
15:58:11	8782	1852	273	0.00	4315
15:58:12	8779	1852	273	0.00	4315
15:58:13	8777	1852	273	0.00	4315
15:58:14	8774	1852	273	0.00	4315
15:58:15	8771	1852	273	0.00	4315
15:58:16	8768	1852	273	0.00	4315
15:58:17	8765	1852	273	0.00	4315
15:58:18	8763	1852	273	0.00	4315
15:58:19	8760	1852	273	0.00	4315
15:58:20	8757	1852	273	0.00	4315
15:58:21	8755	1852	273	0.00	4315
15:58:22	8752	1852	273	0.00	4315
15:58:23	8750	1852	273	0.00	4315
15:58:24	8747	1852	273	0.00	4315
15:58:25	8745	1852	273	0.00	4315
15:58:26	8742	1852	273	0.00	4315
15:58:27	8740	1852	273	0.00	4315
15:58:28	8738	1852	273	0.00	4315
15:58:29	8735	1852	273	0.00	4315
15:58:30	8733	1852	273	0.00	4315
15:58:31	8731	1852	273	0.00	4315
15:58:32	8728	1852	273	0.00	4315
15:58:33	8726	1852	273	0.00	4315
15:58:34	8724	1852	273	0.00	4315
15:58:35	8722	1852	273	0.00	4315
15:58:36	8720	1852	273	0.00	4315
15:58:37	8718	1852	273	0.00	4315
15:58:38	8716	1852	273	0.00	4315
15:58:39	8714	1852	273	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
15:58:40	8712	1852	273	0.00	4315
15:58:41	8710	1852	273	0.00	4315
15:58:42	8708	1852	273	0.00	4315
15:58:43	8706	1852	273	0.00	4315
15:58:44	8704	1852	273	0.00	4315
15:58:45	8702	1852	273	0.00	4315
15:58:46	8700	1852	273	0.00	4315
15:58:47	8699	1852	273	0.00	4315
15:58:48	8697	1852	273	0.00	4315
15:58:49	8695	1852	273	0.00	4315
15:58:50	8693	1852	274	0.00	4315
15:58:51	8692	1852	274	0.00	4315
15:58:52	8690	1852	274	0.00	4315
15:58:53	8688	1852	273	0.00	4315
15:58:54	8686	1852	273	0.00	4315
15:58:55	8685	1852	274	0.00	4315
15:58:56	8683	1852	274	0.00	4315
15:58:57	8682	1852	274	0.00	4315
15:58:58	8680	1852	274	0.00	4315
15:58:59	8678	1852	274	0.00	4315
15:59:00	8677	1852	274	0.00	4315
15:59:01	8675	1852	274	0.00	4315
15:59:02	8674	1852	274	0.00	4315
15:59:03	8673	1852	274	0.00	4315
15:59:04	8671	1852	274	0.00	4315
15:59:05	8670	1852	274	0.00	4315
15:59:06	8668	1852	274	0.00	4315
15:59:07	8667	1852	274	0.00	4315
15:59:08	8666	1852	274	0.00	4315
15:59:09	8664	1852	274	0.00	4315
15:59:10	8663	1852	274	0.00	4315
15:59:11	8662	1852	274	0.00	4315
15:59:12	8661	1852	274	0.00	4315
15:59:13	8659	1852	274	0.00	4315
15:59:14	8658	1852	274	0.00	4315
15:59:15	8656	1852	274	0.00	4315
15:59:16	8655	1852	274	0.00	4315
15:59:17	8654	1852	274	0.00	4315
15:59:18	8653	1852	274	0.00	4315
15:59:19	8652	1852	274	0.00	4315
15:59:20	8650	1852	274	0.00	4315
15:59:21	8649	1852	274	0.00	4315
15:59:22	8648	1852	274	0.00	4315
15:59:23	8647	1852	274	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
15:59:24	8646	1852	274	0.00	4315
15:59:25	8645	1852	274	0.00	4315
15:59:26	8644	1852	274	0.00	4315
15:59:27	8643	1852	274	0.00	4315
15:59:28	8642	1852	274	0.00	4315
15:59:29	8641	1852	274	0.00	4315
15:59:30	8640	1852	274	0.00	4315
15:59:31	8638	1852	274	0.00	4315
15:59:32	8637	1852	274	0.00	4315
15:59:33	8637	1851	274	0.00	4315
15:59:34	8636	1851	274	0.00	4315
15:59:35	8635	1851	274	0.00	4315
15:59:36	8634	1851	274	0.00	4315
15:59:37	8633	1851	274	0.00	4315
15:59:38	8631	1851	274	0.00	4315
15:59:39	8631	1851	274	0.00	4315
15:59:40	8630	1851	274	0.00	4315
15:59:41	8629	1851	274	0.00	4315
15:59:42	8628	1851	274	0.00	4315
15:59:43	8627	1851	274	0.00	4315
15:59:44	8626	1851	274	0.00	4315
15:59:45	8625	1851	274	0.00	4315
15:59:46	8625	1851	274	0.00	4315
15:59:47	8624	1851	274	0.00	4315
15:59:48	8623	1851	274	0.00	4315
15:59:49	8622	1851	274	0.00	4315
15:59:50	8621	1851	274	0.00	4315
15:59:51	8620	1851	274	0.00	4315
15:59:52	8620	1851	274	0.00	4315
15:59:53	8619	1851	274	0.00	4315
15:59:54	8618	1851	274	0.00	4315
15:59:55	8617	1851	274	0.00	4315
15:59:56	8616	1851	274	0.00	4315
15:59:57	8616	1851	274	0.00	4315
15:59:58	8615	1851	274	0.00	4315
15:59:59	8614	1851	274	0.00	4315
16:00:00	8613	1851	274	0.00	4315
16:00:01	8613	1851	274	0.00	4315
16:00:02	8612	1851	274	0.00	4315
16:00:03	8611	1851	274	0.00	4315
16:00:04	8611	1851	274	0.00	4315
16:00:05	8610	1851	274	0.00	4315
16:00:06	8609	1851	274	0.00	4315
16:00:07	8609	1851	274	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:00:08	8608	1851	274	0.00	4315
16:00:09	8607	1851	274	0.00	4315
16:00:10	8606	1851	274	0.00	4315
16:00:11	8606	1851	274	0.00	4315
16:00:12	8605	1851	274	0.00	4315
16:00:13	8605	1851	274	0.00	4315
16:00:14	8604	1851	274	0.00	4315
16:00:15	8603	1851	274	0.00	4315
16:00:16	8603	1851	274	0.00	4315
16:00:17	8602	1851	274	0.00	4315
16:00:18	8601	1851	274	0.00	4315
16:00:19	8601	1851	274	0.00	4315
16:00:20	8600	1851	274	0.00	4315
16:00:21	8600	1851	274	0.00	4315
16:00:22	8599	1851	274	0.00	4315
16:00:23	8598	1851	274	0.00	4315
16:00:24	8598	1851	274	0.00	4315
16:00:25	8597	1851	274	0.00	4315
16:00:26	8597	1851	274	0.00	4315
16:00:27	8596	1851	274	0.00	4315
16:00:28	8596	1851	274	0.00	4315
16:00:29	8595	1851	274	0.00	4315
16:00:30	8594	1851	274	0.00	4315
16:00:31	8594	1851	274	0.00	4315
16:00:32	8593	1851	274	0.00	4315
16:00:33	8593	1851	274	0.00	4315
16:00:34	8592	1851	274	0.00	4315
16:00:35	8592	1851	274	0.00	4315
16:00:36	8591	1851	274	0.00	4315
16:00:37	8591	1851	274	0.00	4315
16:00:38	8590	1851	274	0.00	4315
16:00:39	8590	1851	274	0.00	4315
16:00:40	8589	1851	274	0.00	4315
16:00:41	8589	1851	274	0.00	4315
16:00:42	8588	1851	274	0.00	4315
16:00:43	8588	1851	274	0.00	4315
16:00:44	8587	1851	274	0.00	4315
16:00:45	8587	1851	274	0.00	4315
16:00:46	8586	1851	274	0.00	4315
16:00:47	8586	1851	274	0.00	4315
16:00:48	8585	1851	274	0.00	4315
16:00:49	8585	1851	274	0.00	4315
16:00:50	8584	1851	274	0.00	4315
16:00:51	8584	1851	274	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
16:00:52	8583	1851	274	0.00	4315
16:00:53	8583	1851	274	0.00	4315
16:00:54	8582	1851	274	0.00	4315
16:00:55	8582	1851	274	0.00	4315
16:00:56	8581	1851	274	0.00	4315
16:00:57	8581	1851	274	0.00	4315
16:00:58	8581	1851	274	0.00	4315
16:00:59	8580	1851	274	0.00	4315
16:01:00	8580	1851	274	0.00	4315
16:01:01	8579	1851	274	0.00	4315
16:01:02	8579	1851	274	0.00	4315
16:01:03	8578	1851	274	0.00	4315
16:01:04	8578	1851	274	0.00	4315
16:01:05	8578	1851	274	0.00	4315
16:01:06	8577	1851	274	0.00	4315
16:01:07	8577	1851	274	0.00	4315
16:01:08	8577	1851	274	0.00	4315
16:01:09	8576	1851	274	0.00	4315
16:01:10	8576	1851	274	0.00	4315
16:01:11	8575	1851	274	0.00	4315
16:01:12	8575	1851	274	0.00	4315
16:01:13	8575	1851	274	0.00	4315
16:01:14	8574	1851	274	0.00	4315
16:01:15	8574	1851	274	0.00	4315
16:01:16	8573	1851	274	0.00	4315
16:01:17	8573	1851	274	0.00	4315
16:01:18	8573	1851	274	0.00	4315
16:01:19	8572	1851	274	0.00	4315
16:01:20	8572	1851	274	0.00	4315
16:01:21	8572	1851	274	0.00	4315
16:01:22	8571	1851	274	0.00	4315
16:01:23	8571	1851	274	0.00	4315
16:01:24	8570	1851	274	0.00	4315
16:01:25	8570	1851	274	0.00	4315
16:01:26	8570	1851	274	0.00	4315
16:01:27	8569	1851	274	0.00	4315
16:01:28	8569	1851	274	0.00	4315
16:01:29	8569	1851	274	0.00	4315
16:01:30	8568	1851	274	0.00	4315
16:01:31	8568	1851	274	0.00	4315
16:01:32	8568	1851	274	0.00	4315
16:01:33	8567	1851	274	0.00	4315
16:01:34	8567	1851	274	0.00	4315
16:01:35	8567	1851	274	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
16:01:36	8567	1851	274	0.00	4315
16:01:37	8566	1851	274	0.00	4315
16:01:38	8566	1851	274	0.00	4315
16:01:39	8566	1851	274	0.00	4315
16:01:40	8565	1851	274	0.00	4315
16:01:41	8565	1851	274	0.00	4315
16:01:42	8565	1851	274	0.00	4315
16:01:43	8564	1851	274	0.00	4315
16:01:44	8564	1851	274	0.00	4315
16:01:45	8564	1851	274	0.00	4315
16:01:46	8563	1851	274	0.00	4315
16:01:47	8563	1851	274	0.00	4315
16:01:48	8563	1851	274	0.00	4315
16:01:49	8562	1851	274	0.00	4315
16:01:50	8562	1851	274	0.00	4315
16:01:51	8562	1851	274	0.00	4315
16:01:52	8562	1851	274	0.00	4315
16:01:53	8561	1851	274	0.00	4315
16:01:54	8561	1851	274	0.00	4315
16:01:55	8561	1851	274	0.00	4315
16:01:56	8560	1851	274	0.00	4315
16:01:57	8560	1851	274	0.00	4315
16:01:58	8560	1851	274	0.00	4315
16:01:59	8559	1851	274	0.00	4315
16:02:00	8559	1851	274	0.00	4315
16:02:01	8559	1851	274	0.00	4315
16:02:02	8559	1851	274	0.00	4315
16:02:03	8558	1851	274	0.00	4315
16:02:04	8558	1851	274	0.00	4315
16:02:05	8558	1851	274	0.00	4315
16:02:06	8558	1851	274	0.00	4315
16:02:07	8557	1851	274	0.00	4315
16:02:08	8557	1851	274	0.00	4315
16:02:09	8557	1851	274	0.00	4315
16:02:10	8557	1851	274	0.00	4315
16:02:11	8556	1851	274	0.00	4315
16:02:12	8556	1851	274	0.00	4315
16:02:13	8556	1851	274	0.00	4315
16:02:14	8556	1851	274	0.00	4315
16:02:15	8555	1851	274	0.00	4315
16:02:16	8555	1851	274	0.00	4315
16:02:17	8555	1851	274	0.00	4315
16:02:18	8555	1851	274	0.00	4315
16:02:19	8554	1851	274	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:02:20	8554	1851	274	0.00	4315
16:02:21	8554	1851	274	0.00	4315
16:02:22	8554	1851	274	0.00	4315
16:02:23	8553	1851	274	0.00	4315
16:02:24	8553	1851	274	0.00	4315
16:02:25	8553	1851	274	0.00	4315
16:02:26	8553	1851	274	0.00	4315
16:02:27	8552	1851	274	0.00	4315
16:02:28	8552	1851	274	0.00	4315
16:02:29	8552	1851	274	0.00	4315
16:02:30	8552	1851	274	0.00	4315
16:02:31	8551	1851	274	0.00	4315
16:02:32	8551	1851	274	0.00	4315
16:02:33	8551	1851	274	0.00	4315
16:02:34	8551	1851	274	0.00	4315
16:02:35	8551	1851	274	0.00	4315
16:02:36	8550	1851	274	0.00	4315
16:02:37	8550	1851	274	0.00	4315
16:02:38	8550	1851	274	0.00	4315
16:02:39	8550	1851	274	0.00	4315
16:02:40	8549	1851	274	0.00	4315
16:02:41	8549	1851	274	0.00	4315
16:02:42	8549	1851	274	0.00	4315
16:02:43	8549	1851	274	0.00	4315
16:02:44	8549	1851	274	0.00	4315
16:02:45	8548	1851	274	0.00	4315
16:02:46	8548	1851	274	0.00	4315
16:02:47	8548	1851	274	0.00	4315
16:02:48	8548	1851	274	0.00	4315
16:02:49	8548	1851	274	0.00	4315
16:02:50	8547	1851	274	0.00	4315
16:02:51	8547	1851	274	0.00	4315
16:02:52	8547	1851	274	0.00	4315
16:02:53	8547	1851	274	0.00	4315
16:02:54	8547	1851	274	0.00	4315
16:02:55	8546	1851	274	0.00	4315
16:02:56	8546	1851	274	0.00	4315
16:02:57	8546	1851	274	0.00	4315
16:02:58	8546	1851	274	0.00	4315
16:02:59	8546	1851	274	0.00	4315
16:03:00	8545	1851	274	0.00	4315
16:03:01	8545	1851	274	0.00	4315
16:03:02	8545	1851	274	0.00	4315
16:03:03	8545	1851	274	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
16:03:04	8545	1851	274	0.00	4315
16:03:05	8545	1851	274	0.00	4315
16:03:06	8544	1851	274	0.00	4315
16:03:07	8544	1851	274	0.00	4315
16:03:08	8544	1851	274	0.00	4315
16:03:09	8544	1851	274	0.00	4315
16:03:10	8544	1851	274	0.00	4315
16:03:11	8543	1851	274	0.00	4315
16:03:12	8543	1851	274	0.00	4315
16:03:13	8543	1851	274	0.00	4315
16:03:14	8543	1851	274	0.00	4315
16:03:15	8543	1851	274	0.00	4315
16:03:16	8542	1851	274	0.00	4315
16:03:17	8542	1851	274	0.00	4315
16:03:18	8542	1851	274	0.00	4315
16:03:19	8542	1851	274	0.00	4315
16:03:20	8542	1851	274	0.00	4315
16:03:21	8541	1851	274	0.00	4315
16:03:22	8541	1851	274	0.00	4315
16:03:23	8541	1851	274	0.00	4315
16:03:24	8541	1851	274	0.00	4315
16:03:25	8541	1851	274	0.00	4315
16:03:26	8540	1851	274	0.00	4315
16:03:27	8540	1851	274	0.00	4315
16:03:28	8540	1851	274	0.00	4315
16:03:29	8540	1851	274	0.00	4315
16:03:30	8540	1851	274	0.00	4315
16:03:31	8539	1851	274	0.00	4315
16:03:32	8539	1851	274	0.00	4315
16:03:33	8539	1851	274	0.00	4315
16:03:34	8539	1851	274	0.00	4315
16:03:35	8539	1851	274	0.00	4315
16:03:36	8538	1851	274	0.00	4315
16:03:37	8538	1851	274	0.00	4315
16:03:38	8538	1851	274	0.00	4315
16:03:39	8538	1851	274	0.00	4315
16:03:40	8538	1851	274	0.00	4315
16:03:41	8538	1851	274	0.00	4315
16:03:42	8537	1851	274	0.00	4315
16:03:43	8537	1851	274	0.00	4315
16:03:44	8537	1851	274	0.00	4315
16:03:45	8537	1851	274	0.00	4315
16:03:46	8537	1851	274	0.00	4315
16:03:47	8537	1851	274	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
16:03:48	8537	1851	274	0.00	4315
16:03:49	8536	1851	274	0.00	4315
16:03:50	8536	1851	274	0.00	4315
16:03:51	8536	1851	274	0.00	4315
16:03:52	8536	1851	274	0.00	4315
16:03:53	8536	1851	274	0.00	4315
16:03:54	8536	1851	274	0.00	4315
16:03:55	8536	1851	274	0.00	4315
16:03:56	8535	1851	274	0.00	4315
16:03:57	8535	1851	274	0.00	4315
16:03:58	8535	1851	274	0.00	4315
16:03:59	8535	1851	274	0.00	4315
16:04:00	8535	1851	274	0.00	4315
16:04:01	8535	1851	274	0.00	4315
16:04:02	8534	1851	274	0.00	4315
16:04:03	8534	1851	274	0.00	4315
16:04:04	8534	1851	274	0.00	4315
16:04:05	8534	1851	274	0.00	4315
16:04:06	8534	1851	274	0.00	4315
16:04:07	8534	1851	274	0.00	4315
16:04:08	8533	1851	274	0.00	4315
16:04:09	8533	1851	274	0.00	4315
16:04:10	8533	1851	274	0.00	4315
16:04:11	8533	1851	274	0.00	4315
16:04:12	8533	1851	274	0.00	4315
16:04:13	8533	1851	274	0.00	4315
16:04:14	8533	1851	274	0.00	4315
16:04:15	8532	1851	274	0.00	4315
16:04:16	8532	1851	274	0.00	4315
16:04:17	8532	1851	274	0.00	4315
16:04:18	8532	1851	274	0.00	4315
16:04:19	8532	1851	274	0.00	4315
16:04:20	8532	1851	274	0.00	4315
16:04:21	8531	1851	274	0.00	4315
16:04:22	8531	1851	274	0.00	4315
16:04:23	8531	1851	274	0.00	4315
16:04:24	8531	1851	274	0.00	4315
16:04:25	8531	1851	274	0.00	4315
16:04:26	8531	1851	274	0.00	4315
16:04:27	8531	1851	274	0.00	4315
16:04:28	8530	1851	274	0.00	4315
16:04:29	8530	1851	274	0.00	4315
16:04:30	8530	1851	274	0.00	4315
16:04:31	8530	1851	274	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:04:32	8530	1851	274	0.00	4315
16:04:33	8529	1851	274	0.00	4315
16:04:34	8529	1851	274	0.00	4315
16:04:35	8529	1851	274	0.00	4315
16:04:36	8529	1851	274	0.00	4315
16:04:37	8529	1851	274	0.00	4315
16:04:38	8529	1851	274	0.00	4315
16:04:39	8529	1851	274	0.00	4315
16:04:40	8528	1851	274	0.00	4315
16:04:41	8528	1851	274	0.00	4315
16:04:42	8528	1851	274	0.00	4315
16:04:43	8528	1851	274	0.00	4315
16:04:44	8528	1851	274	0.00	4315
16:04:45	8528	1851	274	0.00	4315
16:04:46	8528	1851	274	0.00	4315
16:04:47	8527	1851	274	0.00	4315
16:04:48	8527	1851	274	0.00	4315
16:04:49	8527	1851	274	0.00	4315
16:04:50	8527	1851	274	0.00	4315
16:04:51	8527	1851	274	0.00	4315
16:04:52	8527	1851	274	0.00	4315
16:04:53	8527	1851	274	0.00	4315
16:04:54	8527	1851	274	0.00	4315
16:04:55	8526	1851	274	0.00	4315
16:04:56	8526	1852	274	0.00	4315
16:04:57	8526	1851	274	0.00	4315
16:04:58	8526	1851	274	0.00	4315
16:04:59	8526	1851	274	0.00	4315
16:05:00	8526	1851	274	0.00	4315
16:05:01	8526	1851	274	0.00	4315
16:05:02	8526	1851	274	0.00	4315
16:05:03	8526	1851	274	0.00	4315
16:05:04	8525	1851	274	0.00	4315
16:05:05	8525	1851	274	0.00	4315
16:05:06	8525	1851	274	0.00	4315
16:05:07	8525	1851	274	0.00	4315
16:05:08	8525	1851	274	0.00	4315
16:05:09	8525	1851	274	0.00	4315
16:05:10	8525	1851	274	0.00	4315
16:05:11	8525	1851	274	0.00	4315
16:05:12	8524	1851	274	0.00	4315
16:05:13	8524	1851	274	0.00	4315
16:05:14	8524	1851	274	0.00	4315
16:05:15	8524	1851	274	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:05:16	8524	1851	274	0.00	4315
16:05:17	8524	1851	274	0.00	4315
16:05:18	8524	1851	274	0.00	4315
16:05:19	8524	1851	274	0.00	4315
16:05:20	8524	1851	274	0.00	4315
16:05:21	8524	1851	274	0.00	4315
16:05:22	8523	1851	274	0.00	4315
16:05:23	8523	1851	274	0.00	4315
16:05:24	8523	1851	274	0.00	4315
16:05:25	8523	1851	274	0.00	4315
16:05:26	8523	1851	274	0.00	4315
16:05:27	8523	1851	274	0.00	4315
16:05:28	8523	1851	274	0.00	4315
16:05:29	8523	1851	274	0.00	4315
16:05:30	8522	1851	274	0.00	4315
16:05:31	8522	1851	274	0.00	4315
16:05:32	8522	1851	274	0.00	4315
16:05:33	8522	1851	274	0.00	4315
16:05:34	8522	1851	274	0.00	4315
16:05:35	8522	1851	274	0.00	4315
16:05:36	8522	1851	274	0.00	4315
16:05:37	8522	1851	274	0.00	4315
16:05:38	8522	1851	274	0.00	4315
16:05:39	8521	1851	274	0.00	4315
16:05:40	8521	1851	274	0.00	4315
16:05:41	8521	1851	274	0.00	4315
16:05:42	8521	1851	274	0.00	4315
16:05:43	8521	1851	274	0.00	4315
16:05:44	8521	1851	274	0.00	4315
16:05:45	8521	1851	274	0.00	4315
16:05:46	8521	1851	274	0.00	4315
16:05:47	8521	1851	274	0.00	4315
16:05:48	8520	1852	274	0.00	4315
16:05:49	8520	1852	274	0.00	4315
16:05:50	8520	1852	274	0.00	4315
16:05:51	8520	1852	274	0.00	4315
16:05:52	8520	1852	274	0.00	4315
16:05:53	8520	1852	274	0.00	4315
16:05:54	8520	1852	275	0.00	4315
16:05:55	8520	1852	275	0.00	4315
16:05:56	8520	1852	275	0.00	4315
16:05:57	8520	1852	275	0.00	4315
16:05:58	8519	1852	275	0.00	4315
16:05:59	8519	1852	275	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:06:00	8519	1852	275	0.00	4315
16:06:01	8519	1852	275	0.00	4315
16:06:02	8519	1852	275	0.00	4315
16:06:03	8519	1852	275	0.00	4315
16:06:04	8519	1852	275	0.00	4315
16:06:05	8519	1852	275	0.00	4315
16:06:06	8519	1851	275	0.00	4315
16:06:07	8518	1851	275	0.00	4315
16:06:08	8518	1851	275	0.00	4315
16:06:09	8518	1851	275	0.00	4315
16:06:10	8518	1851	275	0.00	4315
16:06:11	8518	1851	275	0.00	4315
16:06:12	8518	1851	275	0.00	4315
16:06:13	8518	1851	275	0.00	4315
16:06:14	8518	1852	275	0.00	4315
16:06:15	8518	1852	275	0.00	4315
16:06:16	8518	1852	275	0.00	4315
16:06:17	8517	1852	275	0.00	4315
16:06:18	8517	1852	275	0.00	4315
16:06:19	8517	1852	275	0.00	4315
16:06:20	8517	1852	275	0.00	4315
16:06:21	8517	1852	275	0.00	4315
16:06:22	8517	1852	275	0.00	4315
16:06:23	8517	1852	275	0.00	4315
16:06:24	8517	1852	275	0.00	4315
16:06:25	8517	1851	275	0.00	4315
16:06:26	8517	1851	275	0.00	4315
16:06:27	8516	1851	275	0.00	4315
16:06:28	8516	1851	275	0.00	4315
16:06:29	8516	1851	275	0.00	4315
16:06:30	8516	1851	275	0.00	4315
16:06:31	8516	1851	275	0.00	4315
16:06:32	8516	1851	275	0.00	4315
16:06:33	8516	1851	275	0.00	4315
16:06:34	8516	1851	275	0.00	4315
16:06:35	8515	1851	275	0.00	4315
16:06:36	8515	1852	275	0.00	4315
16:06:37	8515	1852	275	0.00	4315
16:06:38	8515	1852	275	0.00	4315
16:06:39	8515	1852	275	0.00	4315
16:06:40	8515	1852	275	0.00	4315
16:06:41	8515	1852	275	0.00	4315
16:06:42	8515	1852	275	0.00	4315
16:06:43	8515	1852	275	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
16:06:44	8515	1852	275	0.00	4315
16:06:45	8514	1852	275	0.00	4315
16:06:46	8514	1852	275	0.00	4315
16:06:47	8514	1852	275	0.00	4315
16:06:48	8514	1852	275	0.00	4315
16:06:49	8514	1852	275	0.00	4315
16:06:50	8514	1852	275	0.00	4315
16:06:51	8514	1852	275	0.00	4315
16:06:52	8514	1852	275	0.00	4315
16:06:53	8514	1852	275	0.00	4315
16:06:54	8514	1852	275	0.00	4315
16:06:55	8513	1852	275	0.00	4315
16:06:56	8513	1852	275	0.00	4315
16:06:57	8513	1852	276	0.00	4315
16:06:58	8513	1852	275	0.00	4315
16:06:59	8513	1852	275	0.00	4315
16:07:00	8513	1852	275	0.00	4315
16:07:01	8513	1852	275	0.00	4315
16:07:02	8513	1852	275	0.00	4315
16:07:03	8513	1852	275	0.00	4315
16:07:04	8512	1852	275	0.00	4315
16:07:05	8512	1852	275	0.00	4315
16:07:06	8512	1852	275	0.00	4315
16:07:07	8512	1852	275	0.00	4315
16:07:08	8512	1852	275	0.00	4315
16:07:09	8512	1852	275	0.00	4315
16:07:10	8512	1852	275	0.00	4315
16:07:11	8512	1852	275	0.00	4315
16:07:12	8512	1852	275	0.00	4315
16:07:13	8512	1852	275	0.00	4315
16:07:14	8511	1852	275	0.00	4315
16:07:15	8511	1852	275	0.00	4315
16:07:16	8511	1852	275	0.00	4315
16:07:17	8511	1852	275	0.00	4315
16:07:18	8511	1852	275	0.00	4315
16:07:19	8511	1852	275	0.00	4315
16:07:20	8511	1852	275	0.00	4315
16:07:21	8511	1852	275	0.00	4315
16:07:22	8511	1852	275	0.00	4315
16:07:23	8511	1852	275	0.00	4315
16:07:24	8510	1852	275	0.00	4315
16:07:25	8510	1852	275	0.00	4315
16:07:26	8510	1852	275	0.00	4315
16:07:27	8510	1852	275	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:07:28	8510	1852	275	0.00	4315
16:07:29	8510	1852	275	0.00	4315
16:07:30	8510	1852	275	0.00	4315
16:07:31	8510	1852	275	0.00	4315
16:07:32	8510	1852	275	0.00	4315
16:07:33	8510	1852	275	0.00	4315
16:07:34	8509	1852	275	0.00	4315
16:07:35	8509	1852	275	0.00	4315
16:07:36	8509	1852	275	0.00	4315
16:07:37	8509	1852	275	0.00	4315
16:07:38	8509	1852	275	0.00	4315
16:07:39	8509	1852	275	0.00	4315
16:07:40	8509	1852	275	0.00	4315
16:07:41	8509	1852	275	0.00	4315
16:07:42	8509	1852	275	0.00	4315
16:07:43	8509	1852	275	0.00	4315
16:07:44	8508	1852	275	0.00	4315
16:07:45	8508	1852	275	0.00	4315
16:07:46	8508	1852	275	0.00	4315
16:07:47	8508	1852	275	0.00	4315
16:07:48	8508	1852	275	0.00	4315
16:07:49	8508	1852	275	0.00	4315
16:07:50	8508	1852	275	0.00	4315
16:07:51	8508	1852	275	0.00	4315
16:07:52	8508	1852	275	0.00	4315
16:07:53	8508	1852	275	0.00	4315
16:07:54	8508	1852	275	0.00	4315
16:07:55	8508	1852	275	0.00	4315
16:07:56	8508	1852	275	0.00	4315
16:07:57	8508	1852	275	0.00	4315
16:07:58	8508	1852	275	0.00	4315
16:07:59	8507	1852	275	0.00	4315
16:08:00	8507	1852	275	0.00	4315
16:08:01	8507	1852	275	0.00	4315
16:08:02	8507	1852	275	0.00	4315
16:08:03	8507	1852	275	0.00	4315
16:08:04	8507	1852	275	0.00	4315
16:08:05	8507	1852	275	0.00	4315
16:08:06	8507	1852	275	0.00	4315
16:08:07	8507	1852	275	0.00	4315
16:08:08	8507	1852	275	0.00	4315
16:08:09	8507	1852	275	0.00	4315
16:08:10	8507	1852	275	0.00	4315
16:08:11	8506	1852	275	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
16:08:12	8506	1852	275	0.00	4315
16:08:13	8506	1852	275	0.00	4315
16:08:14	8506	1852	275	0.00	4315
16:08:15	8506	1852	275	0.00	4315
16:08:16	8506	1852	275	0.00	4315
16:08:17	8506	1852	275	0.00	4315
16:08:18	8506	1852	275	0.00	4315
16:08:19	8505	1852	275	0.00	4315
16:08:20	8505	1852	275	0.00	4315
16:08:21	8505	1852	275	0.00	4315
16:08:22	8505	1852	275	0.00	4315
16:08:23	8505	1852	275	0.00	4315
16:08:24	8505	1852	275	0.00	4315
16:08:25	8505	1852	275	0.00	4315
16:08:26	8505	1852	275	0.00	4315
16:08:27	8505	1852	275	0.00	4315
16:08:28	8505	1852	275	0.00	4315
16:08:29	8504	1852	275	0.00	4315
16:08:30	8504	1852	275	0.00	4315
16:08:31	8504	1852	275	0.00	4315
16:08:32	8504	1852	275	0.00	4315
16:08:33	8504	1852	275	0.00	4315
16:08:34	8504	1852	275	0.00	4315
16:08:35	8504	1852	275	0.00	4315
16:08:36	8504	1852	275	0.00	4315
16:08:37	8504	1852	276	0.00	4315
16:08:38	8504	1852	275	0.00	4315
16:08:39	8504	1852	275	0.00	4315
16:08:40	8504	1852	275	0.00	4315
16:08:41	8504	1852	275	0.01	4315
16:08:42	8504	1852	275	0.02	4315
16:08:43	8503	1852	275	0.01	4315
16:08:44	8503	1852	275	0.01	4315
16:08:45	8503	1852	275	0.01	4315
16:08:46	8503	1852	275	0.01	4315
16:08:47	8503	1852	275	0.00	4315
16:08:48	8503	1852	275	0.00	4315
16:08:49	8503	1852	275	0.00	4315
16:08:50	8503	1852	275	0.00	4315
16:08:51	8503	1852	275	0.00	4315
16:08:52	8503	1852	275	0.00	4315
16:08:53	8502	1852	275	0.00	4315
16:08:54	8502	1852	275	0.00	4315
16:08:55	8502	1852	275	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
16:08:56	8502	1852	276	0.00	4315
16:08:57	8502	1852	276	0.00	4315
16:08:58	8502	1852	276	0.00	4315
16:08:59	8502	1852	275	0.00	4315
16:09:00	8502	1852	275	0.00	4315
16:09:01	8502	1852	275	0.00	4315
16:09:02	8502	1852	275	0.00	4315
16:09:03	8502	1852	275	0.00	4315
16:09:04	8502	1852	275	0.00	4315
16:09:05	8502	1852	275	0.00	4315
16:09:06	8502	1852	275	0.00	4315
16:09:07	8501	1852	275	0.00	4315
16:09:08	8501	1852	275	0.00	4315
16:09:09	8501	1852	275	0.00	4315
16:09:10	8501	1852	275	0.00	4315
16:09:11	8501	1852	276	0.00	4315
16:09:12	8501	1852	276	0.00	4315
16:09:13	8501	1852	276	0.00	4315
16:09:14	8501	1852	276	0.00	4315
16:09:15	8501	1852	276	0.00	4315
16:09:16	8501	1852	276	0.00	4315
16:09:17	8501	1852	275	0.00	4315
16:09:18	8501	1852	276	0.00	4315
16:09:19	8501	1852	276	0.00	4315
16:09:20	8501	1852	275	0.00	4315
16:09:21	8501	1852	275	0.00	4315
16:09:22	8501	1852	275	0.00	4315
16:09:23	8501	1852	275	0.00	4315
16:09:24	8501	1852	275	0.00	4315
16:09:25	8501	1852	275	0.00	4315
16:09:26	8501	1852	275	0.00	4315
16:09:27	8501	1852	274	0.00	4315
16:09:28	8501	1852	275	0.00	4315
16:09:29	8501	1852	275	0.00	4315
16:09:30	8501	1852	275	0.00	4315
16:09:31	8500	1852	275	0.00	4315
16:09:32	8500	1852	275	0.00	4315
16:09:33	8500	1852	275	0.00	4315
16:09:34	8500	1852	275	0.00	4315
16:09:35	8500	1852	275	0.00	4315
16:09:36	8500	1852	275	0.00	4315
16:09:37	8500	1852	275	0.00	4315
16:09:38	8500	1852	275	0.00	4315
16:09:39	8500	1852	275	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:09:40	8500	1852	275	0.00	4315
16:09:41	8500	1852	275	0.00	4315
16:09:42	8499	1852	275	0.00	4315
16:09:43	8499	1852	275	0.00	4315
16:09:44	8499	1852	276	0.00	4315
16:09:45	8499	1852	276	0.00	4315
16:09:46	8499	1852	276	0.00	4315
16:09:47	8499	1852	275	0.00	4315
16:09:48	8499	1852	275	0.00	4315
16:09:49	8499	1852	275	0.00	4315
16:09:50	8499	1852	275	0.00	4315
16:09:51	8499	1852	275	0.00	4315
16:09:52	8498	1852	275	0.00	4315
16:09:53	8498	1852	275	0.00	4315
16:09:54	8498	1852	275	0.00	4315
16:09:55	8498	1852	275	0.00	4315
16:09:56	8498	1852	275	0.00	4315
16:09:57	8498	1852	275	0.00	4315
16:09:58	8498	1852	275	0.00	4315
16:09:59	8498	1852	275	0.00	4315
16:10:00	8498	1853	275	0.00	4315
16:10:01	8498	1853	274	0.00	4315
16:10:02	8498	1853	275	0.00	4315
16:10:03	8497	1853	275	0.00	4315
16:10:04	8497	1852	275	0.00	4315
16:10:05	8497	1852	275	0.00	4315
16:10:06	8497	1852	275	0.00	4315
16:10:07	8497	1852	275	0.00	4315
16:10:08	8497	1852	275	0.00	4315
16:10:09	8497	1852	275	0.00	4315
16:10:10	8497	1852	275	0.00	4315
16:10:11	8497	1852	275	0.00	4315
16:10:12	8497	1852	275	0.00	4315
16:10:13	8497	1852	275	0.00	4315
16:10:14	8497	1852	275	0.00	4315
16:10:15	8497	1852	275	0.00	4315
16:10:16	8496	1852	275	0.00	4315
16:10:17	8496	1852	275	0.00	4315
16:10:18	8496	1852	275	0.00	4315
16:10:19	8496	1852	275	0.00	4315
16:10:20	8496	1852	275	0.00	4315
16:10:21	8496	1852	275	0.00	4315
16:10:22	8496	1852	275	0.00	4315
16:10:23	8496	1852	275	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
16:10:24	8496	1852	275	0.00	4315
16:10:25	8496	1852	275	0.00	4315
16:10:26	8496	1852	275	0.00	4315
16:10:27	8496	1852	276	0.00	4315
16:10:28	8496	1852	276	0.00	4315
16:10:29	8495	1852	276	0.00	4315
16:10:30	8495	1852	276	0.00	4315
16:10:31	8495	1852	276	0.00	4315
16:10:32	8495	1852	276	0.00	4315
16:10:33	8495	1852	275	0.00	4315
16:10:34	8495	1852	275	0.00	4315
16:10:35	8495	1853	275	0.00	4315
16:10:36	8495	1852	275	0.00	4315
16:10:37	8495	1852	275	0.00	4315
16:10:38	8495	1852	275	0.00	4315
16:10:39	8494	1852	275	0.00	4315
16:10:40	8494	1852	275	0.00	4315
16:10:41	8494	1852	275	0.00	4315
16:10:42	8494	1852	275	0.00	4315
16:10:43	8494	1852	275	0.00	4315
16:10:44	8494	1853	275	0.00	4315
16:10:45	8494	1852	275	0.00	4315
16:10:46	8494	1852	276	0.00	4315
16:10:47	8494	1852	276	0.00	4315
16:10:48	8494	1852	276	0.00	4315
16:10:49	8494	1852	275	0.00	4315
16:10:50	8494	1852	275	0.00	4315
16:10:51	8493	1853	276	0.00	4315
16:10:52	8493	1853	276	0.00	4315
16:10:53	8493	1852	276	0.00	4315
16:10:54	8493	1852	276	0.00	4315
16:10:55	8493	1852	276	0.00	4315
16:10:56	8493	1853	276	0.00	4315
16:10:57	8493	1853	276	0.00	4315
16:10:58	8493	1853	276	0.00	4315
16:10:59	8493	1852	276	0.00	4315
16:11:00	8493	1852	275	0.00	4315
16:11:01	8493	1852	275	0.00	4315
16:11:02	8493	1852	275	0.00	4315
16:11:03	8493	1852	275	0.00	4315
16:11:04	8492	1852	276	0.00	4315
16:11:05	8492	1852	276	0.00	4315
16:11:06	8492	1852	276	0.00	4315
16:11:07	8492	1852	276	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:11:08	8492	1852	276	0.00	4315
16:11:09	8492	1852	276	0.00	4315
16:11:10	8492	1852	276	0.00	4315
16:11:11	8492	1852	275	0.00	4315
16:11:12	8492	1852	275	0.00	4315
16:11:13	8492	1852	275	0.00	4315
16:11:14	8491	1853	275	0.00	4315
16:11:15	8491	1853	275	0.00	4315
16:11:16	8492	1853	275	0.00	4315
16:11:17	8491	1853	276	0.00	4315
16:11:18	8491	1853	276	0.00	4315
16:11:19	8491	1853	276	0.00	4315
16:11:20	8491	1853	276	0.00	4315
16:11:21	8491	1853	275	0.00	4315
16:11:22	8491	1853	276	0.00	4315
16:11:23	8491	1853	276	0.00	4315
16:11:24	8491	1853	276	0.00	4315
16:11:25	8491	1853	275	0.00	4315
16:11:26	8491	1853	275	0.00	4315
16:11:27	8491	1853	275	0.00	4315
16:11:28	8491	1853	276	0.00	4315
16:11:29	8491	1853	276	0.00	4315
16:11:30	8491	1853	276	0.00	4315
16:11:31	8491	1853	276	0.00	4315
16:11:32	8491	1853	275	0.00	4315
16:11:33	8491	1853	275	0.00	4315
16:11:34	8490	1853	275	0.00	4315
16:11:35	8490	1853	275	0.00	4315
16:11:36	8490	1853	276	0.00	4315
16:11:37	8490	1853	275	0.00	4315
16:11:38	8490	1853	275	0.00	4315
16:11:39	8490	1853	275	0.00	4315
16:11:40	8490	1853	275	0.00	4315
16:11:41	8490	1853	275	0.00	4315
16:11:42	8490	1853	275	0.00	4315
16:11:43	8490	1853	275	0.00	4315
16:11:44	8490	1853	275	0.00	4315
16:11:45	8490	1853	275	0.00	4315
16:11:46	8490	1853	275	0.00	4315
16:11:47	8490	1853	275	0.00	4315
16:11:48	8489	1853	275	0.00	4315
16:11:49	8489	1853	276	0.00	4315
16:11:50	8489	1853	276	0.00	4315
16:11:51	8489	1853	276	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
16:11:52	8489	1853	276	0.00	4315
16:11:53	8489	1853	276	0.00	4315
16:11:54	8489	1853	275	0.00	4315
16:11:55	8489	1853	276	0.00	4315
16:11:56	8488	1853	276	0.00	4315
16:11:57	8488	1853	276	0.00	4315
16:11:58	8488	1853	276	0.00	4315
16:11:59	8488	1853	276	0.00	4315
16:12:00	8488	1853	276	0.00	4315
16:12:01	8488	1853	276	0.00	4315
16:12:02	8488	1853	276	0.00	4315
16:12:03	8488	1853	276	0.00	4315
16:12:04	8488	1853	276	0.00	4315
16:12:05	8488	1853	276	0.00	4315
16:12:06	8488	1853	276	0.00	4315
16:12:07	8488	1853	276	0.00	4315
16:12:08	8488	1853	276	0.00	4315
16:12:09	8488	1853	276	0.00	4315
16:12:10	8488	1853	276	0.00	4315
16:12:11	8488	1853	276	0.00	4315
16:12:12	8488	1853	276	0.00	4315
16:12:13	8487	1853	276	0.00	4315
16:12:14	8488	1853	276	0.00	4315
16:12:15	8487	1853	276	0.00	4315
16:12:16	8487	1853	276	0.00	4315
16:12:17	8487	1853	276	0.00	4315
16:12:18	8487	1853	276	0.00	4315
16:12:19	8487	1853	276	0.00	4315
16:12:20	8487	1853	276	0.00	4315
16:12:21	8487	1853	276	0.00	4315
16:12:22	8487	1853	276	0.00	4315
16:12:23	8487	1853	276	0.00	4315
16:12:24	8487	1853	276	0.00	4315
16:12:25	8487	1853	276	0.00	4315
16:12:26	8487	1853	276	0.00	4315
16:12:27	8486	1853	276	0.00	4315
16:12:28	8486	1853	276	0.00	4315
16:12:29	8486	1853	276	0.00	4315
16:12:30	8486	1853	276	0.00	4315
16:12:31	8486	1853	276	0.00	4315
16:12:32	8486	1853	276	0.00	4315
16:12:33	8486	1853	276	0.00	4315
16:12:34	8486	1853	276	0.00	4315
16:12:35	8486	1853	276	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:12:36	8486	1853	276	0.00	4315
16:12:37	8486	1853	276	0.00	4315
16:12:38	8486	1853	276	0.00	4315
16:12:39	8486	1853	276	0.00	4315
16:12:40	8485	1853	276	0.00	4315
16:12:41	8485	1853	276	0.00	4315
16:12:42	8485	1853	276	0.00	4315
16:12:43	8485	1853	276	0.00	4315
16:12:44	8485	1853	276	0.00	4315
16:12:45	8485	1853	276	0.00	4315
16:12:46	8485	1853	276	0.00	4315
16:12:47	8485	1853	276	0.00	4315
16:12:48	8484	1853	276	0.00	4315
16:12:49	8484	1853	276	0.00	4315
16:12:50	8484	1853	276	0.00	4315
16:12:51	8484	1853	276	0.00	4315
16:12:52	8484	1853	276	0.00	4315
16:12:53	8484	1853	276	0.00	4315
16:12:54	8484	1853	276	0.00	4315
16:12:55	8484	1853	276	0.00	4315
16:12:56	8484	1853	276	0.00	4315
16:12:57	8484	1853	276	0.00	4315
16:12:58	8484	1853	276	0.00	4315
16:12:59	8484	1853	276	0.00	4315
16:13:00	8484	1853	276	0.00	4315
16:13:01	8484	1853	276	0.00	4315
16:13:02	8483	1853	276	0.00	4315
16:13:03	8483	1853	276	0.00	4315
16:13:04	8483	1853	276	0.00	4315
16:13:05	8483	1853	276	0.00	4315
16:13:06	8483	1853	276	0.00	4315
16:13:07	8483	1853	276	0.00	4315
16:13:08	8483	1853	276	0.00	4315
16:13:09	8483	1853	276	0.00	4315
16:13:10	8483	1853	276	0.00	4315
16:13:11	8483	1853	276	0.00	4315
16:13:12	8483	1853	276	0.00	4315
16:13:13	8483	1853	276	0.00	4315
16:13:14	8483	1853	276	0.00	4315
16:13:15	8483	1853	276	0.00	4315
16:13:16	8483	1853	276	0.00	4315
16:13:17	8483	1853	276	0.00	4315
16:13:18	8483	1853	275	0.00	4315
16:13:19	8483	1853	276	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
16:13:20	8483	1853	276	0.00	4315
16:13:21	8482	1853	275	0.00	4315
16:13:22	8482	1853	275	0.00	4315
16:13:23	8482	1853	275	0.00	4315
16:13:24	8482	1853	275	0.00	4315
16:13:25	8482	1853	275	0.00	4315
16:13:26	8482	1853	275	0.00	4315
16:13:27	8482	1853	275	0.00	4315
16:13:28	8482	1853	275	0.00	4315
16:13:29	8482	1853	275	0.00	4315
16:13:30	8482	1853	275	0.00	4315
16:13:31	8482	1853	275	0.00	4315
16:13:32	8482	1853	275	0.00	4315
16:13:33	8482	1853	275	0.00	4315
16:13:34	8482	1853	275	0.00	4315
16:13:35	8482	1853	275	0.00	4315
16:13:36	8482	1853	276	0.00	4315
16:13:37	8482	1853	276	0.00	4315
16:13:38	8482	1853	276	0.00	4315
16:13:39	8481	1853	276	0.00	4315
16:13:40	8481	1853	276	0.00	4315
16:13:41	8481	1853	276	0.00	4315
16:13:42	8481	1853	276	0.00	4315
16:13:43	8481	1853	276	0.00	4315
16:13:44	8481	1853	276	0.00	4315
16:13:45	8481	1853	276	0.00	4315
16:13:46	8481	1853	276	0.00	4315
16:13:47	8481	1853	276	0.00	4315
16:13:48	8481	1853	276	0.00	4315
16:13:49	8481	1853	276	0.00	4315
16:13:50	8481	1853	276	0.00	4315
16:13:51	8481	1853	276	0.00	4315
16:13:52	8481	1853	276	0.00	4315
16:13:53	8481	1853	276	0.00	4315
16:13:54	8481	1853	276	0.00	4315
16:13:55	8481	1853	276	0.00	4315
16:13:56	8481	1853	276	0.00	4315
16:13:57	8481	1853	276	0.00	4315
16:13:58	8481	1853	276	0.00	4315
16:13:59	8481	1853	276	0.00	4315
16:14:00	8481	1853	276	0.00	4315
16:14:01	8481	1853	276	0.00	4315
16:14:02	8481	1853	276	0.00	4315
16:14:03	8480	1853	276	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:14:04	8480	1853	276	0.00	4315
16:14:05	8480	1853	276	0.00	4315
16:14:06	8480	1853	276	0.00	4315
16:14:07	8480	1853	276	0.00	4315
16:14:08	8480	1853	276	0.00	4315
16:14:09	8480	1853	276	0.00	4315
16:14:10	8480	1853	276	0.00	4315
16:14:11	8480	1853	276	0.00	4315
16:14:12	8480	1853	276	0.00	4315
16:14:13	8480	1853	276	0.00	4315
16:14:14	8480	1853	276	0.00	4315
16:14:15	8480	1853	276	0.00	4315
16:14:16	8480	1853	276	0.00	4315
16:14:17	8479	1853	276	0.00	4315
16:14:18	8479	1853	276	0.00	4315
16:14:19	8479	1853	276	0.00	4315
16:14:20	8479	1853	276	0.00	4315
16:14:21	8479	1853	276	0.00	4315
16:14:22	8479	1853	276	0.00	4315
16:14:23	8479	1853	276	0.00	4315
16:14:24	8479	1853	276	0.00	4315
16:14:25	8479	1853	276	0.00	4315
16:14:26	8479	1853	276	0.00	4315
16:14:27	8479	1853	276	0.00	4315
16:14:28	8479	1853	276	0.00	4315
16:14:29	8479	1853	276	0.00	4315
16:14:30	8479	1853	276	0.00	4315
16:14:31	8479	1854	276	0.00	4315
16:14:32	8479	1854	276	0.00	4315
16:14:33	8479	1854	276	0.00	4315
16:14:34	8479	1854	276	0.00	4315
16:14:35	8479	1854	276	0.00	4315
16:14:36	8479	1854	276	0.00	4315
16:14:37	8479	1854	276	0.00	4315
16:14:38	8479	1854	276	0.00	4315
16:14:39	8479	1854	276	0.00	4315
16:14:40	8478	1854	276	0.00	4315
16:14:41	8478	1854	276	0.00	4315
16:14:42	8478	1854	276	0.00	4315
16:14:43	8478	1854	276	0.00	4315
16:14:44	8478	1854	276	0.00	4315
16:14:45	8478	1854	276	0.00	4315
16:14:46	8478	1854	276	0.00	4315
16:14:47	8478	1854	276	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
16:14:48	8478	1854	276	0.00	4315
16:14:49	8478	1854	276	0.00	4315
16:14:50	8478	1854	276	0.00	4315
16:14:51	8477	1854	276	0.00	4315
16:14:52	8477	1854	276	0.00	4315
16:14:53	8477	1854	276	0.00	4315
16:14:54	8477	1854	276	0.00	4315
16:14:55	8477	1854	276	0.00	4315
16:14:56	8477	1854	276	0.00	4315
16:14:57	8477	1854	276	0.00	4315
16:14:58	8477	1854	276	0.00	4315
16:14:59	8477	1854	276	0.00	4315
16:15:00	8477	1854	276	0.00	4315
16:15:01	8477	1854	276	0.00	4315
16:15:02	8477	1854	276	0.00	4315
16:15:03	8477	1854	276	0.00	4315
16:15:04	8477	1854	276	0.00	4315
16:15:05	8477	1854	276	0.00	4315
16:15:06	8476	1854	276	0.00	4315
16:15:07	8476	1854	276	0.00	4315
16:15:08	8476	1854	276	0.00	4315
16:15:09	8476	1854	276	0.00	4315
16:15:10	8476	1854	276	0.00	4315
16:15:11	8476	1854	276	0.00	4315
16:15:12	8476	1854	276	0.00	4315
16:15:13	8476	1854	276	0.00	4315
16:15:14	8476	1854	276	0.00	4315
16:15:15	8476	1854	276	0.00	4315
16:15:16	8476	1854	276	0.00	4315
16:15:17	8476	1854	276	0.00	4315
16:15:18	8476	1854	276	0.00	4315
16:15:19	8476	1854	276	0.00	4315
16:15:20	8476	1854	276	0.00	4315
16:15:21	8476	1854	276	0.00	4315
16:15:22	8476	1854	276	0.00	4315
16:15:23	8475	1854	276	0.00	4315
16:15:24	8475	1854	276	0.00	4315
16:15:25	8475	1854	276	0.00	4315
16:15:26	8475	1854	276	0.00	4315
16:15:27	8475	1854	276	0.00	4315
16:15:28	8475	1854	276	0.00	4315
16:15:29	8475	1854	276	0.00	4315
16:15:30	8475	1854	276	0.00	4315
16:15:31	8475	1854	276	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:15:32	8475	1854	276	0.00	4315
16:15:33	8475	1854	276	0.00	4315
16:15:34	8475	1854	276	0.00	4315
16:15:35	8475	1854	276	0.00	4315
16:15:36	8475	1854	276	0.00	4315
16:15:37	8475	1854	276	0.00	4315
16:15:38	8475	1854	276	0.00	4315
16:15:39	8474	1854	276	0.00	4315
16:15:40	8474	1854	276	0.00	4315
16:15:41	8474	1854	276	0.00	4315
16:15:42	8474	1854	276	0.00	4315
16:15:43	8474	1854	276	0.00	4315
16:15:44	8474	1854	276	0.00	4315
16:15:45	8474	1854	276	0.00	4315
16:15:46	8474	1854	276	0.00	4315
16:15:47	8474	1854	276	0.00	4315
16:15:48	8474	1854	276	0.00	4315
16:15:49	8474	1854	276	0.00	4315
16:15:50	8474	1854	276	0.00	4315
16:15:51	8474	1854	276	0.00	4315
16:15:52	8474	1854	276	0.00	4315
16:15:53	8474	1854	276	0.00	4315
16:15:54	8474	1854	276	0.00	4315
16:15:55	8474	1854	276	0.00	4315
16:15:56	8474	1854	276	0.00	4315
16:15:57	8474	1854	276	0.00	4315
16:15:58	8474	1854	276	0.00	4315
16:15:59	8474	1854	276	0.00	4315
16:16:00	8474	1854	276	0.00	4315
16:16:01	8473	1854	276	0.00	4315
16:16:02	8473	1854	276	0.00	4315
16:16:03	8473	1854	276	0.00	4315
16:16:04	8473	1854	276	0.00	4315
16:16:05	8473	1854	276	0.00	4315
16:16:06	8473	1854	276	0.00	4315
16:16:07	8473	1854	276	0.00	4315
16:16:08	8473	1854	276	0.00	4315
16:16:09	8473	1854	276	0.00	4315
16:16:10	8473	1854	276	0.00	4315
16:16:11	8473	1854	276	0.00	4315
16:16:12	8473	1854	276	0.00	4315
16:16:13	8473	1854	276	0.00	4315
16:16:14	8473	1854	276	0.00	4315
16:16:15	8473	1854	276	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
16:16:16	8473	1854	276	0.00	4315
16:16:17	8473	1854	276	0.00	4315
16:16:18	8473	1854	276	0.00	4315
16:16:19	8473	1854	276	0.00	4315
16:16:20	8473	1854	276	0.00	4315
16:16:21	8473	1854	276	0.00	4315
16:16:22	8473	1854	276	0.00	4315
16:16:23	8472	1854	276	0.00	4315
16:16:24	8472	1854	276	0.00	4315
16:16:25	8472	1854	276	0.00	4315
16:16:26	8472	1854	276	0.00	4315
16:16:27	8472	1854	276	0.00	4315
16:16:28	8472	1854	276	0.00	4315
16:16:29	8472	1854	276	0.00	4315
16:16:30	8472	1854	276	0.00	4315
16:16:31	8472	1854	276	0.00	4315
16:16:32	8472	1854	276	0.00	4315
16:16:33	8472	1854	276	0.00	4315
16:16:34	8472	1854	276	0.00	4315
16:16:35	8472	1854	276	0.00	4315
16:16:36	8472	1854	276	0.00	4315
16:16:37	8472	1854	276	0.00	4315
16:16:38	8472	1854	276	0.00	4315
16:16:39	8472	1854	276	0.00	4315
16:16:40	8472	1854	276	0.00	4315
16:16:41	8472	1854	276	0.00	4315
16:16:42	8472	1854	276	0.00	4315
16:16:43	8472	1854	276	0.00	4315
16:16:44	8471	1854	276	0.00	4315
16:16:45	8471	1854	276	0.00	4315
16:16:46	8471	1854	276	0.00	4315
16:16:47	8471	1854	277	0.00	4315
16:16:48	8471	1854	277	0.00	4315
16:16:49	8471	1854	277	0.00	4315
16:16:50	8471	1854	277	0.00	4315
16:16:51	8471	1854	277	0.00	4315
16:16:52	8471	1854	277	0.00	4315
16:16:53	8471	1854	277	0.00	4315
16:16:54	8471	1854	277	0.00	4315
16:16:55	8471	1854	276	0.00	4315
16:16:56	8471	1854	276	0.00	4315
16:16:57	8471	1854	276	0.00	4315
16:16:58	8471	1854	276	0.00	4315
16:16:59	8471	1854	276	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:17:00	8471	1854	276	0.00	4315
16:17:01	8471	1854	276	0.00	4315
16:17:02	8471	1854	276	0.00	4315
16:17:03	8471	1854	277	0.00	4315
16:17:04	8471	1854	277	0.00	4315
16:17:05	8470	1854	277	0.00	4315
16:17:06	8470	1854	277	0.00	4315
16:17:07	8470	1854	277	0.00	4315
16:17:08	8470	1854	277	0.00	4315
16:17:09	8470	1854	277	0.00	4315
16:17:10	8470	1854	277	0.00	4315
16:17:11	8470	1854	277	0.00	4315
16:17:12	8470	1854	277	0.00	4315
16:17:13	8470	1854	277	0.00	4315
16:17:14	8470	1854	277	0.00	4315
16:17:15	8470	1854	277	0.00	4315
16:17:16	8470	1854	277	0.00	4315
16:17:17	8470	1854	277	0.00	4315
16:17:18	8470	1854	277	0.00	4315
16:17:19	8470	1854	277	0.00	4315
16:17:20	8470	1854	277	0.00	4315
16:17:21	8469	1854	277	0.00	4315
16:17:22	8469	1854	277	0.00	4315
16:17:23	8469	1854	277	0.00	4315
16:17:24	8469	1854	277	0.00	4315
16:17:25	8469	1855	276	0.00	4315
16:17:26	8469	1855	277	0.00	4315
16:17:27	8469	1855	277	0.00	4315
16:17:28	8469	1855	277	0.00	4315
16:17:29	8469	1855	277	0.00	4315
16:17:30	8469	1855	277	0.00	4315
16:17:31	8469	1855	277	0.00	4315
16:17:32	8469	1855	276	0.00	4315
16:17:33	8469	1855	277	0.00	4315
16:17:34	8469	1854	277	0.00	4315
16:17:35	8469	1854	277	0.00	4315
16:17:36	8469	1854	277	0.00	4315
16:17:37	8469	1854	277	0.00	4315
16:17:38	8469	1854	277	0.00	4315
16:17:39	8469	1854	277	0.00	4315
16:17:40	8468	1854	277	0.00	4315
16:17:41	8468	1855	277	0.00	4315
16:17:42	8468	1855	277	0.00	4315
16:17:43	8468	1855	277	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
16:17:44	8468	1855	277	0.00	4315
16:17:45	8468	1855	277	0.00	4315
16:17:46	8468	1855	277	0.00	4315
16:17:47	8468	1855	277	0.00	4315
16:17:48	8468	1855	277	0.00	4315
16:17:49	8468	1855	277	0.00	4315
16:17:50	8468	1855	277	0.00	4315
16:17:51	8468	1855	277	0.00	4315
16:17:52	8468	1855	277	0.00	4315
16:17:53	8468	1855	277	0.00	4315
16:17:54	8468	1855	277	0.00	4315
16:17:55	8468	1855	277	0.00	4315
16:17:56	8467	1855	277	0.00	4315
16:17:57	8467	1855	277	0.00	4315
16:17:58	8467	1855	277	0.00	4315
16:17:59	8467	1855	277	0.00	4315
16:18:00	8467	1855	277	0.00	4315
16:18:01	8467	1855	277	0.00	4315
16:18:02	8467	1855	277	0.00	4315
16:18:03	8467	1855	277	0.00	4315
16:18:04	8467	1855	277	0.00	4315
16:18:05	8467	1855	277	0.00	4315
16:18:06	8467	1855	277	0.00	4315
16:18:07	8467	1855	277	0.00	4315
16:18:08	8467	1855	277	0.00	4315
16:18:09	8467	1855	277	0.00	4315
16:18:10	8467	1855	277	0.00	4315
16:18:11	8467	1855	277	0.00	4315
16:18:12	8467	1855	277	0.00	4315
16:18:13	8467	1855	277	0.00	4315
16:18:14	8467	1855	277	0.00	4315
16:18:15	8466	1855	277	0.00	4315
16:18:16	8466	1855	277	0.00	4315
16:18:17	8466	1855	277	0.00	4315
16:18:18	8466	1855	277	0.00	4315
16:18:19	8466	1855	277	0.00	4315
16:18:20	8466	1855	277	0.00	4315
16:18:21	8466	1855	277	0.00	4315
16:18:22	8466	1855	277	0.00	4315
16:18:23	8466	1855	277	0.00	4315
16:18:24	8466	1855	277	0.00	4315
16:18:25	8466	1855	277	0.00	4315
16:18:26	8466	1855	277	0.00	4315
16:18:27	8466	1855	277	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:18:28	8466	1855	277	0.00	4315
16:18:29	8466	1855	277	0.00	4315
16:18:30	8466	1855	277	0.00	4315
16:18:31	8466	1855	277	0.00	4315
16:18:32	8466	1855	277	0.00	4315
16:18:33	8466	1855	277	0.00	4315
16:18:34	8465	1855	277	0.00	4315
16:18:35	8465	1855	277	0.00	4315
16:18:36	8465	1855	277	0.00	4315
16:18:37	8465	1855	277	0.00	4315
16:18:38	8465	1855	277	0.00	4315
16:18:39	8465	1855	277	0.00	4315
16:18:40	8465	1855	277	0.00	4315
16:18:41	8465	1855	277	0.00	4315
16:18:42	8465	1855	277	0.00	4315
16:18:43	8465	1855	277	0.00	4315
16:18:44	8465	1855	277	0.00	4315
16:18:45	8465	1855	277	0.00	4315
16:18:46	8465	1855	277	0.00	4315
16:18:47	8465	1855	277	0.00	4315
16:18:48	8465	1855	277	0.00	4315
16:18:49	8465	1855	277	0.00	4315
16:18:50	8465	1855	277	0.00	4315
16:18:51	8465	1855	277	0.00	4315
16:18:52	8464	1855	277	0.00	4315
16:18:53	8464	1855	277	0.00	4315
16:18:54	8464	1855	277	0.00	4315
16:18:55	8464	1855	277	0.00	4315
16:18:56	8464	1855	277	0.00	4315
16:18:57	8464	1855	277	0.00	4315
16:18:58	8464	1855	277	0.00	4315
16:18:59	8464	1855	277	0.00	4315
16:19:00	8464	1855	277	0.00	4315
16:19:01	8464	1855	277	0.00	4315
16:19:02	8464	1855	277	0.00	4315
16:19:03	8464	1855	277	0.00	4315
16:19:04	8464	1855	277	0.00	4315
16:19:05	8464	1855	277	0.00	4315
16:19:06	8464	1855	277	0.00	4315
16:19:07	8464	1855	277	0.00	4315
16:19:08	8464	1855	277	0.00	4315
16:19:09	8464	1855	277	0.00	4315
16:19:10	8464	1855	277	0.00	4315
16:19:11	8464	1855	277	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
16:19:12	8463	1855	277	0.00	4315
16:19:13	8463	1855	277	0.00	4315
16:19:14	8463	1855	277	0.00	4315
16:19:15	8463	1855	277	0.00	4315
16:19:16	8463	1855	277	0.00	4315
16:19:17	8463	1855	277	0.00	4315
16:19:18	8463	1855	277	0.00	4315
16:19:19	8463	1855	277	0.00	4315
16:19:20	8463	1855	277	0.00	4315
16:19:21	8463	1855	277	0.00	4315
16:19:22	8463	1855	277	0.00	4315
16:19:23	8463	1855	277	0.00	4315
16:19:24	8463	1855	277	0.00	4315
16:19:25	8463	1855	277	0.00	4315
16:19:26	8463	1855	277	0.00	4315
16:19:27	8463	1855	277	0.00	4315
16:19:28	8463	1855	277	0.00	4315
16:19:29	8463	1855	277	0.00	4315
16:19:30	8463	1855	277	0.00	4315
16:19:31	8463	1855	277	0.00	4315
16:19:32	8463	1855	277	0.00	4315
16:19:33	8463	1855	277	0.00	4315
16:19:34	8463	1855	277	0.00	4315
16:19:35	8463	1855	277	0.00	4315
16:19:36	8463	1855	277	0.00	4315
16:19:37	8463	1855	277	0.00	4315
16:19:38	8463	1855	277	0.00	4315
16:19:39	8463	1855	277	0.00	4315
16:19:40	8463	1856	277	0.00	4315
16:19:41	8463	1856	277	0.00	4315
16:19:42	8463	1856	277	0.00	4315
16:19:43	8463	1856	277	0.00	4315
16:19:44	8463	1856	277	0.00	4315
16:19:45	8462	1856	277	0.00	4315
16:19:46	8462	1856	277	0.00	4315
16:19:47	8462	1856	277	0.00	4315
16:19:48	8462	1855	277	0.00	4315
16:19:49	8462	1855	277	0.00	4315
16:19:50	8462	1855	277	0.00	4315
16:19:51	8462	1855	277	0.00	4315
16:19:52	8462	1855	277	0.00	4315
16:19:53	8462	1855	277	0.00	4315
16:19:54	8462	1855	277	0.00	4315
16:19:55	8462	1855	277	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:19:56	8462	1855	277	0.00	4315
16:19:57	8462	1855	277	0.00	4315
16:19:58	8462	1855	277	0.00	4315
16:19:59	8462	1855	277	0.00	4315
16:20:00	8462	1856	277	0.00	4315
16:20:01	8462	1856	277	0.00	4315
16:20:02	8462	1856	277	0.00	4315
16:20:03	8461	1856	277	0.00	4315
16:20:04	8461	1856	277	0.00	4315
16:20:05	8461	1856	277	0.00	4315
16:20:06	8461	1856	277	0.00	4315
16:20:07	8461	1856	277	0.00	4315
16:20:08	8461	1856	277	0.00	4315
16:20:09	8461	1856	277	0.00	4315
16:20:10	8461	1856	277	0.00	4315
16:20:11	8461	1856	277	0.00	4315
16:20:12	8461	1856	277	0.00	4315
16:20:13	8461	1856	277	0.00	4315
16:20:14	8461	1856	277	0.00	4315
16:20:15	8461	1856	277	0.00	4315
16:20:16	8461	1856	277	0.00	4315
16:20:17	8461	1856	277	0.00	4315
16:20:18	8461	1856	277	0.00	4315
16:20:19	8461	1856	277	0.00	4315
16:20:20	8461	1856	277	0.00	4315
16:20:21	8461	1856	277	0.00	4315
16:20:22	8461	1856	277	0.00	4315
16:20:23	8461	1856	277	0.00	4315
16:20:24	8461	1856	277	0.00	4315
16:20:25	8461	1856	277	0.00	4315
16:20:26	8461	1856	277	0.00	4315
16:20:27	8461	1856	277	0.00	4315
16:20:28	8460	1856	277	0.00	4315
16:20:29	8460	1856	277	0.00	4315
16:20:30	8460	1856	277	0.00	4315
16:20:31	8460	1856	277	0.00	4315
16:20:32	8460	1856	277	0.00	4315
16:20:33	8460	1856	277	0.00	4315
16:20:34	8460	1856	277	0.00	4315
16:20:35	8460	1856	277	0.00	4315
16:20:36	8460	1856	277	0.00	4315
16:20:37	8460	1856	277	0.00	4315
16:20:38	8460	1856	277	0.00	4315
16:20:39	8460	1856	277	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:20:40	8460	1856	277	0.00	4315
16:20:41	8460	1856	277	0.00	4315
16:20:42	8460	1856	277	0.00	4315
16:20:43	8460	1856	277	0.00	4315
16:20:44	8460	1856	277	0.00	4315
16:20:45	8460	1856	277	0.00	4315
16:20:46	8460	1856	277	0.00	4315
16:20:47	8460	1856	277	0.00	4315
16:20:48	8460	1856	277	0.00	4315
16:20:49	8460	1856	277	0.00	4315
16:20:50	8460	1856	277	0.00	4315
16:20:51	8460	1856	277	0.00	4315
16:20:52	8459	1856	277	0.00	4315
16:20:53	8459	1856	277	0.00	4315
16:20:54	8459	1856	277	0.00	4315
16:20:55	8459	1856	277	0.00	4315
16:20:56	8459	1856	277	0.00	4315
16:20:57	8459	1856	277	0.00	4315
16:20:58	8459	1856	277	0.00	4315
16:20:59	8459	1855	277	0.00	4315
16:21:00	8459	1855	277	0.00	4315
16:21:01	8459	1855	277	0.00	4315
16:21:02	8459	1855	277	0.00	4315
16:21:03	8459	1855	277	0.00	4315
16:21:04	8459	1855	277	0.00	4315
16:21:05	8459	1855	277	0.00	4315
16:21:06	8459	1856	277	0.00	4315
16:21:07	8459	1856	277	0.00	4315
16:21:08	8459	1856	277	0.00	4315
16:21:09	8459	1856	277	0.00	4315
16:21:10	8459	1856	278	0.00	4315
16:21:11	8459	1856	278	0.00	4315
16:21:12	8458	1856	278	0.00	4315
16:21:13	8458	1856	278	0.00	4315
16:21:14	8458	1856	278	0.00	4315
16:21:15	8458	1856	278	0.00	4315
16:21:16	8458	1856	278	0.00	4315
16:21:17	8458	1856	278	0.00	4315
16:21:18	8458	1856	278	0.00	4315
16:21:19	8458	1856	278	0.00	4315
16:21:20	8458	1856	278	0.00	4315
16:21:21	8458	1856	278	0.00	4315
16:21:22	8458	1856	278	0.00	4315
16:21:23	8458	1856	278	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
16:21:24	8458	1856	277	0.00	4315
16:21:25	8458	1856	277	0.00	4315
16:21:26	8458	1856	277	0.00	4315
16:21:27	8458	1856	277	0.00	4315
16:21:28	8458	1856	277	0.00	4315
16:21:29	8458	1856	277	0.00	4315
16:21:30	8458	1856	277	0.00	4315
16:21:31	8458	1856	277	0.00	4315
16:21:32	8458	1856	277	0.00	4315
16:21:33	8458	1856	277	0.00	4315
16:21:34	8458	1856	277	0.00	4315
16:21:35	8458	1856	277	0.00	4315
16:21:36	8458	1856	277	0.00	4315
16:21:37	8458	1856	277	0.00	4315
16:21:38	8458	1856	277	0.00	4315
16:21:39	8458	1856	277	0.00	4315
16:21:40	8458	1856	277	0.00	4315
16:21:41	8457	1856	277	0.00	4315
16:21:42	8457	1856	277	0.00	4315
16:21:43	8457	1856	277	0.00	4315
16:21:44	8457	1856	277	0.00	4315
16:21:45	8457	1856	277	0.00	4315
16:21:46	8457	1856	277	0.00	4315
16:21:47	8457	1856	278	0.00	4315
16:21:48	8457	1856	278	0.00	4315
16:21:49	8457	1856	278	0.00	4315
16:21:50	8457	1856	278	0.00	4315
16:21:51	8457	1856	278	0.00	4315
16:21:52	8457	1856	278	0.00	4315
16:21:53	8457	1856	278	0.00	4315
16:21:54	8457	1856	278	0.00	4315
16:21:55	8456	1856	277	0.00	4315
16:21:56	8456	1856	277	0.00	4315
16:21:57	8456	1856	277	0.00	4315
16:21:58	8456	1856	277	0.00	4315
16:21:59	8456	1856	277	0.00	4315
16:22:00	8456	1856	277	0.00	4315
16:22:01	8456	1856	277	0.00	4315
16:22:02	8456	1856	277	0.00	4315
16:22:03	8456	1856	277	0.00	4315
16:22:04	8456	1856	277	0.00	4315
16:22:05	8456	1856	278	0.00	4315
16:22:06	8456	1856	278	0.00	4315
16:22:07	8456	1856	278	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:22:08	8456	1856	278	0.00	4315
16:22:09	8456	1856	278	0.00	4315
16:22:10	8456	1856	278	0.00	4315
16:22:11	8456	1856	277	0.00	4315
16:22:12	8456	1856	277	0.00	4315
16:22:13	8456	1856	277	0.00	4315
16:22:14	8456	1856	277	0.00	4315
16:22:15	8456	1856	277	0.00	4315
16:22:16	8456	1856	277	0.00	4315
16:22:17	8456	1856	277	0.00	4315
16:22:18	8456	1856	277	0.00	4315
16:22:19	8456	1856	277	0.00	4315
16:22:20	8455	1856	277	0.00	4315
16:22:21	8455	1856	277	0.00	4315
16:22:22	8455	1856	277	0.00	4315
16:22:23	8455	1856	277	0.00	4315
16:22:24	8455	1856	277	0.00	4315
16:22:25	8455	1856	277	0.00	4315
16:22:26	8455	1856	277	0.00	4315
16:22:27	8455	1856	277	0.00	4315
16:22:28	8455	1856	277	0.00	4315
16:22:29	8455	1856	277	0.00	4315
16:22:30	8455	1856	277	0.00	4315
16:22:31	8455	1856	277	0.00	4315
16:22:32	8455	1856	277	0.00	4315
16:22:33	8455	1856	277	0.00	4315
16:22:34	8455	1856	277	0.00	4315
16:22:35	8455	1856	278	0.00	4315
16:22:36	8455	1856	278	0.00	4315
16:22:37	8455	1856	278	0.00	4315
16:22:38	8455	1856	278	0.00	4315
16:22:39	8455	1856	278	0.00	4315
16:22:40	8455	1856	278	0.00	4315
16:22:41	8455	1856	278	0.00	4315
16:22:42	8455	1856	278	0.00	4315
16:22:43	8455	1856	278	0.00	4315
16:22:44	8455	1856	278	0.00	4315
16:22:45	8455	1856	278	0.00	4315
16:22:46	8455	1856	278	0.00	4315
16:22:47	8455	1856	278	0.00	4315
16:22:48	8455	1856	278	0.00	4315
16:22:49	8455	1856	278	0.00	4315
16:22:50	8454	1856	278	0.00	4315
16:22:51	8454	1856	278	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:22:52	8454	1856	278	0.00	4315
16:22:53	8454	1856	278	0.00	4315
16:22:54	8454	1856	278	0.00	4315
16:22:55	8454	1856	278	0.00	4315
16:22:56	8454	1856	278	0.00	4315
16:22:57	8454	1856	278	0.00	4315
16:22:58	8454	1856	278	0.00	4315
16:22:59	8454	1856	278	0.00	4315
16:23:00	8454	1856	278	0.00	4315
16:23:01	8454	1856	278	0.00	4315
16:23:02	8454	1857	278	0.00	4315
16:23:03	8454	1857	278	0.00	4315
16:23:04	8454	1857	278	0.00	4315
16:23:05	8454	1857	278	0.00	4315
16:23:06	8454	1857	278	0.00	4315
16:23:07	8454	1857	278	0.00	4315
16:23:08	8454	1857	278	0.00	4315
16:23:09	8454	1857	278	0.00	4315
16:23:10	8454	1856	278	0.00	4315
16:23:11	8453	1856	278	0.00	4315
16:23:12	8453	1856	278	0.00	4315
16:23:13	8453	1856	278	0.00	4315
16:23:14	8453	1856	278	0.00	4315
16:23:15	8453	1856	278	0.00	4315
16:23:16	8453	1856	278	0.00	4315
16:23:17	8453	1856	278	0.00	4315
16:23:18	8453	1856	278	0.00	4315
16:23:19	8453	1856	278	0.00	4315
16:23:20	8453	1856	278	0.00	4315
16:23:21	8453	1856	278	0.00	4315
16:23:22	8453	1856	278	0.00	4315
16:23:23	8453	1856	278	0.00	4315
16:23:24	8453	1856	278	0.00	4315
16:23:25	8453	1856	278	0.00	4315
16:23:26	8453	1856	278	0.00	4315
16:23:27	8453	1856	278	0.00	4315
16:23:28	8453	1856	278	0.00	4315
16:23:29	8453	1856	278	0.00	4315
16:23:30	8453	1856	278	0.00	4315
16:23:31	8453	1856	278	0.00	4315
16:23:32	8453	1856	278	0.00	4315
16:23:33	8453	1856	278	0.00	4315
16:23:34	8453	1856	278	0.00	4315
16:23:35	8453	1856	278	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:23:36	8453	1857	278	0.00	4315
16:23:37	8453	1857	278	0.00	4315
16:23:38	8453	1857	278	0.00	4315
16:23:39	8453	1857	278	0.00	4315
16:23:40	8452	1857	278	0.00	4315
16:23:41	8452	1857	278	0.00	4315
16:23:42	8452	1857	278	0.00	4315
16:23:43	8452	1856	278	0.00	4315
16:23:44	8452	1857	278	0.00	4315
16:23:45	8452	1857	278	0.00	4315
16:23:46	8452	1857	278	0.00	4315
16:23:47	8452	1857	278	0.00	4315
16:23:48	8452	1857	278	0.00	4315
16:23:49	8452	1857	278	0.00	4315
16:23:50	8452	1857	278	0.00	4315
16:23:51	8452	1857	278	0.00	4315
16:23:52	8452	1857	278	0.00	4315
16:23:53	8452	1857	278	0.00	4315
16:23:54	8452	1857	278	0.00	4315
16:23:55	8452	1857	278	0.00	4315
16:23:56	8451	1857	278	0.00	4315
16:23:57	8451	1857	278	0.00	4315
16:23:58	8451	1857	278	0.00	4315
16:23:59	8451	1857	278	0.00	4315
16:24:00	8451	1857	278	0.00	4315
16:24:01	8451	1857	278	0.00	4315
16:24:02	8451	1857	278	0.00	4315
16:24:03	8451	1857	278	0.00	4315
16:24:04	8451	1857	278	0.00	4315
16:24:05	8451	1857	278	0.00	4315
16:24:06	8451	1857	278	0.00	4315
16:24:07	8451	1857	278	0.00	4315
16:24:08	8451	1857	278	0.00	4315
16:24:09	8451	1857	278	0.00	4315
16:24:10	8451	1857	278	0.00	4315
16:24:11	8451	1857	278	0.00	4315
16:24:12	8451	1857	278	0.00	4315
16:24:13	8451	1857	278	0.00	4315
16:24:14	8451	1856	278	0.00	4315
16:24:15	8451	1856	278	0.00	4315
16:24:16	8451	1856	278	0.00	4315
16:24:17	8451	1857	278	0.00	4315
16:24:18	8451	1857	279	0.00	4315
16:24:19	8451	1857	279	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:24:20	8450	1857	279	0.00	4315
16:24:21	8450	1857	279	0.00	4315
16:24:22	8450	1857	279	0.00	4315
16:24:23	8450	1857	278	0.00	4315
16:24:24	8450	1857	278	0.00	4315
16:24:25	8450	1857	278	0.00	4315
16:24:26	8450	1857	278	0.00	4315
16:24:27	8450	1857	278	0.00	4315
16:24:28	8450	1857	278	0.00	4315
16:24:29	8450	1857	278	0.00	4315
16:24:30	8450	1857	278	0.00	4315
16:24:31	8450	1857	278	0.00	4315
16:24:32	8450	1857	278	0.00	4315
16:24:33	8450	1857	278	0.00	4315
16:24:34	8450	1857	279	0.00	4315
16:24:35	8450	1857	279	0.00	4315
16:24:36	8450	1857	279	0.00	4315
16:24:37	8450	1857	279	0.00	4315
16:24:38	8450	1857	279	0.00	4315
16:24:39	8450	1857	279	0.00	4315
16:24:40	8450	1857	279	0.00	4315
16:24:41	8450	1857	279	0.00	4315
16:24:42	8450	1857	278	0.00	4315
16:24:43	8450	1857	279	0.00	4315
16:24:44	8449	1857	279	0.00	4315
16:24:45	8449	1857	279	0.00	4315
16:24:46	8449	1857	279	0.00	4315
16:24:47	8449	1857	279	0.00	4315
16:24:48	8449	1857	279	0.00	4315
16:24:49	8449	1857	279	0.00	4315
16:24:50	8449	1857	279	0.00	4315
16:24:51	8449	1857	279	0.00	4315
16:24:52	8449	1857	279	0.00	4315
16:24:53	8449	1857	279	0.00	4315
16:24:54	8449	1857	279	0.00	4315
16:24:55	8449	1857	279	0.00	4315
16:24:56	8449	1857	279	0.00	4315
16:24:57	8449	1857	279	0.00	4315
16:24:58	8449	1857	278	0.00	4315
16:24:59	8449	1857	278	0.00	4315
16:25:00	8449	1857	278	0.00	4315
16:25:01	8449	1857	278	0.00	4315
16:25:02	8448	1857	278	0.00	4315
16:25:03	8448	1857	278	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:25:04	8448	1857	278	0.00	4315
16:25:05	8448	1857	278	0.00	4315
16:25:06	8448	1857	278	0.00	4315
16:25:07	8448	1857	278	0.00	4315
16:25:08	8448	1857	278	0.00	4315
16:25:09	8448	1857	278	0.00	4315
16:25:10	8448	1857	278	0.00	4315
16:25:11	8448	1857	278	0.00	4315
16:25:12	8448	1857	278	0.00	4315
16:25:13	8448	1857	278	0.00	4315
16:25:14	8448	1857	278	0.00	4315
16:25:15	8448	1857	278	0.00	4315
16:25:16	8448	1857	278	0.00	4315
16:25:17	8448	1857	278	0.00	4315
16:25:18	8448	1857	279	0.00	4315
16:25:19	8448	1857	278	0.00	4315
16:25:20	8448	1857	278	0.00	4315
16:25:21	8448	1857	278	0.00	4315
16:25:22	8448	1857	278	0.00	4315
16:25:23	8448	1857	278	0.00	4315
16:25:24	8448	1857	278	0.00	4315
16:25:25	8448	1857	278	0.00	4315
16:25:26	8448	1857	278	0.00	4315
16:25:27	8447	1857	278	0.00	4315
16:25:28	8447	1857	278	0.00	4315
16:25:29	8447	1857	278	0.00	4315
16:25:30	8447	1857	278	0.00	4315
16:25:31	8447	1857	278	0.00	4315
16:25:32	8447	1857	278	0.00	4315
16:25:33	8447	1857	279	0.00	4315
16:25:34	8447	1857	279	0.00	4315
16:25:35	8447	1857	279	0.00	4315
16:25:36	8447	1857	279	0.00	4315
16:25:37	8447	1857	279	0.00	4315
16:25:38	8447	1857	279	0.00	4315
16:25:39	8447	1857	279	0.00	4315
16:25:40	8447	1857	279	0.00	4315
16:25:41	8447	1857	279	0.00	4315
16:25:42	8447	1857	279	0.00	4315
16:25:43	8447	1857	279	0.00	4315
16:25:44	8447	1857	279	0.00	4315
16:25:45	8447	1857	279	0.00	4315
16:25:46	8446	1857	279	0.00	4315
16:25:47	8446	1857	279	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:25:48	8446	1857	279	0.00	4315
16:25:49	8446	1857	279	0.00	4315
16:25:50	8446	1857	279	0.00	4315
16:25:51	8446	1857	279	0.00	4315
16:25:52	8446	1857	279	0.00	4315
16:25:53	8446	1857	279	0.00	4315
16:25:54	8446	1857	279	0.00	4315
16:25:55	8446	1857	279	0.00	4315
16:25:56	8446	1857	279	0.00	4315
16:25:57	8446	1857	279	0.00	4315
16:25:58	8446	1857	279	0.00	4315
16:25:59	8446	1857	279	0.00	4315
16:26:00	8446	1857	279	0.00	4315
16:26:01	8446	1857	279	0.00	4315
16:26:02	8446	1858	279	0.00	4315
16:26:03	8446	1858	279	0.00	4315
16:26:04	8446	1858	279	0.00	4315
16:26:05	8446	1858	279	0.00	4315
16:26:06	8446	1858	279	0.00	4315
16:26:07	8446	1858	279	0.00	4315
16:26:08	8446	1858	279	0.00	4315
16:26:09	8446	1858	279	0.00	4315
16:26:10	8446	1858	279	0.00	4315
16:26:11	8446	1858	279	0.00	4315
16:26:12	8445	1857	279	0.00	4315
16:26:13	8445	1857	279	0.00	4315
16:26:14	8445	1857	279	0.00	4315
16:26:15	8445	1857	278	0.00	4315
16:26:16	8445	1857	278	0.00	4315
16:26:17	8445	1857	279	0.00	4315
16:26:18	8445	1857	279	0.00	4315
16:26:19	8445	1857	279	0.00	4315
16:26:20	8445	1858	279	0.00	4315
16:26:21	8445	1858	279	0.00	4315
16:26:22	8445	1858	279	0.00	4315
16:26:23	8445	1858	279	0.00	4315
16:26:24	8445	1858	279	0.00	4315
16:26:25	8445	1858	279	0.00	4315
16:26:26	8445	1858	279	0.00	4315
16:26:27	8445	1858	279	0.00	4315
16:26:28	8445	1858	279	0.00	4315
16:26:29	8445	1858	279	0.00	4315
16:26:30	8445	1858	279	0.00	4315
16:26:31	8445	1858	279	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:26:32	8445	1858	279	0.00	4315
16:26:33	8445	1858	279	0.00	4315
16:26:34	8445	1858	279	0.00	4315
16:26:35	8445	1858	279	0.00	4315
16:26:36	8445	1858	278	0.00	4315
16:26:37	8445	1858	278	0.00	4315
16:26:38	8445	1858	278	0.00	4315
16:26:39	8445	1858	279	0.00	4315
16:26:40	8445	1858	279	0.00	4315
16:26:41	8445	1858	279	0.00	4315
16:26:42	8445	1858	279	0.00	4315
16:26:43	8445	1858	279	0.00	4315
16:26:44	8445	1858	279	0.00	4315
16:26:45	8445	1858	279	0.00	4315
16:26:46	8445	1858	279	0.00	4315
16:26:47	8445	1858	279	0.00	4315
16:26:48	8445	1858	279	0.00	4315
16:26:49	8445	1858	279	0.00	4315
16:26:50	8445	1858	279	0.00	4315
16:26:51	8444	1858	279	0.00	4315
16:26:52	8444	1858	279	0.00	4315
16:26:53	8444	1858	279	0.00	4315
16:26:54	8444	1858	279	0.00	4315
16:26:55	8444	1858	279	0.00	4315
16:26:56	8444	1858	279	0.00	4315
16:26:57	8444	1858	279	0.00	4315
16:26:58	8444	1858	279	0.00	4315
16:26:59	8444	1858	279	0.00	4315
16:27:00	8444	1858	279	0.00	4315
16:27:01	8444	1858	279	0.00	4315
16:27:02	8444	1858	279	0.00	4315
16:27:03	8444	1858	279	0.00	4315
16:27:04	8444	1858	279	0.00	4315
16:27:05	8444	1858	279	0.00	4315
16:27:06	8444	1858	279	0.00	4315
16:27:07	8444	1858	279	0.00	4315
16:27:08	8444	1858	279	0.00	4315
16:27:09	8444	1858	279	0.00	4315
16:27:10	8444	1858	279	0.00	4315
16:27:11	8444	1858	279	0.00	4315
16:27:12	8443	1858	279	0.00	4315
16:27:13	8443	1858	279	0.00	4315
16:27:14	8443	1858	279	0.00	4315
16:27:15	8443	1858	279	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:27:16	8443	1858	279	0.00	4315
16:27:17	8443	1858	279	0.00	4315
16:27:18	8443	1858	279	0.00	4315
16:27:19	8443	1858	279	0.00	4315
16:27:20	8443	1858	279	0.00	4315
16:27:21	8443	1858	279	0.00	4315
16:27:22	8443	1858	279	0.00	4315
16:27:23	8443	1858	279	0.00	4315
16:27:24	8443	1858	279	0.00	4315
16:27:25	8443	1858	279	0.00	4315
16:27:26	8443	1858	279	0.00	4315
16:27:27	8443	1858	279	0.00	4315
16:27:28	8443	1858	279	0.00	4315
16:27:29	8443	1858	279	0.00	4315
16:27:30	8443	1858	279	0.00	4315
16:27:31	8443	1858	279	0.00	4315
16:27:32	8443	1858	279	0.00	4315
16:27:33	8443	1858	279	0.00	4315
16:27:34	8443	1858	279	0.00	4315
16:27:35	8443	1858	279	0.00	4315
16:27:36	8443	1858	279	0.00	4315
16:27:37	8443	1858	279	0.00	4315
16:27:38	8443	1858	279	0.00	4315
16:27:39	8443	1858	279	0.00	4315
16:27:40	8443	1858	279	0.00	4315
16:27:41	8443	1858	279	0.00	4315
16:27:42	8443	1858	279	0.00	4315
16:27:43	8443	1858	279	0.00	4315
16:27:44	8443	1858	279	0.00	4315
16:27:45	8443	1858	279	0.00	4315
16:27:46	8442	1858	279	0.00	4315
16:27:47	8442	1858	279	0.00	4315
16:27:48	8442	1858	279	0.00	4315
16:27:49	8442	1858	279	0.00	4315
16:27:50	8442	1858	279	0.00	4315
16:27:51	8442	1858	279	0.00	4315
16:27:52	8442	1858	279	0.00	4315
16:27:53	8442	1858	279	0.00	4315
16:27:54	8442	1858	279	0.00	4315
16:27:55	8442	1858	279	0.00	4315
16:27:56	8442	1858	279	0.00	4315
16:27:57	8442	1858	279	0.00	4315
16:27:58	8442	1858	279	0.00	4315
16:27:59	8442	1858	279	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:28:00	8442	1858	279	0.00	4315
16:28:01	8442	1858	279	0.00	4315
16:28:02	8442	1858	279	0.00	4315
16:28:03	8442	1858	279	0.00	4315
16:28:04	8441	1858	279	0.00	4315
16:28:05	8441	1858	279	0.00	4315
16:28:06	8441	1858	279	0.00	4315
16:28:07	8441	1858	279	0.00	4315
16:28:08	8441	1858	279	0.00	4315
16:28:09	8441	1858	279	0.00	4315
16:28:10	8441	1858	279	0.00	4315
16:28:11	8441	1858	279	0.00	4315
16:28:12	8441	1858	279	0.00	4315
16:28:13	8441	1858	279	0.00	4315
16:28:14	8441	1858	279	0.00	4315
16:28:15	8441	1858	279	0.00	4315
16:28:16	8441	1858	279	0.00	4315
16:28:17	8441	1858	279	0.00	4315
16:28:18	8441	1858	279	0.00	4315
16:28:19	8441	1858	279	0.00	4315
16:28:20	8441	1858	279	0.00	4315
16:28:21	8441	1858	279	0.00	4315
16:28:22	8441	1858	279	0.00	4315
16:28:23	8441	1858	279	0.00	4315
16:28:24	8441	1858	279	0.00	4315
16:28:25	8441	1858	279	0.00	4315
16:28:26	8441	1858	279	0.00	4315
16:28:27	8441	1858	279	0.00	4315
16:28:28	8441	1858	279	0.00	4315
16:28:29	8441	1858	279	0.00	4315
16:28:30	8441	1858	279	0.00	4315
16:28:31	8441	1858	279	0.00	4315
16:28:32	8441	1858	279	0.00	4315
16:28:33	8441	1858	279	0.00	4315
16:28:34	8440	1858	279	0.00	4315
16:28:35	8440	1858	279	0.00	4315
16:28:36	8440	1858	279	0.00	4315
16:28:37	8440	1858	279	0.00	4315
16:28:38	8440	1858	279	0.00	4315
16:28:39	8440	1858	279	0.00	4315
16:28:40	8440	1858	279	0.00	4315
16:28:41	8440	1858	279	0.00	4315
16:28:42	8440	1858	279	0.00	4315
16:28:43	8440	1858	279	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:28:44	8440	1858	279	0.00	4315
16:28:45	8440	1858	279	0.00	4315
16:28:46	8440	1858	279	0.00	4315
16:28:47	8440	1858	279	0.00	4315
16:28:48	8440	1858	279	0.00	4315
16:28:49	8440	1858	279	0.00	4315
16:28:50	8440	1858	279	0.00	4315
16:28:51	8440	1858	279	0.00	4315
16:28:52	8440	1858	279	0.00	4315
16:28:53	8440	1858	279	0.00	4315
16:28:54	8440	1858	279	0.00	4315
16:28:55	8440	1858	279	0.00	4315
16:28:56	8440	1858	279	0.00	4315
16:28:57	8440	1858	279	0.00	4315
16:28:58	8439	1858	279	0.00	4315
16:28:59	8439	1858	279	0.00	4315
16:29:00	8439	1858	279	0.00	4315
16:29:01	8439	1858	279	0.00	4315
16:29:02	8439	1858	279	0.00	4315
16:29:03	8439	1858	279	0.00	4315
16:29:04	8439	1858	279	0.00	4315
16:29:05	8439	1858	279	0.00	4315
16:29:06	8439	1858	279	0.00	4315
16:29:07	8439	1858	279	0.00	4315
16:29:08	8439	1858	279	0.00	4315
16:29:09	8439	1858	279	0.00	4315
16:29:10	8439	1858	279	0.00	4315
16:29:11	8439	1858	279	0.00	4315
16:29:12	8439	1858	279	0.00	4315
16:29:13	8439	1858	279	0.00	4315
16:29:14	8439	1858	279	0.00	4315
16:29:15	8439	1858	279	0.00	4315
16:29:16	8439	1858	279	0.00	4315
16:29:17	8439	1858	279	0.00	4315
16:29:18	8438	1858	279	0.00	4315
16:29:19	8438	1858	279	0.00	4315
16:29:20	8438	1858	279	0.00	4315
16:29:21	8438	1858	279	0.00	4315
16:29:22	8438	1858	279	0.00	4315
16:29:23	8438	1858	279	0.00	4315
16:29:24	8438	1858	279	0.00	4315
16:29:25	8438	1858	279	0.00	4315
16:29:26	8438	1858	279	0.00	4315
16:29:27	8438	1858	279	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:29:28	8438	1858	279	0.00	4315
16:29:29	8438	1858	279	0.00	4315
16:29:30	8438	1858	279	0.00	4315
16:29:31	8438	1858	279	0.00	4315
16:29:32	8438	1858	279	0.00	4315
16:29:33	8438	1858	279	0.00	4315
16:29:34	8438	1858	279	0.00	4315
16:29:35	8438	1858	279	0.00	4315
16:29:36	8438	1858	279	0.00	4315
16:29:37	8438	1858	279	0.00	4315
16:29:38	8438	1858	279	0.00	4315
16:29:39	8438	1858	279	0.00	4315
16:29:40	8438	1858	279	0.00	4315
16:29:41	8438	1858	279	0.00	4315
16:29:42	8438	1858	279	0.00	4315
16:29:43	8438	1858	279	0.00	4315
16:29:44	8438	1858	279	0.00	4315
16:29:45	8438	1858	279	0.00	4315
16:29:46	8438	1858	279	0.00	4315
16:29:47	8438	1858	279	0.00	4315
16:29:48	8437	1858	279	0.00	4315
16:29:49	8437	1858	279	0.00	4315
16:29:50	8437	1858	279	0.00	4315
16:29:51	8437	1858	279	0.00	4315
16:29:52	8437	1858	279	0.00	4315
16:29:53	8437	1858	279	0.00	4315
16:29:54	8437	1858	279	0.00	4315
16:29:55	8437	1858	279	0.00	4315
16:29:56	8437	1858	279	0.00	4315
16:29:57	8437	1858	279	0.00	4315
16:29:58	8437	1858	279	0.00	4315
16:29:59	8437	1858	279	0.00	4315
16:30:00	8437	1858	279	0.00	4315
16:30:01	8437	1858	279	0.00	4315
16:30:02	8437	1858	279	0.00	4315
16:30:03	8437	1858	279	0.00	4315
16:30:04	8437	1858	279	0.00	4315
16:30:05	8437	1858	279	0.00	4315
16:30:06	8437	1858	279	0.00	4315
16:30:07	8437	1858	279	0.00	4315
16:30:08	8436	1858	279	0.00	4315
16:30:09	8436	1858	279	0.00	4315
16:30:10	8436	1858	279	0.00	4315
16:30:11	8436	1858	279	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:30:12	8436	1858	279	0.00	4315
16:30:13	8436	1858	279	0.00	4315
16:30:14	8436	1858	279	0.00	4315
16:30:15	8436	1858	279	0.00	4315
16:30:16	8436	1858	279	0.00	4315
16:30:17	8436	1858	279	0.00	4315
16:30:18	8436	1858	279	0.00	4315
16:30:19	8436	1858	279	0.00	4315
16:30:20	8436	1858	279	0.00	4315
16:30:21	8436	1858	279	0.00	4315
16:30:22	8436	1858	279	0.00	4315
16:30:23	8436	1858	279	0.00	4315
16:30:24	8436	1858	279	0.00	4315
16:30:25	8436	1858	279	0.00	4315
16:30:26	8436	1858	279	0.00	4315
16:30:27	8436	1858	279	0.00	4315
16:30:28	8436	1858	279	0.00	4315
16:30:29	8436	1858	279	0.00	4315
16:30:30	8436	1858	279	0.00	4315
16:30:31	8436	1858	279	0.00	4315
16:30:32	8436	1858	279	0.00	4315
16:30:33	8436	1858	279	0.00	4315
16:30:34	8436	1858	279	0.00	4315
16:30:35	8435	1858	279	0.00	4315
16:30:36	8435	1858	279	0.00	4315
16:30:37	8435	1858	279	0.00	4315
16:30:38	8435	1858	279	0.00	4315
16:30:39	8435	1858	279	0.00	4315
16:30:40	8435	1858	279	0.00	4315
16:30:41	8435	1858	279	0.00	4315
16:30:42	8435	1858	279	0.00	4315
16:30:43	8435	1858	279	0.00	4315
16:30:44	8435	1858	279	0.00	4315
16:30:45	8435	1858	279	0.00	4315
16:30:46	8435	1858	279	0.00	4315
16:30:47	8435	1858	279	0.00	4315
16:30:48	8435	1858	279	0.00	4315
16:30:49	8435	1858	279	0.00	4315
16:30:50	8435	1858	279	0.00	4315
16:30:51	8435	1858	279	0.00	4315
16:30:52	8435	1858	279	0.00	4315
16:30:53	8435	1858	279	0.00	4315
16:30:54	8435	1858	279	0.00	4315
16:30:55	8435	1858	279	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:30:56	8435	1858	279	0.00	4315
16:30:57	8435	1858	279	0.00	4315
16:30:58	8435	1858	279	0.00	4315
16:30:59	8435	1858	279	0.00	4315
16:31:00	8435	1858	279	0.00	4315
16:31:01	8435	1858	279	0.00	4315
16:31:02	8435	1858	279	0.00	4315
16:31:03	8435	1858	279	0.00	4315
16:31:04	8435	1858	279	0.00	4315
16:31:05	8435	1858	279	0.00	4315
16:31:06	8435	1858	279	0.00	4315
16:31:07	8435	1858	279	0.00	4315
16:31:08	8435	1858	279	0.00	4315
16:31:09	8435	1858	279	0.00	4315
16:31:10	8435	1858	279	0.00	4315
16:31:11	8435	1858	279	0.00	4315
16:31:12	8435	1858	279	0.00	4315
16:31:13	8435	1858	279	0.00	4315
16:31:14	8435	1858	279	0.00	4315
16:31:15	8435	1858	279	0.00	4315
16:31:16	8435	1858	279	0.00	4315
16:31:17	8435	1858	279	0.00	4315
16:31:18	8435	1858	279	0.00	4315
16:31:19	8435	1858	279	0.00	4315
16:31:20	8435	1858	279	0.00	4315
16:31:21	8435	1858	279	0.00	4315
16:31:22	8435	1858	279	0.00	4315
16:31:23	8435	1858	279	0.00	4315
16:31:24	8435	1858	279	0.00	4315
16:31:25	8434	1858	279	0.00	4315
16:31:26	8434	1858	279	0.00	4315
16:31:27	8434	1858	279	0.00	4315
16:31:28	8434	1858	279	0.00	4315
16:31:29	8434	1858	280	0.00	4315
16:31:30	8434	1858	280	0.00	4315
16:31:31	8434	1858	280	0.00	4315
16:31:32	8434	1858	280	0.00	4315
16:31:33	8434	1858	280	0.00	4315
16:31:34	8434	1858	280	0.00	4315
16:31:35	8434	1858	280	0.00	4315
16:31:36	8434	1858	280	0.00	4315
16:31:37	8434	1858	279	0.00	4315
16:31:38	8434	1858	279	0.00	4315
16:31:39	8434	1858	279	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:31:40	8434	1858	280	0.00	4315
16:31:41	8434	1858	280	0.00	4315
16:31:42	8434	1858	280	0.00	4315
16:31:43	8433	1858	280	0.00	4315
16:31:44	8433	1858	280	0.00	4315
16:31:45	8433	1858	280	0.00	4315
16:31:46	8433	1858	280	0.00	4315
16:31:47	8433	1858	280	0.00	4315
16:31:48	8433	1858	280	0.00	4315
16:31:49	8433	1858	280	0.00	4315
16:31:50	8433	1858	280	0.00	4315
16:31:51	8433	1858	279	0.00	4315
16:31:52	8433	1858	279	0.00	4315
16:31:53	8433	1858	280	0.00	4315
16:31:54	8433	1858	280	0.00	4315
16:31:55	8433	1858	280	0.00	4315
16:31:56	8433	1858	280	0.00	4315
16:31:57	8433	1858	280	0.00	4315
16:31:58	8433	1858	280	0.00	4315
16:31:59	8433	1858	280	0.00	4315
16:32:00	8433	1858	280	0.00	4315
16:32:01	8433	1858	280	0.00	4315
16:32:02	8433	1858	280	0.00	4315
16:32:03	8433	1858	280	0.00	4315
16:32:04	8433	1858	280	0.00	4315
16:32:05	8433	1858	280	0.00	4315
16:32:06	8433	1858	280	0.00	4315
16:32:07	8433	1858	280	0.00	4315
16:32:08	8433	1858	279	0.00	4315
16:32:09	8433	1858	279	0.00	4315
16:32:10	8433	1858	279	0.00	4315
16:32:11	8433	1858	279	0.00	4315
16:32:12	8433	1858	279	0.00	4315
16:32:13	8433	1858	279	0.00	4315
16:32:14	8433	1858	279	0.00	4315
16:32:15	8433	1858	279	0.00	4315
16:32:16	8433	1858	279	0.00	4315
16:32:17	8433	1858	279	0.00	4315
16:32:18	8433	1858	279	0.00	4315
16:32:19	8432	1858	279	0.00	4315
16:32:20	8432	1858	279	0.00	4315
16:32:21	8432	1858	279	0.00	4315
16:32:22	8432	1858	279	0.00	4315
16:32:23	8432	1858	279	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:32:24	8432	1858	279	0.00	4315
16:32:25	8432	1858	279	0.00	4315
16:32:26	8432	1858	279	0.00	4315
16:32:27	8432	1858	279	0.00	4315
16:32:28	8432	1858	279	0.00	4315
16:32:29	8432	1858	279	0.00	4315
16:32:30	8432	1858	279	0.00	4315
16:32:31	8432	1858	279	0.00	4315
16:32:32	8432	1858	279	0.00	4315
16:32:33	8432	1858	279	0.00	4315
16:32:34	8432	1858	279	0.00	4315
16:32:35	8432	1858	279	0.00	4315
16:32:36	8432	1858	280	0.00	4315
16:32:37	8432	1858	280	0.00	4315
16:32:38	8431	1858	280	0.00	4315
16:32:39	8431	1858	280	0.00	4315
16:32:40	8431	1858	280	0.00	4315
16:32:41	8431	1858	280	0.00	4315
16:32:42	8431	1858	280	0.00	4315
16:32:43	8431	1858	280	0.00	4315
16:32:44	8431	1858	279	0.00	4315
16:32:45	8431	1858	279	0.00	4315
16:32:46	8431	1858	279	0.00	4315
16:32:47	8431	1858	279	0.00	4315
16:32:48	8431	1858	280	0.00	4315
16:32:49	8431	1858	280	0.00	4315
16:32:50	8431	1858	280	0.00	4315
16:32:51	8431	1858	280	0.00	4315
16:32:52	8431	1858	280	0.00	4315
16:32:53	8431	1858	280	0.00	4315
16:32:54	8431	1858	280	0.00	4315
16:32:55	8431	1858	280	0.00	4315
16:32:56	8431	1858	280	0.00	4315
16:32:57	8431	1858	280	0.00	4315
16:32:58	8431	1858	280	0.00	4315
16:32:59	8431	1858	280	0.00	4315
16:33:00	8431	1858	280	0.00	4315
16:33:01	8431	1858	280	0.00	4315
16:33:02	8431	1858	280	0.00	4315
16:33:03	8431	1858	280	0.00	4315
16:33:04	8430	1858	280	0.00	4315
16:33:05	8430	1858	280	0.00	4315
16:33:06	8430	1858	279	0.00	4315
16:33:07	8430	1858	280	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:33:08	8430	1858	280	0.00	4315
16:33:09	8430	1858	280	0.00	4315
16:33:10	8430	1858	280	0.00	4315
16:33:11	8430	1858	279	0.00	4315
16:33:12	8430	1858	280	0.00	4315
16:33:13	8430	1858	280	0.00	4315
16:33:14	8430	1858	280	0.00	4315
16:33:15	8430	1858	280	0.00	4315
16:33:16	8430	1858	280	0.00	4315
16:33:17	8430	1858	280	0.00	4315
16:33:18	8430	1858	280	0.00	4315
16:33:19	8430	1858	280	0.00	4315
16:33:20	8430	1858	280	0.00	4315
16:33:21	8430	1858	280	0.00	4315
16:33:22	8430	1858	280	0.00	4315
16:33:23	8430	1858	280	0.00	4315
16:33:24	8430	1858	280	0.00	4315
16:33:25	8430	1858	280	0.00	4315
16:33:26	8430	1858	280	0.00	4315
16:33:27	8430	1858	280	0.00	4315
16:33:28	8430	1858	280	0.00	4315
16:33:29	8430	1858	280	0.00	4315
16:33:30	8430	1858	280	0.00	4315
16:33:31	8430	1858	280	0.00	4315
16:33:32	8430	1858	280	0.00	4315
16:33:33	8430	1858	280	0.00	4315
16:33:34	8430	1859	280	0.00	4315
16:33:35	8430	1859	280	0.00	4315
16:33:36	8430	1859	280	0.00	4315
16:33:37	8429	1859	280	0.00	4315
16:33:38	8429	1859	280	0.00	4315
16:33:39	8429	1859	280	0.00	4315
16:33:40	8429	1859	280	0.00	4315
16:33:41	8429	1859	280	0.00	4315
16:33:42	8429	1859	280	0.00	4315
16:33:43	8429	1859	280	0.00	4315
16:33:44	8429	1859	280	0.00	4315
16:33:45	8429	1859	280	0.00	4315
16:33:46	8429	1859	280	0.00	4315
16:33:47	8429	1859	280	0.00	4315
16:33:48	8429	1859	280	0.00	4315
16:33:49	8429	1859	280	0.00	4315
16:33:50	8429	1859	280	0.00	4315
16:33:51	8429	1859	280	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:33:52	8429	1859	280	0.00	4315
16:33:53	8429	1859	280	0.00	4315
16:33:54	8429	1859	280	0.00	4315
16:33:55	8429	1859	280	0.00	4315
16:33:56	8429	1859	280	0.00	4315
16:33:57	8429	1859	280	0.00	4315
16:33:58	8428	1859	280	0.00	4315
16:33:59	8428	1859	280	0.00	4315
16:34:00	8428	1859	280	0.00	4315
16:34:01	8428	1859	280	0.00	4315
16:34:02	8428	1859	280	0.00	4315
16:34:03	8428	1859	280	0.00	4315
16:34:04	8428	1859	280	0.00	4315
16:34:05	8428	1859	280	0.00	4315
16:34:06	8428	1859	280	0.00	4315
16:34:07	8428	1859	280	0.00	4315
16:34:08	8428	1859	280	0.00	4315
16:34:09	8428	1859	280	0.00	4315
16:34:10	8428	1859	280	0.00	4315
16:34:11	8428	1859	280	0.00	4315
16:34:12	8428	1859	280	0.00	4315
16:34:13	8428	1859	280	0.00	4315
16:34:14	8428	1859	280	0.00	4315
16:34:15	8428	1859	280	0.00	4315
16:34:16	8428	1859	280	0.00	4315
16:34:17	8428	1859	280	0.00	4315
16:34:18	8428	1859	280	0.00	4315
16:34:19	8428	1859	280	0.00	4315
16:34:20	8428	1859	280	0.00	4315
16:34:21	8428	1859	280	0.00	4315
16:34:22	8428	1859	280	0.00	4315
16:34:23	8428	1859	280	0.00	4315
16:34:24	8428	1859	280	0.00	4315
16:34:25	8428	1860	280	0.00	4315
16:34:26	8428	1860	280	0.00	4315
16:34:27	8428	1860	280	0.00	4315
16:34:28	8428	1860	280	0.00	4315
16:34:29	8428	1860	280	0.00	4315
16:34:30	8428	1860	280	0.00	4315
16:34:31	8428	1860	280	0.00	4315
16:34:32	8428	1860	280	0.00	4315
16:34:33	8428	1860	280	0.00	4315
16:34:34	8428	1860	280	0.00	4315
16:34:35	8428	1860	280	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:34:36	8428	1860	280	0.00	4315
16:34:37	8428	1860	280	0.00	4315
16:34:38	8428	1860	280	0.00	4315
16:34:39	8428	1860	280	0.00	4315
16:34:40	8428	1860	280	0.00	4315
16:34:41	8428	1860	280	0.00	4315
16:34:42	8428	1860	280	0.00	4315
16:34:43	8428	1860	280	0.00	4315
16:34:44	8428	1860	280	0.00	4315
16:34:45	8428	1860	280	0.00	4315
16:34:46	8428	1860	280	0.00	4315
16:34:47	8428	1860	280	0.00	4315
16:34:48	8428	1860	280	0.00	4315
16:34:49	8428	1860	280	0.00	4315
16:34:50	8428	1860	280	0.00	4315
16:34:51	8428	1860	280	0.00	4315
16:34:52	8428	1860	280	0.00	4315
16:34:53	8428	1860	280	0.00	4315
16:34:54	8427	1860	280	0.00	4315
16:34:55	8427	1860	280	0.00	4315
16:34:56	8427	1860	280	0.00	4315
16:34:57	8427	1860	280	0.00	4315
16:34:58	8427	1860	280	0.00	4315
16:34:59	8427	1860	280	0.00	4315
16:35:00	8427	1860	280	0.00	4315
16:35:01	8427	1860	280	0.00	4315
16:35:02	8427	1860	280	0.00	4315
16:35:03	8427	1860	280	0.00	4315
16:35:04	8427	1860	280	0.00	4315
16:35:05	8427	1860	280	0.00	4315
16:35:06	8427	1860	280	0.00	4315
16:35:07	8427	1860	280	0.00	4315
16:35:08	8427	1860	280	0.00	4315
16:35:09	8427	1860	280	0.00	4315
16:35:10	8427	1860	280	0.00	4315
16:35:11	8427	1860	280	0.00	4315
16:35:12	8427	1860	280	0.00	4315
16:35:13	8427	1860	280	0.00	4315
16:35:14	8427	1860	280	0.00	4315
16:35:15	8427	1860	280	0.00	4315
16:35:16	8427	1860	280	0.00	4315
16:35:17	8426	1860	280	0.00	4315
16:35:18	8426	1860	280	0.00	4315
16:35:19	8426	1860	280	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:35:20	8426	1860	280	0.00	4315
16:35:21	8426	1860	280	0.00	4315
16:35:22	8426	1860	280	0.00	4315
16:35:23	8426	1860	280	0.00	4315
16:35:24	8426	1860	280	0.00	4315
16:35:25	8426	1860	280	0.00	4315
16:35:26	8426	1860	280	0.00	4315
16:35:27	8426	1860	280	0.00	4315
16:35:28	8426	1860	280	0.00	4315
16:35:29	8426	1860	280	0.00	4315
16:35:30	8426	1860	280	0.00	4315
16:35:31	8426	1860	280	0.00	4315
16:35:32	8426	1860	280	0.00	4315
16:35:33	8426	1860	280	0.00	4315
16:35:34	8426	1860	280	0.00	4315
16:35:35	8426	1860	280	0.00	4315
16:35:36	8426	1860	280	0.00	4315
16:35:37	8426	1860	280	0.00	4315
16:35:38	8426	1860	280	0.00	4315
16:35:39	8426	1860	280	0.00	4315
16:35:40	8426	1860	280	0.00	4315
16:35:41	8426	1860	280	0.00	4315
16:35:42	8426	1860	280	0.00	4315
16:35:43	8426	1860	280	0.00	4315
16:35:44	8426	1860	280	0.00	4315
16:35:45	8425	1860	280	0.00	4315
16:35:46	8425	1860	280	0.00	4315
16:35:47	8425	1860	280	0.00	4315
16:35:48	8425	1860	280	0.00	4315
16:35:49	8425	1860	280	0.00	4315
16:35:50	8425	1860	280	0.00	4315
16:35:51	8425	1860	280	0.00	4315
16:35:52	8425	1860	280	0.00	4315
16:35:53	8425	1860	280	0.00	4315
16:35:54	8425	1860	280	0.00	4315
16:35:55	8425	1860	280	0.00	4315
16:35:56	8425	1860	280	0.00	4315
16:35:57	8425	1860	280	0.00	4315
16:35:58	8425	1860	280	0.00	4315
16:35:59	8425	1860	280	0.00	4315
16:36:00	8425	1860	280	0.00	4315
16:36:01	8425	1860	280	0.00	4315
16:36:02	8425	1860	280	0.00	4315
16:36:03	8425	1860	280	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:36:04	8425	1860	280	0.00	4315
16:36:05	8425	1860	280	0.00	4315
16:36:06	8425	1860	280	0.00	4315
16:36:07	8425	1860	280	0.00	4315
16:36:08	8425	1860	280	0.00	4315
16:36:09	8425	1860	280	0.00	4315
16:36:10	8425	1860	280	0.00	4315
16:36:11	8425	1860	280	0.00	4315
16:36:12	8425	1860	280	0.00	4315
16:36:13	8425	1860	280	0.00	4315
16:36:14	8425	1860	280	0.00	4315
16:36:15	8425	1860	280	0.00	4315
16:36:16	8425	1860	280	0.00	4315
16:36:17	8425	1860	280	0.00	4315
16:36:18	8425	1860	280	0.00	4315
16:36:19	8425	1860	280	0.00	4315
16:36:20	8425	1860	280	0.00	4315
16:36:21	8424	1860	280	0.00	4315
16:36:22	8424	1860	280	0.00	4315
16:36:23	8424	1860	280	0.00	4315
16:36:24	8424	1860	280	0.00	4315
16:36:25	8424	1860	280	0.00	4315
16:36:26	8424	1860	280	0.00	4315
16:36:27	8424	1860	280	0.00	4315
16:36:28	8424	1860	280	0.00	4315
16:36:29	8424	1860	280	0.00	4315
16:36:30	8424	1860	280	0.00	4315
16:36:31	8424	1860	280	0.00	4315
16:36:32	8424	1860	280	0.00	4315
16:36:33	8424	1860	280	0.00	4315
16:36:34	8424	1860	280	0.00	4315
16:36:35	8424	1860	280	0.00	4315
16:36:36	8424	1860	280	0.00	4315
16:36:37	8424	1860	280	0.00	4315
16:36:38	8424	1860	280	0.00	4315
16:36:39	8424	1860	280	0.00	4315
16:36:40	8423	1860	280	0.00	4315
16:36:41	8423	1860	280	0.00	4315
16:36:42	8423	1860	280	0.00	4315
16:36:43	8423	1860	280	0.00	4315
16:36:44	8423	1860	280	0.00	4315
16:36:45	8423	1860	280	0.00	4315
16:36:46	8423	1860	280	0.00	4315
16:36:47	8423	1860	280	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:36:48	8423	1860	280	0.00	4315
16:36:49	8423	1860	280	0.00	4315
16:36:50	8423	1860	280	0.00	4315
16:36:51	8423	1860	280	0.00	4315
16:36:52	8423	1860	280	0.00	4315
16:36:53	8423	1860	280	0.00	4315
16:36:54	8423	1860	280	0.00	4315
16:36:55	8423	1860	280	0.00	4315
16:36:56	8423	1860	280	0.00	4315
16:36:57	8423	1860	280	0.00	4315
16:36:58	8423	1860	280	0.00	4315
16:36:59	8423	1860	280	0.00	4315
16:37:00	8423	1860	280	0.00	4315
16:37:01	8423	1860	280	0.00	4315
16:37:02	8423	1860	280	0.00	4315
16:37:03	8423	1860	280	0.00	4315
16:37:04	8423	1860	280	0.00	4315
16:37:05	8423	1860	280	0.00	4315
16:37:06	8423	1860	281	0.00	4315
16:37:07	8423	1860	281	0.00	4315
16:37:08	8423	1860	281	0.00	4315
16:37:09	8423	1860	280	0.00	4315
16:37:10	8423	1860	280	0.00	4315
16:37:11	8423	1860	280	0.00	4315
16:37:12	8423	1860	280	0.00	4315
16:37:13	8423	1860	280	0.00	4315
16:37:14	8423	1860	280	0.00	4315
16:37:15	8423	1860	280	0.00	4315
16:37:16	8423	1860	280	0.00	4315
16:37:17	8423	1860	280	0.00	4315
16:37:18	8423	1860	280	0.00	4315
16:37:19	8423	1860	280	0.00	4315
16:37:20	8423	1860	280	0.00	4315
16:37:21	8423	1860	280	0.00	4315
16:37:22	8423	1860	280	0.00	4315
16:37:23	8423	1860	280	0.00	4315
16:37:24	8423	1860	281	0.00	4315
16:37:25	8423	1860	281	0.00	4315
16:37:26	8422	1860	281	0.00	4315
16:37:27	8422	1860	280	0.00	4315
16:37:28	8422	1860	281	0.00	4315
16:37:29	8422	1860	281	0.00	4315
16:37:30	8422	1860	280	0.00	4315
16:37:31	8422	1860	281	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
16:37:32	8422	1860	281	0.00	4315
16:37:33	8422	1860	281	0.00	4315
16:37:34	8422	1860	281	0.00	4315
16:37:35	8422	1860	281	0.00	4315
16:37:36	8422	1860	281	0.00	4315
16:37:37	8422	1860	281	0.00	4315
16:37:38	8422	1860	281	0.00	4315
16:37:39	8422	1860	281	0.00	4315
16:37:40	8422	1860	281	0.00	4315
16:37:41	8422	1860	281	0.00	4315
16:37:42	8422	1860	281	0.00	4315
16:37:43	8422	1860	281	0.00	4315
16:37:44	8422	1860	281	0.00	4315
16:37:45	8422	1860	281	0.00	4315
16:37:46	8422	1860	281	0.00	4315
16:37:47	8422	1860	281	0.00	4315
16:37:48	8421	1860	281	0.00	4315
16:37:49	8421	1860	281	0.00	4315
16:37:50	8421	1860	281	0.00	4315
16:37:51	8421	1860	281	0.00	4315
16:37:52	8421	1860	281	0.00	4315
16:37:53	8421	1860	281	0.00	4315
16:37:54	8421	1860	281	0.00	4315
16:37:55	8421	1860	281	0.00	4315
16:37:56	8421	1860	281	0.00	4315
16:37:57	8421	1860	281	0.00	4315
16:37:58	8421	1860	281	0.00	4315
16:37:59	8421	1860	281	0.00	4315
16:38:00	8421	1860	281	0.00	4315
16:38:01	8421	1860	281	0.00	4315
16:38:02	8421	1860	281	0.00	4315
16:38:03	8421	1860	281	0.00	4315
16:38:04	8421	1860	281	0.00	4315
16:38:05	8421	1860	281	0.00	4315
16:38:06	8421	1860	281	0.00	4315
16:38:07	8421	1860	281	0.00	4315
16:38:08	8421	1860	281	0.00	4315
16:38:09	8421	1860	281	0.00	4315
16:38:10	8421	1860	281	0.00	4315
16:38:11	8421	1860	281	0.00	4315
16:38:12	8421	1860	281	0.00	4315
16:38:13	8421	1860	281	0.00	4315
16:38:14	8421	1860	281	0.00	4315
16:38:15	8421	1860	281	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:38:16	8421	1860	281	0.00	4315
16:38:17	8421	1860	281	0.00	4315
16:38:18	8420	1860	281	0.00	4315
16:38:19	8420	1860	281	0.00	4315
16:38:20	8420	1860	281	0.00	4315
16:38:21	8420	1860	281	0.00	4315
16:38:22	8420	1860	281	0.00	4315
16:38:23	8420	1860	281	0.00	4315
16:38:24	8420	1860	280	0.00	4315
16:38:25	8420	1860	280	0.00	4315
16:38:26	8420	1860	280	0.00	4315
16:38:27	8420	1860	280	0.00	4315
16:38:28	8420	1860	280	0.00	4315
16:38:29	8420	1860	280	0.00	4315
16:38:30	8420	1860	280	0.00	4315
16:38:31	8420	1860	280	0.00	4315
16:38:32	8420	1860	280	0.00	4315
16:38:33	8420	1860	280	0.00	4315
16:38:34	8420	1860	280	0.00	4315
16:38:35	8420	1861	280	0.00	4315
16:38:36	8420	1861	280	0.00	4315
16:38:37	8420	1861	280	0.00	4315
16:38:38	8420	1861	280	0.00	4315
16:38:39	8420	1861	281	0.00	4315
16:38:40	8420	1861	281	0.00	4315
16:38:41	8420	1860	281	0.00	4315
16:38:42	8420	1860	281	0.00	4315
16:38:43	8420	1861	281	0.00	4315
16:38:44	8420	1861	281	0.00	4315
16:38:45	8420	1861	281	0.00	4315
16:38:46	8420	1861	281	0.00	4315
16:38:47	8420	1861	281	0.00	4315
16:38:48	8420	1861	281	0.00	4315
16:38:49	8420	1861	281	0.00	4315
16:38:50	8420	1861	281	0.00	4315
16:38:51	8420	1861	281	0.00	4315
16:38:52	8420	1861	281	0.00	4315
16:38:53	8420	1861	281	0.00	4315
16:38:54	8420	1861	280	0.00	4315
16:38:55	8420	1861	280	0.00	4315
16:38:56	8419	1861	281	0.00	4315
16:38:57	8419	1861	281	0.00	4315
16:38:58	8419	1861	281	0.00	4315
16:38:59	8419	1861	281	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:39:00	8419	1861	281	0.00	4315
16:39:01	8419	1861	281	0.00	4315
16:39:02	8419	1861	281	0.00	4315
16:39:03	8419	1861	281	0.00	4315
16:39:04	8419	1861	281	0.00	4315
16:39:05	8419	1861	281	0.00	4315
16:39:06	8419	1861	281	0.00	4315
16:39:07	8419	1861	281	0.00	4315
16:39:08	8419	1861	281	0.00	4315
16:39:09	8419	1861	281	0.00	4315
16:39:10	8419	1861	281	0.00	4315
16:39:11	8419	1861	281	0.00	4315
16:39:12	8419	1861	281	0.00	4315
16:39:13	8419	1861	281	0.00	4315
16:39:14	8419	1861	281	0.00	4315
16:39:15	8419	1861	281	0.00	4315
16:39:16	8419	1861	281	0.00	4315
16:39:17	8418	1861	281	0.00	4315
16:39:18	8418	1861	281	0.00	4315
16:39:19	8418	1861	281	0.00	4315
16:39:20	8418	1861	281	0.00	4315
16:39:21	8418	1861	281	0.00	4315
16:39:22	8418	1861	281	0.00	4315
16:39:23	8418	1861	281	0.00	4315
16:39:24	8418	1861	281	0.00	4315
16:39:25	8418	1861	281	0.00	4315
16:39:26	8418	1861	281	0.00	4315
16:39:27	8418	1861	281	0.00	4315
16:39:28	8418	1861	281	0.00	4315
16:39:29	8418	1861	281	0.00	4315
16:39:30	8418	1861	281	0.00	4315
16:39:31	8418	1861	281	0.00	4315
16:39:32	8418	1861	281	0.00	4315
16:39:33	8418	1861	281	0.00	4315
16:39:34	8418	1861	281	0.00	4315
16:39:35	8418	1861	281	0.00	4315
16:39:36	8418	1861	281	0.00	4315
16:39:37	8418	1861	281	0.00	4315
16:39:38	8418	1861	281	0.00	4315
16:39:39	8418	1861	281	0.00	4315
16:39:40	8418	1861	281	0.00	4315
16:39:41	8418	1861	281	0.00	4315
16:39:42	8418	1861	281	0.00	4315
16:39:43	8418	1861	281	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:39:44	8418	1861	281	0.00	4315
16:39:45	8418	1861	281	0.00	4315
16:39:46	8418	1861	281	0.00	4315
16:39:47	8418	1861	281	0.00	4315
16:39:48	8418	1861	281	0.00	4315
16:39:49	8418	1861	281	0.00	4315
16:39:50	8418	1861	281	0.00	4315
16:39:51	8418	1861	281	0.00	4315
16:39:52	8418	1861	281	0.00	4315
16:39:53	8418	1861	281	0.00	4315
16:39:54	8418	1861	281	0.00	4315
16:39:55	8418	1861	281	0.00	4315
16:39:56	8418	1861	281	0.00	4315
16:39:57	8418	1861	281	0.00	4315
16:39:58	8418	1861	281	0.00	4315
16:39:59	8418	1861	281	0.00	4315
16:40:00	8418	1860	281	0.00	4315
16:40:01	8418	1860	281	0.00	4315
16:40:02	8418	1860	281	0.00	4315
16:40:03	8418	1860	281	0.00	4315
16:40:04	8418	1860	281	0.00	4315
16:40:05	8418	1860	281	0.00	4315
16:40:06	8418	1860	281	0.00	4315
16:40:07	8418	1860	281	0.00	4315
16:40:08	8418	1860	281	0.00	4315
16:40:09	8418	1860	281	0.00	4315
16:40:10	8418	1860	281	0.00	4315
16:40:11	8418	1860	281	0.00	4315
16:40:12	8418	1860	281	0.00	4315
16:40:13	8418	1860	281	0.00	4315
16:40:14	8417	1860	281	0.00	4315
16:40:15	8417	1860	281	0.00	4315
16:40:16	8417	1860	281	0.00	4315
16:40:17	8417	1860	281	0.00	4315
16:40:18	8417	1860	281	0.00	4315
16:40:19	8417	1860	281	0.00	4315
16:40:20	8417	1860	281	0.00	4315
16:40:21	8417	1860	281	0.00	4315
16:40:22	8417	1860	281	0.00	4315
16:40:23	8417	1860	281	0.00	4315
16:40:24	8417	1860	281	0.00	4315
16:40:25	8417	1860	281	0.00	4315
16:40:26	8417	1860	281	0.00	4315
16:40:27	8417	1860	281	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
16:40:28	8417	1860	281	0.00	4315
16:40:29	8417	1860	281	0.00	4315
16:40:30	8417	1860	281	0.00	4315
16:40:31	8417	1860	281	0.00	4315
16:40:32	8417	1860	281	0.00	4315
16:40:33	8417	1860	281	0.00	4315
16:40:34	8417	1860	281	0.00	4315
16:40:35	8417	1860	281	0.00	4315
16:40:36	8417	1860	281	0.00	4315
16:40:37	8417	1860	281	0.00	4315
16:40:38	8417	1860	281	0.00	4315
16:40:39	8417	1860	281	0.00	4315
16:40:40	8417	1860	281	0.00	4315
16:40:41	8417	1860	281	0.00	4315
16:40:42	8417	1860	281	0.00	4315
16:40:43	8417	1860	281	0.00	4315
16:40:44	8417	1860	281	0.00	4315
16:40:45	8417	1860	281	0.00	4315
16:40:46	8417	1860	281	0.00	4315
16:40:47	8417	1860	281	0.00	4315
16:40:48	8417	1860	281	0.00	4315
16:40:49	8417	1860	281	0.00	4315
16:40:50	8417	1861	281	0.00	4315
16:40:51	8417	1861	281	0.00	4315
16:40:52	8417	1861	281	0.00	4315
16:40:53	8417	1861	281	0.00	4315
16:40:54	8417	1861	281	0.00	4315
16:40:55	8417	1861	281	0.00	4315
16:40:56	8417	1861	281	0.00	4315
16:40:57	8417	1861	281	0.00	4315
16:40:58	8416	1861	281	0.00	4315
16:40:59	8416	1861	281	0.00	4315
16:41:00	8416	1861	281	0.00	4315
16:41:01	8416	1861	281	0.00	4315
16:41:02	8416	1861	281	0.00	4315
16:41:03	8416	1861	281	0.00	4315
16:41:04	8416	1861	281	0.00	4315
16:41:05	8416	1861	281	0.00	4315
16:41:06	8416	1861	281	0.00	4315
16:41:07	8416	1861	281	0.00	4315
16:41:08	8416	1861	281	0.00	4315
16:41:09	8416	1861	281	0.00	4315
16:41:10	8416	1861	281	0.00	4315
16:41:11	8416	1861	281	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:41:12	8416	1861	281	0.00	4315
16:41:13	8416	1861	281	0.00	4315
16:41:14	8416	1861	281	0.00	4315
16:41:15	8416	1861	281	0.00	4315
16:41:16	8416	1861	281	0.00	4315
16:41:17	8416	1861	281	0.00	4315
16:41:18	8416	1861	281	0.00	4315
16:41:19	8416	1861	281	0.00	4315
16:41:20	8416	1861	281	0.00	4315
16:41:21	8416	1861	281	0.00	4315
16:41:22	8416	1861	281	0.00	4315
16:41:23	8416	1861	281	0.00	4315
16:41:24	8416	1861	281	0.00	4315
16:41:25	8416	1861	281	0.00	4315
16:41:26	8416	1861	281	0.00	4315
16:41:27	8415	1861	281	0.00	4315
16:41:28	8415	1861	281	0.00	4315
16:41:29	8415	1861	281	0.00	4315
16:41:30	8415	1861	281	0.00	4315
16:41:31	8415	1861	281	0.00	4315
16:41:32	8415	1861	281	0.00	4315
16:41:33	8415	1861	281	0.00	4315
16:41:34	8415	1861	281	0.00	4315
16:41:35	8415	1861	281	0.00	4315
16:41:36	8415	1861	281	0.00	4315
16:41:37	8415	1861	281	0.00	4315
16:41:38	8415	1861	281	0.00	4315
16:41:39	8415	1861	281	0.00	4315
16:41:40	8415	1861	281	0.00	4315
16:41:41	8415	1861	281	0.00	4315
16:41:42	8415	1861	281	0.00	4315
16:41:43	8415	1861	281	0.00	4315
16:41:44	8415	1861	281	0.00	4315
16:41:45	8415	1861	281	0.00	4315
16:41:46	8415	1861	281	0.00	4315
16:41:47	8415	1861	281	0.00	4315
16:41:48	8415	1861	281	0.00	4315
16:41:49	8415	1861	281	0.00	4315
16:41:50	8415	1861	281	0.00	4315
16:41:51	8415	1861	281	0.00	4315
16:41:52	8415	1861	281	0.00	4315
16:41:53	8415	1861	281	0.00	4315
16:41:54	8415	1861	281	0.00	4315
16:41:55	8415	1861	281	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:41:56	8415	1861	281	0.00	4315
16:41:57	8415	1861	281	0.00	4315
16:41:58	8415	1861	281	0.00	4315
16:41:59	8415	1861	281	0.00	4315
16:42:00	8415	1861	281	0.00	4315
16:42:01	8415	1861	281	0.00	4315
16:42:02	8415	1861	281	0.00	4315
16:42:03	8415	1861	281	0.00	4315
16:42:04	8415	1861	281	0.00	4315
16:42:05	8415	1861	281	0.00	4315
16:42:06	8415	1861	281	0.00	4315
16:42:07	8415	1861	281	0.00	4315
16:42:08	8415	1861	281	0.00	4315
16:42:09	8415	1861	281	0.00	4315
16:42:10	8415	1861	281	0.00	4315
16:42:11	8415	1861	281	0.00	4315
16:42:12	8415	1861	281	0.00	4315
16:42:13	8414	1861	281	0.00	4315
16:42:14	8414	1861	281	0.00	4315
16:42:15	8414	1861	281	0.00	4315
16:42:16	8414	1861	281	0.00	4315
16:42:17	8414	1861	281	0.00	4315
16:42:18	8414	1861	281	0.00	4315
16:42:19	8414	1861	281	0.00	4315
16:42:20	8414	1861	281	0.00	4315
16:42:21	8414	1861	281	0.00	4315
16:42:22	8414	1861	281	0.00	4315
16:42:23	8414	1861	281	0.00	4315
16:42:24	8414	1861	281	0.00	4315
16:42:25	8414	1861	281	0.00	4315
16:42:26	8414	1861	281	0.00	4315
16:42:27	8414	1861	281	0.00	4315
16:42:28	8414	1861	281	0.00	4315
16:42:29	8414	1861	281	0.00	4315
16:42:30	8414	1861	281	0.00	4315
16:42:31	8414	1861	281	0.00	4315
16:42:32	8414	1861	281	0.00	4315
16:42:33	8414	1861	281	0.00	4315
16:42:34	8414	1861	281	0.00	4315
16:42:35	8414	1861	281	0.00	4315
16:42:36	8414	1861	281	0.00	4315
16:42:37	8413	1861	281	0.00	4315
16:42:38	8413	1861	281	0.00	4315
16:42:39	8413	1861	281	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:42:40	8413	1861	281	0.00	4315
16:42:41	8413	1861	281	0.00	4315
16:42:42	8413	1861	281	0.00	4315
16:42:43	8413	1861	281	0.00	4315
16:42:44	8413	1861	281	0.00	4315
16:42:45	8413	1861	281	0.00	4315
16:42:46	8413	1861	281	0.00	4315
16:42:47	8413	1861	281	0.00	4315
16:42:48	8413	1861	281	0.00	4315
16:42:49	8413	1861	281	0.00	4315
16:42:50	8413	1861	281	0.00	4315
16:42:51	8413	1861	281	0.00	4315
16:42:52	8413	1861	281	0.00	4315
16:42:53	8413	1861	281	0.00	4315
16:42:54	8413	1861	281	0.00	4315
16:42:55	8413	1861	281	0.00	4315
16:42:56	8413	1861	281	0.00	4315
16:42:57	8413	1861	281	0.00	4315
16:42:58	8413	1861	281	0.00	4315
16:42:59	8413	1861	281	0.00	4315
16:43:00	8413	1861	281	0.00	4315
16:43:01	8413	1861	281	0.00	4315
16:43:02	8413	1861	281	0.00	4315
16:43:03	8413	1861	281	0.00	4315
16:43:04	8413	1861	281	0.00	4315
16:43:05	8413	1861	281	0.00	4315
16:43:06	8413	1861	281	0.00	4315
16:43:07	8413	1861	281	0.00	4315
16:43:08	8413	1861	281	0.00	4315
16:43:09	8413	1861	281	0.00	4315
16:43:10	8413	1861	281	0.00	4315
16:43:11	8413	1861	281	0.00	4315
16:43:12	8413	1860	281	0.00	4315
16:43:13	8413	1860	281	0.00	4315
16:43:14	8413	1860	281	0.00	4315
16:43:15	8413	1861	281	0.00	4315
16:43:16	8413	1861	281	0.00	4315
16:43:17	8413	1861	281	0.00	4315
16:43:18	8413	1861	281	0.00	4315
16:43:19	8412	1861	281	0.00	4315
16:43:20	8412	1861	281	0.00	4315
16:43:21	8412	1861	281	0.00	4315
16:43:22	8412	1861	281	0.00	4315
16:43:23	8412	1861	281	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
16:43:24	8412	1861	281	0.00	4315
16:43:25	8412	1861	281	0.00	4315
16:43:26	8412	1861	281	0.00	4315
16:43:27	8412	1861	281	0.00	4315
16:43:28	8412	1861	281	0.00	4315
16:43:29	8412	1861	281	0.00	4315
16:43:30	8412	1861	281	0.00	4315
16:43:31	8412	1861	281	0.00	4315
16:43:32	8412	1860	281	0.00	4315
16:43:33	8412	1860	281	0.00	4315
16:43:34	8412	1860	281	0.00	4315
16:43:35	8412	1861	281	0.00	4315
16:43:36	8412	1861	281	0.00	4315
16:43:37	8412	1861	281	0.00	4315
16:43:38	8412	1861	281	0.00	4315
16:43:39	8411	1861	281	0.00	4315
16:43:40	8411	1861	281	0.00	4315
16:43:41	8411	1861	281	0.00	4315
16:43:42	8411	1861	281	0.00	4315
16:43:43	8411	1860	281	0.00	4315
16:43:44	8411	1860	281	0.00	4315
16:43:45	8411	1860	281	0.00	4315
16:43:46	8411	1861	281	0.00	4315
16:43:47	8411	1861	281	0.00	4315
16:43:48	8411	1861	281	0.00	4315
16:43:49	8411	1861	281	0.00	4315
16:43:50	8411	1861	281	0.00	4315
16:43:51	8411	1861	281	0.00	4315
16:43:52	8411	1861	281	0.00	4315
16:43:53	8411	1861	281	0.00	4315
16:43:54	8411	1861	281	0.00	4315
16:43:55	8411	1861	281	0.00	4315
16:43:56	8411	1861	281	0.00	4315
16:43:57	8411	1861	281	0.00	4315
16:43:58	8411	1861	281	0.00	4315
16:43:59	8411	1861	281	0.00	4315
16:44:00	8411	1861	281	0.00	4315
16:44:01	8411	1861	281	0.00	4315
16:44:02	8411	1861	281	0.00	4315
16:44:03	8411	1861	281	0.00	4315
16:44:04	8411	1861	281	0.00	4315
16:44:05	8411	1861	281	0.00	4315
16:44:06	8411	1861	281	0.00	4315
16:44:07	8411	1861	281	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
16:44:08	8411	1861	281	0.00	4315
16:44:09	8411	1861	281	0.00	4315
16:44:10	8410	1861	281	0.00	4315
16:44:11	8410	1861	281	0.00	4315
16:44:12	8410	1861	281	0.00	4315
16:44:13	8410	1861	281	0.00	4315
16:44:14	8410	1861	281	0.00	4315
16:44:15	8410	1861	281	0.00	4315
16:44:16	8410	1861	281	0.00	4315
16:44:17	8410	1861	281	0.00	4315
16:44:18	8410	1861	281	0.00	4315
16:44:19	8410	1861	281	0.00	4315
16:44:20	8410	1861	281	0.00	4315
16:44:21	8410	1861	281	0.00	4315
16:44:22	8410	1861	281	0.00	4315
16:44:23	8410	1861	281	0.00	4315
16:44:24	8410	1861	281	0.00	4315
16:44:25	8410	1861	281	0.00	4315
16:44:26	8410	1861	281	0.00	4315
16:44:27	8410	1861	281	0.00	4315
16:44:28	8410	1861	281	0.00	4315
16:44:29	8410	1861	281	0.00	4315
16:44:30	8410	1861	281	0.00	4315
16:44:31	8410	1861	281	0.00	4315
16:44:32	8410	1861	281	0.00	4315
16:44:33	8410	1861	281	0.00	4315
16:44:34	8410	1861	281	0.00	4315
16:44:35	8410	1861	281	0.00	4315
16:44:36	8410	1861	281	0.00	4315
16:44:37	8410	1861	281	0.00	4315
16:44:38	8410	1861	281	0.00	4315
16:44:39	8410	1861	281	0.00	4315
16:44:40	8410	1861	281	0.00	4315
16:44:41	8410	1861	281	0.00	4315
16:44:42	8410	1861	281	0.00	4315
16:44:43	8410	1861	281	0.00	4315
16:44:44	8410	1861	281	0.00	4315
16:44:45	8410	1861	281	0.00	4315
16:44:46	8409	1861	281	0.00	4315
16:44:47	8409	1861	281	0.00	4315
16:44:48	8409	1861	281	0.00	4315
16:44:49	8409	1861	281	0.00	4315
16:44:50	8409	1861	281	0.00	4315
16:44:51	8409	1861	281	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:44:52	8409	1861	281	0.00	4315
16:44:53	8409	1861	281	0.00	4315
16:44:54	8409	1861	281	0.00	4315
16:44:55	8409	1861	281	0.00	4315
16:44:56	8409	1861	281	0.00	4315
16:44:57	8409	1861	281	0.00	4315
16:44:58	8409	1861	281	0.00	4315
16:44:59	8409	1861	281	0.00	4315
16:45:00	8409	1861	281	0.00	4315
16:45:01	8409	1861	281	0.00	4315
16:45:02	8409	1861	281	0.00	4315
16:45:03	8409	1861	281	0.00	4315
16:45:04	8409	1861	281	0.00	4315
16:45:05	8409	1861	281	0.00	4315
16:45:06	8409	1861	281	0.00	4315
16:45:07	8409	1861	281	0.00	4315
16:45:08	8409	1861	281	0.00	4315
16:45:09	8409	1861	281	0.00	4315
16:45:10	8409	1861	281	0.00	4315
16:45:11	8409	1861	281	0.00	4315
16:45:12	8408	1861	281	0.00	4315
16:45:13	8408	1861	281	0.00	4315
16:45:14	8408	1861	281	0.00	4315
16:45:15	8408	1861	281	0.00	4315
16:45:16	8408	1861	281	0.00	4315
16:45:17	8408	1861	281	0.00	4315
16:45:18	8408	1861	281	0.00	4315
16:45:19	8408	1861	281	0.00	4315
16:45:20	8408	1861	281	0.00	4315
16:45:21	8408	1861	281	0.00	4315
16:45:22	8408	1861	281	0.00	4315
16:45:23	8408	1861	281	0.00	4315
16:45:24	8408	1861	281	0.00	4315
16:45:25	8408	1861	281	0.00	4315
16:45:26	8408	1861	281	0.00	4315
16:45:27	8408	1861	281	0.00	4315
16:45:28	8408	1861	281	0.00	4315
16:45:29	8408	1861	281	0.00	4315
16:45:30	8408	1861	281	0.00	4315
16:45:31	8408	1861	281	0.00	4315
16:45:32	8408	1861	281	0.00	4315
16:45:33	8408	1861	281	0.00	4315
16:45:34	8408	1861	281	0.00	4315
16:45:35	8408	1861	281	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
16:45:36	8408	1861	281	0.00	4315
16:45:37	8408	1861	281	0.00	4315
16:45:38	8408	1861	281	0.00	4315
16:45:39	8408	1861	281	0.00	4315
16:45:40	8408	1861	281	0.00	4315
16:45:41	8408	1861	281	0.00	4315
16:45:42	8408	1861	281	0.00	4315
16:45:43	8408	1861	281	0.00	4315
16:45:44	8408	1861	281	0.00	4315
16:45:45	8408	1861	281	0.00	4315
16:45:46	8408	1861	281	0.00	4315
16:45:47	8408	1861	281	0.00	4315
16:45:48	8408	1861	281	0.00	4315
16:45:49	8408	1861	281	0.00	4315
16:45:50	8408	1861	281	0.00	4315
16:45:51	8408	1861	281	0.00	4315
16:45:52	8408	1861	281	0.00	4315
16:45:53	8408	1861	281	0.00	4315
16:45:54	8408	1861	281	0.00	4315
16:45:55	8408	1861	281	0.00	4315
16:45:56	8408	1861	281	0.00	4315
16:45:57	8408	1861	281	0.00	4315
16:45:58	8408	1862	281	0.00	4315
16:45:59	8408	1862	281	0.00	4315
16:46:00	8408	1862	281	0.00	4315
16:46:01	8408	1862	281	0.00	4315
16:46:02	8408	1862	281	0.00	4315
16:46:03	8408	1862	281	0.00	4315
16:46:04	8408	1862	281	0.00	4315
16:46:05	8408	1861	281	0.00	4315
16:46:06	8408	1861	281	0.00	4315
16:46:07	8408	1861	281	0.00	4315
16:46:08	8408	1861	281	0.00	4315
16:46:09	8408	1861	281	0.00	4315
16:46:10	8408	1861	281	0.00	4315
16:46:11	8408	1861	281	0.00	4315
16:46:12	8407	1861	281	0.00	4315
16:46:13	8407	1861	281	0.00	4315
16:46:14	8407	1861	281	0.00	4315
16:46:15	8407	1861	281	0.00	4315
16:46:16	8407	1861	281	0.00	4315
16:46:17	8407	1861	281	0.00	4315
16:46:18	8407	1861	281	0.00	4315
16:46:19	8407	1861	281	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:46:20	8407	1861	281	0.00	4315
16:46:21	8407	1861	281	0.00	4315
16:46:22	8407	1861	281	0.00	4315
16:46:23	8407	1861	281	0.00	4315
16:46:24	8407	1861	281	0.00	4315
16:46:25	8407	1861	281	0.00	4315
16:46:26	8407	1861	281	0.00	4315
16:46:27	8407	1861	281	0.00	4315
16:46:28	8407	1861	281	0.00	4315
16:46:29	8407	1861	281	0.00	4315
16:46:30	8407	1861	281	0.00	4315
16:46:31	8407	1861	281	0.00	4315
16:46:32	8407	1861	281	0.00	4315
16:46:33	8407	1861	281	0.00	4315
16:46:34	8407	1861	281	0.00	4315
16:46:35	8407	1861	281	0.00	4315
16:46:36	8407	1861	281	0.00	4315
16:46:37	8407	1861	281	0.00	4315
16:46:38	8407	1861	281	0.00	4315
16:46:39	8407	1861	281	0.00	4315
16:46:40	8407	1861	281	0.00	4315
16:46:41	8407	1861	281	0.00	4315
16:46:42	8407	1861	281	0.00	4315
16:46:43	8407	1861	281	0.00	4315
16:46:44	8407	1861	281	0.00	4315
16:46:45	8407	1861	281	0.00	4315
16:46:46	8407	1861	281	0.00	4315
16:46:47	8407	1861	281	0.00	4315
16:46:48	8407	1861	281	0.00	4315
16:46:49	8407	1861	281	0.00	4315
16:46:50	8406	1861	281	0.00	4315
16:46:51	8406	1861	281	0.00	4315
16:46:52	8406	1861	281	0.00	4315
16:46:53	8406	1861	281	0.00	4315
16:46:54	8406	1861	281	0.00	4315
16:46:55	8406	1861	281	0.00	4315
16:46:56	8406	1861	281	0.00	4315
16:46:57	8406	1861	281	0.00	4315
16:46:58	8406	1861	281	0.00	4315
16:46:59	8406	1861	281	0.00	4315
16:47:00	8406	1861	281	0.00	4315
16:47:01	8406	1861	281	0.00	4315
16:47:02	8406	1861	281	0.00	4315
16:47:03	8406	1861	281	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
16:47:04	8406	1861	281	0.00	4315
16:47:05	8406	1861	281	0.00	4315
16:47:06	8406	1861	281	0.00	4315
16:47:07	8406	1861	281	0.00	4315
16:47:08	8406	1861	281	0.00	4315
16:47:09	8406	1861	281	0.00	4315
16:47:10	8406	1861	281	0.00	4315
16:47:11	8406	1861	281	0.00	4315
16:47:12	8406	1861	281	0.00	4315
16:47:13	8406	1861	281	0.00	4315
16:47:14	8406	1861	281	0.00	4315
16:47:15	8406	1861	281	0.00	4315
16:47:16	8406	1861	281	0.00	4315
16:47:17	8406	1861	281	0.00	4315
16:47:18	8406	1861	281	0.00	4315
16:47:19	8406	1861	281	0.00	4315
16:47:20	8406	1861	281	0.00	4315
16:47:21	8406	1861	281	0.00	4315
16:47:22	8406	1861	281	0.00	4315
16:47:23	8406	1861	281	0.00	4315
16:47:24	8406	1861	281	0.00	4315
16:47:25	8406	1861	281	0.00	4315
16:47:26	8406	1861	281	0.00	4315
16:47:27	8406	1861	281	0.00	4315
16:47:28	8406	1862	281	0.00	4315
16:47:29	8406	1862	281	0.00	4315
16:47:30	8405	1861	281	0.00	4315
16:47:31	8405	1861	281	0.00	4315
16:47:32	8405	1861	281	0.00	4315
16:47:33	8405	1861	281	0.00	4315
16:47:34	8405	1861	281	0.00	4315
16:47:35	8405	1861	281	0.00	4315
16:47:36	8405	1861	281	0.00	4315
16:47:37	8405	1861	281	0.00	4315
16:47:38	8405	1861	281	0.00	4315
16:47:39	8405	1861	281	0.00	4315
16:47:40	8405	1861	281	0.00	4315
16:47:41	8405	1861	281	0.00	4315
16:47:42	8405	1861	281	0.00	4315
16:47:43	8405	1861	281	0.00	4315
16:47:44	8405	1861	281	0.00	4315
16:47:45	8405	1861	281	0.00	4315
16:47:46	8405	1861	281	0.00	4315
16:47:47	8405	1861	281	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
16:47:48	8405	1861	281	0.00	4315
16:47:49	8405	1861	281	0.00	4315
16:47:50	8405	1861	281	0.00	4315
16:47:51	8405	1861	281	0.00	4315
16:47:52	8405	1861	281	0.00	4315
16:47:53	8405	1861	281	0.00	4315
16:47:54	8405	1861	281	0.00	4315
16:47:55	8405	1861	281	0.00	4315
16:47:56	8405	1861	281	0.00	4315
16:47:57	8405	1861	281	0.00	4315
16:47:58	8405	1861	281	0.00	4315
16:47:59	8405	1861	281	0.00	4315
16:48:00	8405	1861	281	0.00	4315
16:48:01	8405	1861	281	0.00	4315
16:48:02	8405	1861	281	0.00	4315
16:48:03	8405	1861	281	0.00	4315
16:48:04	8405	1861	281	0.00	4315
16:48:05	8405	1861	281	0.00	4315
16:48:06	8405	1861	281	0.00	4315
16:48:07	8405	1861	281	0.00	4315
16:48:08	8405	1861	281	0.00	4315
16:48:09	8405	1861	281	0.00	4315
16:48:10	8405	1861	281	0.00	4315
16:48:11	8405	1861	281	0.00	4315
16:48:12	8405	1861	281	0.00	4315
16:48:13	8405	1861	281	0.00	4315
16:48:14	8405	1861	281	0.00	4315
16:48:15	8405	1861	281	0.00	4315
16:48:16	8405	1861	281	0.00	4315
16:48:17	8405	1861	281	0.00	4315
16:48:18	8405	1861	281	0.00	4315
16:48:19	8404	1861	281	0.00	4315
16:48:20	8404	1861	281	0.00	4315
16:48:21	8404	1861	281	0.00	4315
16:48:22	8404	1861	281	0.00	4315
16:48:23	8404	1861	281	0.00	4315
16:48:24	8404	1861	281	0.00	4315
16:48:25	8404	1861	281	0.00	4315
16:48:26	8404	1861	281	0.00	4315
16:48:27	8404	1861	281	0.00	4315
16:48:28	8404	1861	281	0.00	4315
16:48:29	8404	1861	281	0.00	4315
16:48:30	8404	1861	281	0.00	4315
16:48:31	8404	1861	281	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
16:48:32	8404	1861	281	0.00	4315
16:48:33	8404	1861	281	0.00	4315
16:48:34	8404	1861	281	0.00	4315
16:48:35	8404	1861	281	0.00	4315
16:48:36	8404	1861	281	0.00	4315
16:48:37	8404	1861	281	0.00	4315
16:48:38	8404	1861	281	0.00	4315
16:48:39	8404	1861	281	0.00	4315
16:48:40	8404	1861	281	0.00	4315
16:48:41	8404	1861	281	0.00	4315
16:48:42	8404	1861	281	0.00	4315
16:48:43	8403	1862	281	0.00	4315
16:48:44	8403	1862	281	0.00	4315
16:48:45	8403	1862	281	0.00	4315
16:48:46	8403	1862	281	0.00	4315
16:48:47	8403	1862	281	0.00	4315
16:48:48	8403	1862	281	0.00	4315
16:48:49	8403	1862	281	0.00	4315
16:48:50	8403	1862	281	0.00	4315
16:48:51	8403	1862	281	0.00	4315
16:48:52	8403	1862	281	0.00	4315
16:48:53	8403	1862	281	0.00	4315
16:48:54	8403	1862	281	0.00	4315
16:48:55	8403	1862	281	0.00	4315
16:48:56	8403	1862	281	0.00	4315
16:48:57	8403	1862	281	0.00	4315
16:48:58	8403	1862	281	0.00	4315
16:48:59	8403	1862	281	0.00	4315
16:49:00	8403	1862	281	0.00	4315
16:49:01	8403	1862	281	0.00	4315
16:49:02	8403	1862	281	0.00	4315
16:49:03	8403	1862	281	0.00	4315
16:49:04	8403	1862	281	0.00	4315
16:49:05	8403	1862	281	0.00	4315
16:49:06	8403	1862	281	0.00	4315
16:49:07	8403	1862	281	0.00	4315
16:49:08	8403	1862	281	0.00	4315
16:49:09	8403	1862	281	0.00	4315
16:49:10	8403	1862	281	0.00	4315
16:49:11	8403	1862	281	0.00	4315
16:49:12	8403	1862	281	0.00	4315
16:49:13	8403	1862	281	0.00	4315
16:49:14	8403	1862	281	0.00	4315
16:49:15	8403	1862	281	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:49:16	8403	1862	281	0.00	4315
16:49:17	8403	1862	281	0.00	4315
16:49:18	8403	1862	281	0.00	4315
16:49:19	8403	1862	281	0.00	4315
16:49:20	8403	1862	281	0.00	4315
16:49:21	8403	1862	281	0.00	4315
16:49:22	8403	1862	281	0.00	4315
16:49:23	8403	1862	281	0.00	4315
16:49:24	8403	1862	281	0.00	4315
16:49:25	8403	1862	281	0.00	4315
16:49:26	8403	1862	281	0.00	4315
16:49:27	8403	1862	281	0.00	4315
16:49:28	8403	1862	281	0.00	4315
16:49:29	8403	1862	281	0.00	4315
16:49:30	8403	1862	281	0.00	4315
16:49:31	8403	1862	281	0.00	4315
16:49:32	8403	1862	281	0.00	4315
16:49:33	8402	1862	281	0.00	4315
16:49:34	8402	1862	281	0.00	4315
16:49:35	8402	1862	281	0.00	4315
16:49:36	8402	1862	281	0.00	4315
16:49:37	8402	1862	281	0.00	4315
16:49:38	8402	1862	281	0.00	4315
16:49:39	8402	1862	281	0.00	4315
16:49:40	8402	1862	281	0.00	4315
16:49:41	8402	1862	281	0.00	4315
16:49:42	8402	1862	281	0.00	4315
16:49:43	8402	1862	281	0.00	4315
16:49:44	8402	1862	281	0.00	4315
16:49:45	8402	1862	281	0.00	4315
16:49:46	8402	1862	281	0.00	4315
16:49:47	8402	1862	281	0.00	4315
16:49:48	8402	1862	281	0.00	4315
16:49:49	8402	1862	282	0.00	4315
16:49:50	8402	1862	282	0.00	4315
16:49:51	8402	1862	282	0.00	4315
16:49:52	8402	1862	281	0.00	4315
16:49:53	8402	1862	281	0.00	4315
16:49:54	8402	1862	281	0.00	4315
16:49:55	8402	1862	281	0.00	4315
16:49:56	8402	1862	281	0.00	4315
16:49:57	8402	1862	281	0.00	4315
16:49:58	8401	1862	281	0.00	4315
16:49:59	8401	1862	281	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:50:00	8401	1862	281	0.00	4315
16:50:01	8401	1862	282	0.00	4315
16:50:02	8401	1862	282	0.00	4315
16:50:03	8401	1862	282	0.00	4315
16:50:04	8401	1862	281	0.00	4315
16:50:05	8401	1862	281	0.00	4315
16:50:06	8401	1862	281	0.00	4315
16:50:07	8401	1862	281	0.00	4315
16:50:08	8401	1862	281	0.00	4315
16:50:09	8401	1862	282	0.00	4315
16:50:10	8401	1862	282	0.00	4315
16:50:11	8401	1862	282	0.00	4315
16:50:12	8401	1862	282	0.00	4315
16:50:13	8401	1862	282	0.00	4315
16:50:14	8401	1862	282	0.00	4315
16:50:15	8401	1862	282	0.00	4315
16:50:16	8401	1862	282	0.00	4315
16:50:17	8401	1862	282	0.00	4315
16:50:18	8401	1862	282	0.00	4315
16:50:19	8401	1862	282	0.00	4315
16:50:20	8401	1862	282	0.00	4315
16:50:21	8401	1862	282	0.00	4315
16:50:22	8401	1862	282	0.00	4315
16:50:23	8401	1862	282	0.00	4315
16:50:24	8401	1862	282	0.00	4315
16:50:25	8401	1862	281	0.00	4315
16:50:26	8401	1862	281	0.00	4315
16:50:27	8401	1862	281	0.00	4315
16:50:28	8401	1862	281	0.00	4315
16:50:29	8401	1862	281	0.00	4315
16:50:30	8401	1862	281	0.00	4315
16:50:31	8401	1862	281	0.00	4315
16:50:32	8401	1862	281	0.00	4315
16:50:33	8401	1862	281	0.00	4315
16:50:34	8400	1862	281	0.00	4315
16:50:35	8401	1862	282	0.00	4315
16:50:36	8400	1862	282	0.00	4315
16:50:37	8400	1862	282	0.00	4315
16:50:38	8400	1862	282	0.00	4315
16:50:39	8400	1862	282	0.00	4315
16:50:40	8400	1862	282	0.00	4315
16:50:41	8400	1862	282	0.00	4315
16:50:42	8400	1862	282	0.00	4315
16:50:43	8400	1862	282	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
16:50:44	8400	1862	282	0.00	4315
16:50:45	8400	1862	282	0.00	4315
16:50:46	8400	1862	282	0.00	4315
16:50:47	8400	1862	282	0.00	4315
16:50:48	8400	1862	282	0.00	4315
16:50:49	8400	1862	282	0.00	4315
16:50:50	8400	1862	282	0.00	4315
16:50:51	8400	1862	282	0.00	4315
16:50:52	8400	1862	282	0.00	4315
16:50:53	8400	1862	282	0.00	4315
16:50:54	8400	1862	282	0.00	4315
16:50:55	8400	1862	282	0.00	4315
16:50:56	8400	1862	282	0.00	4315
16:50:57	8400	1862	282	0.00	4315
16:50:58	8400	1862	282	0.00	4315
16:50:59	8400	1862	282	0.00	4315
16:51:00	8400	1862	282	0.00	4315
16:51:01	8400	1862	282	0.00	4315
16:51:02	8400	1862	282	0.00	4315
16:51:03	8400	1862	282	0.00	4315
16:51:04	8400	1862	282	0.00	4315
16:51:05	8400	1862	282	0.00	4315
16:51:06	8400	1862	282	0.00	4315
16:51:07	8400	1862	282	0.00	4315
16:51:08	8400	1862	282	0.00	4315
16:51:09	8400	1862	282	0.00	4315
16:51:10	8400	1862	282	0.00	4315
16:51:11	8400	1862	282	0.00	4315
16:51:12	8400	1862	282	0.00	4315
16:51:13	8400	1862	282	0.00	4315
16:51:14	8400	1862	282	0.00	4315
16:51:15	8400	1862	282	0.00	4315
16:51:16	8400	1862	282	0.00	4315
16:51:17	8400	1862	282	0.00	4315
16:51:18	8400	1862	282	0.00	4315
16:51:19	8400	1862	282	0.00	4315
16:51:20	8400	1862	282	0.00	4315
16:51:21	8400	1862	282	0.00	4315
16:51:22	8400	1862	281	0.00	4315
16:51:23	8400	1862	281	0.00	4315
16:51:24	8400	1862	281	0.00	4315
16:51:25	8400	1862	281	0.00	4315
16:51:26	8400	1862	281	0.00	4315
16:51:27	8400	1862	281	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:51:28	8400	1862	281	0.00	4315
16:51:29	8400	1862	281	0.00	4315
16:51:30	8400	1862	281	0.00	4315
16:51:31	8400	1862	281	0.00	4315
16:51:32	8400	1862	281	0.00	4315
16:51:33	8400	1862	282	0.00	4315
16:51:34	8400	1862	282	0.00	4315
16:51:35	8400	1862	282	0.00	4315
16:51:36	8400	1862	282	0.00	4315
16:51:37	8400	1862	282	0.00	4315
16:51:38	8400	1862	282	0.00	4315
16:51:39	8400	1862	282	0.00	4315
16:51:40	8400	1862	282	0.00	4315
16:51:41	8400	1862	282	0.00	4315
16:51:42	8400	1862	282	0.00	4315
16:51:43	8400	1862	282	0.00	4315
16:51:44	8400	1862	282	0.00	4315
16:51:45	8400	1862	282	0.00	4315
16:51:46	8400	1862	282	0.00	4315
16:51:47	8400	1862	282	0.00	4315
16:51:48	8400	1862	282	0.00	4315
16:51:49	8400	1862	281	0.00	4315
16:51:50	8400	1862	281	0.00	4315
16:51:51	8400	1862	281	0.00	4315
16:51:52	8400	1862	281	0.00	4315
16:51:53	8400	1862	281	0.00	4315
16:51:54	8400	1862	281	0.00	4315
16:51:55	8400	1862	281	0.00	4315
16:51:56	8400	1862	281	0.00	4315
16:51:57	8400	1862	281	0.00	4315
16:51:58	8400	1862	281	0.00	4315
16:51:59	8399	1862	281	0.00	4315
16:52:00	8399	1862	282	0.00	4315
16:52:01	8399	1862	282	0.00	4315
16:52:02	8399	1862	282	0.00	4315
16:52:03	8399	1862	282	0.00	4315
16:52:04	8399	1862	282	0.00	4315
16:52:05	8399	1862	281	0.00	4315
16:52:06	8399	1862	281	0.00	4315
16:52:07	8399	1862	281	0.00	4315
16:52:08	8399	1862	281	0.00	4315
16:52:09	8399	1862	281	0.00	4315
16:52:10	8399	1862	281	0.00	4315
16:52:11	8399	1862	281	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:52:12	8399	1862	281	0.00	4315
16:52:13	8399	1862	281	0.00	4315
16:52:14	8399	1862	281	0.00	4315
16:52:15	8399	1862	281	0.00	4315
16:52:16	8399	1862	281	0.00	4315
16:52:17	8399	1862	281	0.00	4315
16:52:18	8399	1862	281	0.00	4315
16:52:19	8399	1862	281	0.00	4315
16:52:20	8399	1862	281	0.00	4315
16:52:21	8399	1862	281	0.00	4315
16:52:22	8398	1862	281	0.00	4315
16:52:23	8398	1862	281	0.00	4315
16:52:24	8398	1862	281	0.00	4315
16:52:25	8398	1862	281	0.00	4315
16:52:26	8398	1862	281	0.00	4315
16:52:27	8398	1862	281	0.00	4315
16:52:28	8398	1862	281	0.00	4315
16:52:29	8398	1862	281	0.00	4315
16:52:30	8398	1862	281	0.00	4315
16:52:31	8398	1862	281	0.00	4315
16:52:32	8398	1862	281	0.00	4315
16:52:33	8398	1862	281	0.00	4315
16:52:34	8398	1862	281	0.00	4315
16:52:35	8398	1862	281	0.00	4315
16:52:36	8398	1862	281	0.00	4315
16:52:37	8398	1862	281	0.00	4315
16:52:38	8398	1862	281	0.00	4315
16:52:39	8398	1862	281	0.00	4315
16:52:40	8398	1862	281	0.00	4315
16:52:41	8398	1862	281	0.00	4315
16:52:42	8398	1862	281	0.00	4315
16:52:43	8398	1862	281	0.00	4315
16:52:44	8398	1862	281	0.00	4315
16:52:45	8398	1862	281	0.00	4315
16:52:46	8398	1862	281	0.00	4315
16:52:47	8398	1862	281	0.00	4315
16:52:48	8398	1862	281	0.00	4315
16:52:49	8398	1862	281	0.00	4315
16:52:50	8398	1862	282	0.00	4315
16:52:51	8398	1862	282	0.00	4315
16:52:52	8398	1862	282	0.00	4315
16:52:53	8398	1862	282	0.00	4315
16:52:54	8398	1862	282	0.00	4315
16:52:55	8398	1862	282	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
16:52:56	8398	1862	282	0.00	4315
16:52:57	8398	1862	282	0.00	4315
16:52:58	8398	1862	282	0.00	4315
16:52:59	8398	1862	282	0.00	4315
16:53:00	8398	1862	282	0.00	4315
16:53:01	8398	1862	282	0.00	4315
16:53:02	8398	1862	282	0.00	4315
16:53:03	8398	1862	282	0.00	4315
16:53:04	8398	1862	282	0.00	4315
16:53:05	8398	1862	282	0.00	4315
16:53:06	8398	1862	282	0.00	4315
16:53:07	8398	1862	282	0.00	4315
16:53:08	8398	1862	282	0.00	4315
16:53:09	8398	1862	282	0.00	4315
16:53:10	8398	1862	282	0.00	4315
16:53:11	8398	1862	282	0.00	4315
16:53:12	8398	1862	282	0.00	4315
16:53:13	8398	1862	282	0.00	4315
16:53:14	8398	1862	282	0.00	4315
16:53:15	8398	1862	282	0.00	4315
16:53:16	8398	1862	282	0.00	4315
16:53:17	8398	1862	282	0.00	4315
16:53:18	8398	1862	282	0.00	4315
16:53:19	8398	1862	282	0.00	4315
16:53:20	8398	1862	282	0.00	4315
16:53:21	8398	1862	282	0.00	4315
16:53:22	8398	1862	282	0.00	4315
16:53:23	8397	1862	282	0.00	4315
16:53:24	8397	1862	282	0.00	4315
16:53:25	8397	1862	282	0.00	4315
16:53:26	8397	1862	282	0.00	4315
16:53:27	8397	1862	282	0.00	4315
16:53:28	8397	1862	282	0.00	4315
16:53:29	8397	1862	282	0.00	4315
16:53:30	8397	1862	282	0.00	4315
16:53:31	8397	1862	282	0.00	4315
16:53:32	8397	1862	282	0.00	4315
16:53:33	8397	1862	282	0.00	4315
16:53:34	8397	1862	282	0.00	4315
16:53:35	8397	1862	282	0.00	4315
16:53:36	8397	1862	282	0.00	4315
16:53:37	8397	1862	282	0.00	4315
16:53:38	8397	1862	282	0.00	4315
16:53:39	8397	1862	282	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:53:40	8397	1862	282	0.00	4315
16:53:41	8397	1862	282	0.00	4315
16:53:42	8397	1862	282	0.00	4315
16:53:43	8397	1862	282	0.00	4315
16:53:44	8397	1862	282	0.00	4315
16:53:45	8397	1862	282	0.00	4315
16:53:46	8397	1862	282	0.00	4315
16:53:47	8397	1862	282	0.00	4315
16:53:48	8397	1862	282	0.00	4315
16:53:49	8397	1862	282	0.00	4315
16:53:50	8397	1862	282	0.00	4315
16:53:51	8397	1862	282	0.00	4315
16:53:52	8397	1862	282	0.00	4315
16:53:53	8397	1862	281	0.00	4315
16:53:54	8397	1862	282	0.00	4315
16:53:55	8397	1862	282	0.00	4315
16:53:56	8397	1862	282	0.00	4315
16:53:57	8397	1862	282	0.00	4315
16:53:58	8397	1862	282	0.00	4315
16:53:59	8397	1862	282	0.00	4315
16:54:00	8397	1862	282	0.00	4315
16:54:01	8397	1862	281	0.00	4315
16:54:02	8397	1862	281	0.00	4315
16:54:03	8397	1862	281	0.00	4315
16:54:04	8397	1862	281	0.00	4315
16:54:05	8397	1862	281	0.00	4315
16:54:06	8397	1862	281	0.00	4315
16:54:07	8397	1862	281	0.00	4315
16:54:08	8397	1862	281	0.00	4315
16:54:09	8397	1862	281	0.00	4315
16:54:10	8397	1862	281	0.00	4315
16:54:11	8397	1862	281	0.00	4315
16:54:12	8397	1862	281	0.00	4315
16:54:13	8397	1862	281	0.00	4315
16:54:14	8396	1862	281	0.00	4315
16:54:15	8396	1862	281	0.00	4315
16:54:16	8396	1862	281	0.00	4315
16:54:17	8396	1862	281	0.00	4315
16:54:18	8396	1862	281	0.00	4315
16:54:19	8396	1862	281	0.00	4315
16:54:20	8396	1862	281	0.00	4315
16:54:21	8396	1862	281	0.00	4315
16:54:22	8396	1862	281	0.00	4315
16:54:23	8396	1862	281	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:54:24	8396	1862	281	0.00	4315
16:54:25	8396	1862	281	0.00	4315
16:54:26	8396	1862	281	0.00	4315
16:54:27	8396	1862	281	0.00	4315
16:54:28	8396	1862	281	0.00	4315
16:54:29	8396	1862	281	0.00	4315
16:54:30	8396	1862	281	0.00	4315
16:54:31	8396	1862	281	0.00	4315
16:54:32	8396	1862	281	0.00	4315
16:54:33	8396	1862	281	0.00	4315
16:54:34	8396	1862	281	0.00	4315
16:54:35	8396	1862	281	0.00	4315
16:54:36	8396	1862	281	0.00	4315
16:54:37	8396	1862	281	0.00	4315
16:54:38	8396	1862	281	0.00	4315
16:54:39	8396	1862	281	0.00	4315
16:54:40	8396	1862	281	0.00	4315
16:54:41	8396	1862	281	0.00	4315
16:54:42	8396	1862	281	0.00	4315
16:54:43	8396	1862	281	0.00	4315
16:54:44	8395	1862	281	0.00	4315
16:54:45	8395	1862	281	0.00	4315
16:54:46	8395	1862	281	0.00	4315
16:54:47	8395	1862	281	0.00	4315
16:54:48	8395	1862	281	0.00	4315
16:54:49	8395	1862	281	0.00	4315
16:54:50	8395	1862	281	0.00	4315
16:54:51	8395	1862	281	0.00	4315
16:54:52	8395	1862	281	0.00	4315
16:54:53	8395	1862	281	0.00	4315
16:54:54	8395	1862	281	0.00	4315
16:54:55	8395	1862	281	0.00	4315
16:54:56	8395	1862	281	0.00	4315
16:54:57	8395	1862	281	0.00	4315
16:54:58	8395	1862	281	0.00	4315
16:54:59	8395	1862	281	0.00	4315
16:55:00	8395	1862	281	0.00	4315
16:55:01	8395	1862	281	0.00	4315
16:55:02	8395	1862	281	0.00	4315
16:55:03	8395	1862	281	0.00	4315
16:55:04	8395	1862	281	0.00	4315
16:55:05	8395	1862	281	0.00	4315
16:55:06	8395	1862	281	0.00	4315
16:55:07	8395	1862	281	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
16:55:08	8395	1862	281	0.00	4315
16:55:09	8395	1862	281	0.00	4315
16:55:10	8395	1862	281	0.00	4315
16:55:11	8395	1862	281	0.00	4315
16:55:12	8395	1862	281	0.00	4315
16:55:13	8395	1862	281	0.00	4315
16:55:14	8395	1862	281	0.00	4315
16:55:15	8395	1862	281	0.00	4315
16:55:16	8395	1862	281	0.00	4315
16:55:17	8395	1862	281	0.00	4315
16:55:18	8395	1862	281	0.00	4315
16:55:19	8395	1862	281	0.00	4315
16:55:20	8395	1862	281	0.00	4315
16:55:21	8395	1862	281	0.00	4315
16:55:22	8395	1862	281	0.00	4315
16:55:23	8395	1862	281	0.00	4315
16:55:24	8395	1862	281	0.00	4315
16:55:25	8395	1862	281	0.00	4315
16:55:26	8395	1862	281	0.00	4315
16:55:27	8395	1862	281	0.00	4315
16:55:28	8395	1862	281	0.00	4315
16:55:29	8395	1862	281	0.00	4315
16:55:30	8395	1862	281	0.00	4315
16:55:31	8395	1862	281	0.00	4315
16:55:32	8394	1862	281	0.00	4315
16:55:33	8394	1862	281	0.00	4315
16:55:34	8394	1862	281	0.00	4315
16:55:35	8394	1862	281	0.00	4315
16:55:36	8394	1862	281	0.00	4315
16:55:37	8394	1862	281	0.00	4315
16:55:38	8394	1862	281	0.00	4315
16:55:39	8394	1862	281	0.00	4315
16:55:40	8394	1862	281	0.00	4315
16:55:41	8394	1862	281	0.00	4315
16:55:42	8394	1862	281	0.00	4315
16:55:43	8394	1862	281	0.00	4315
16:55:44	8394	1862	281	0.00	4315
16:55:45	8394	1862	281	0.00	4315
16:55:46	8394	1862	281	0.00	4315
16:55:47	8394	1862	281	0.00	4315
16:55:48	8394	1862	281	0.00	4315
16:55:49	8394	1862	281	0.00	4315
16:55:50	8394	1862	281	0.00	4315
16:55:51	8394	1862	281	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:55:52	8394	1862	281	0.00	4315
16:55:53	8394	1862	281	0.00	4315
16:55:54	8394	1862	281	0.00	4315
16:55:55	8394	1862	281	0.00	4315
16:55:56	8394	1862	281	0.00	4315
16:55:57	8394	1862	281	0.00	4315
16:55:58	8394	1862	281	0.00	4315
16:55:59	8394	1862	281	0.00	4315
16:56:00	8394	1862	281	0.00	4315
16:56:01	8393	1862	281	0.00	4315
16:56:02	8393	1862	281	0.00	4315
16:56:03	8393	1862	281	0.00	4315
16:56:04	8393	1862	281	0.00	4315
16:56:05	8393	1862	281	0.00	4315
16:56:06	8393	1862	281	0.00	4315
16:56:07	8393	1862	281	0.00	4315
16:56:08	8393	1862	281	0.00	4315
16:56:09	8393	1862	281	0.00	4315
16:56:10	8393	1862	281	0.00	4315
16:56:11	8393	1862	281	0.00	4315
16:56:12	8393	1862	281	0.00	4315
16:56:13	8393	1862	281	0.00	4315
16:56:14	8393	1862	281	0.00	4315
16:56:15	8393	1862	281	0.00	4315
16:56:16	8393	1862	281	0.00	4315
16:56:17	8393	1862	281	0.00	4315
16:56:18	8393	1862	281	0.00	4315
16:56:19	8393	1862	281	0.00	4315
16:56:20	8393	1862	281	0.00	4315
16:56:21	8393	1862	281	0.00	4315
16:56:22	8393	1862	281	0.00	4315
16:56:23	8393	1862	281	0.00	4315
16:56:24	8393	1862	281	0.00	4315
16:56:25	8393	1862	281	0.00	4315
16:56:26	8393	1862	281	0.00	4315
16:56:27	8393	1862	281	0.00	4315
16:56:28	8393	1862	281	0.00	4315
16:56:29	8393	1862	281	0.00	4315
16:56:30	8393	1862	281	0.00	4315
16:56:31	8393	1862	281	0.00	4315
16:56:32	8393	1862	281	0.00	4315
16:56:33	8393	1862	281	0.00	4315
16:56:34	8393	1862	281	0.00	4315
16:56:35	8393	1862	281	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:56:36	8393	1862	281	0.00	4315
16:56:37	8393	1862	281	0.00	4315
16:56:38	8393	1862	281	0.00	4315
16:56:39	8393	1862	281	0.00	4315
16:56:40	8393	1862	281	0.00	4315
16:56:41	8393	1862	281	0.00	4315
16:56:42	8393	1862	281	0.00	4315
16:56:43	8393	1862	281	0.00	4315
16:56:44	8393	1862	281	0.00	4315
16:56:45	8393	1862	281	0.00	4315
16:56:46	8393	1862	281	0.00	4315
16:56:47	8393	1862	281	0.00	4315
16:56:48	8393	1862	281	0.00	4315
16:56:49	8393	1862	281	0.00	4315
16:56:50	8393	1862	281	0.00	4315
16:56:51	8393	1862	281	0.00	4315
16:56:52	8393	1862	281	0.00	4315
16:56:53	8393	1862	281	0.00	4315
16:56:54	8393	1862	281	0.00	4315
16:56:55	8392	1862	281	0.00	4315
16:56:56	8392	1862	281	0.00	4315
16:56:57	8392	1862	281	0.00	4315
16:56:58	8392	1862	281	0.00	4315
16:56:59	8392	1862	281	0.00	4315
16:57:00	8392	1862	281	0.00	4315
16:57:01	8392	1862	281	0.00	4315
16:57:02	8392	1862	281	0.00	4315
16:57:03	8392	1862	281	0.00	4315
16:57:04	8392	1862	281	0.00	4315
16:57:05	8392	1862	281	0.00	4315
16:57:06	8392	1862	281	0.00	4315
16:57:07	8392	1862	281	0.00	4315
16:57:08	8392	1862	281	0.00	4315
16:57:09	8392	1862	281	0.00	4315
16:57:10	8392	1862	281	0.00	4315
16:57:11	8392	1862	281	0.00	4315
16:57:12	8392	1862	281	0.00	4315
16:57:13	8392	1862	281	0.00	4315
16:57:14	8392	1862	281	0.00	4315
16:57:15	8391	1862	281	0.00	4315
16:57:16	8391	1862	281	0.00	4315
16:57:17	8391	1862	281	0.00	4315
16:57:18	8391	1862	281	0.00	4315
16:57:19	8391	1862	281	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1	Job Clean
				Rate (bpm)	Vol (gal)
16:57:20	8391	1862	281	0.00	4315
16:57:21	8391	1862	281	0.00	4315
16:57:22	8391	1862	281	0.00	4315
16:57:23	8391	1862	281	0.00	4315
16:57:24	8391	1862	281	0.00	4315
16:57:25	8391	1862	281	0.00	4315
16:57:26	8391	1862	281	0.00	4315
16:57:27	8391	1862	281	0.00	4315
16:57:28	8391	1862	281	0.00	4315
16:57:29	8391	1862	281	0.00	4315
16:57:30	8391	1862	281	0.00	4315
16:57:31	8391	1862	281	0.00	4315
16:57:32	8391	1862	281	0.00	4315
16:57:33	8391	1862	281	0.00	4315
16:57:34	8391	1862	281	0.00	4315
16:57:35	8391	1862	281	0.00	4315
16:57:36	8392	1862	281	0.00	4315
16:57:37	8392	1862	281	0.00	4315
16:57:38	8392	1862	281	0.00	4315
16:57:39	8392	1862	281	0.00	4315
16:57:40	8392	1862	281	0.00	4315
16:57:41	8392	1862	281	0.00	4315
16:57:42	8392	1862	281	0.00	4315
16:57:43	8392	1862	281	0.00	4315
16:57:44	8392	1862	281	0.00	4315
16:57:45	8393	1862	281	0.00	4315
16:57:46	8393	1862	281	0.00	4315
16:57:47	5912	1862	281	0.02	4315
16:57:48	1982	1862	281	0.04	4315
16:57:49	977	1862	281	0.03	4315
16:57:50	618	1862	281	0.02	4315
16:57:51	496	1862	281	0.02	4315
16:57:52	397	1862	281	0.01	4315
16:57:53	310	1862	281	0.01	4315
16:57:54	236	1862	281	0.01	4315
16:57:55	222	1862	281	0.00	4315
16:57:56	215	1862	281	0.00	4315
16:57:57	208	1862	281	0.00	4315
16:57:58	201	1862	281	0.00	4315
16:57:59	193	1862	281	0.00	4315
16:58:00	186	1862	281	0.00	4315
16:58:01	179	1862	281	0.00	4315
16:58:02	173	1862	281	0.00	4315
16:58:03	164	1862	281	0.00	4315

Time (hh:mm:ss)	I1 Pressure 1 (psi)	I1 Pressure 3 (psi)	I1 Pressure 4 (psi)	I1 Flow 1 Job Clean	
				Rate (bpm)	Vol (gal)
16:58:04	157	1862	281	0.00	4315
16:58:05	153	1862	281	0.00	4315
16:58:06	147	1862	281	0.00	4315
16:58:07	140	1862	281	0.00	4315
16:58:08	134	1862	281	0.00	4315
16:58:09	129	1862	281	0.00	4315
16:58:10	123	1862	281	0.01	4315
16:58:11	117	1862	281	0.01	4315
16:58:12	-5	1862	281	0.01	4315
16:58:13	-10	1862	281	0.01	4315
16:58:14	-12	1862	281	0.00	4315
16:58:15	-15	1862	281	0.00	4315
16:58:16	-15	1862	281	0.00	4315
16:58:17	-17	1862	281	0.00	4315
16:58:18	-18	1862	281	0.00	4315
16:58:19	-18	1862	281	0.00	4315
16:58:20	-18	1862	281	0.00	4315
16:58:21	-18	1862	281	0.00	4315
16:58:22	-18	1862	281	0.00	4315
16:58:23	-18	1862	281	0.00	4315
16:58:24	-18	1862	281	0.00	4315
16:58:25	-18	1862	281	0.00	4315
16:58:26	-18	1862	281	0.00	4315
16:58:27	-18	1862	281	0.00	4315
16:58:28	-18	1862	281	0.00	4315
16:58:29	-18	1862	281	0.00	4315
16:58:30	-18	1862	281	0.00	4315
16:58:31	-18	1862	281	0.00	4315
16:58:32	-18	1862	281	0.00	4315
16:58:33	-18	1862	281	0.00	4315
16:58:34	-18	1862	281	0.00	4315
16:58:35	-18	1862	281	0.00	4315
16:58:36	-18	1862	281	0.00	4315
16:58:37	-18	1862	281	0.00	4315
16:58:38	-18	1862	281	0.00	4315
16:58:39	-18	1862	281	0.00	4315
16:58:40	-16	1862	281	0.00	4315
16:58:41	-17	1862	281	0.00	4315
16:58:42	-16	1862	281	0.00	4315
16:58:43	-17	1862	281	0.00	4315
16:58:44	-17	1862	281	0.00	4315
16:58:45	-17	1862	281	0.00	4315
16:58:46	-17	1862	281	0.00	4315
16:58:47	-17	1862	281	0.00	4315

<b>Time (hh:mm:ss)</b>	<b>I1 Pressure 1 (psi)</b>	<b>I1 Pressure 3 (psi)</b>	<b>I1 Pressure 4 (psi)</b>	<b>I1 Flow 1 Rate (bpm)</b>	<b>Job Clean Vol (gal)</b>
16:58:48	-17	1862	281	0.00	4315
16:58:49	-15	1862	281	0.00	4315