

Inspector Name: Binschus, Chris

**FORM  
INSP**Rev  
05/11**State of Colorado  
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109

Inspection Date:

02/24/2016

Document Number:

682400405

Overall Inspection:

SATISFACTORY**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	444922	444922	Binschus, Chris	<input type="checkbox"/>	

**Operator Information:**OGCC Operator Number: 10373Name of Operator: NGL WATER SOLUTIONS DJ LLCAddress: 3773 CHERRY CRK NORTH DR #1000City: DENVER State: CO Zip: 80209

- ☐ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☒ NO FOLLOW UP INSPECTION REQUIRED
- ☐ INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

**Contact Information:**

Contact Name	Phone	Email	Comment
GOTTLOB, PAUL	720-420-5747	paul.gottlob@iptenergyservice.com	

**Compliance Summary:**QtrQtr: NENE Sec: 29 Twp: 4N Range: 65W**Inspector Comment:**This is a construction inspection. See COGCC comments.**Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
444921	WELL	XX	02/19/2016		123-42811	NGL C3B	CI	<input checked="" type="checkbox"/>

**Equipment:**Location Inventory

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>1</u>	Production Pits: _____
Condensate Tanks: _____	Water Tanks: _____	Separators: _____	Electric Motors: _____
Gas or Diesel Mortors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: _____	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: _____	VOC Combustor: _____	Oil Tanks: _____	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: _____

**Location****Lease Road:**

Type	Satisfactory/Action Required	comment	Corrective Action	Date

**Signs/Marker:**

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

Emergency Contact Number (S/AR): \_\_\_\_\_

Corrective Date: \_\_\_\_\_

Inspector Name: Binschus, Chris

Comment:	
Corrective Action:	

<b>Good Housekeeping:</b>				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

<b>Spills:</b>				
Type	Area	Volume	Corrective action	CA Date
<input type="checkbox"/> Multiple Spills and Releases?				

<b>Fencing/:</b>				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

<b>Equipment:</b>				
Type:	#	Satisfactory/Action Required:		
Comment				
Corrective Action				Date:

<b>Venting:</b>	
Yes/No	
Comment	

<b>Flaring:</b>			
Type		Satisfactory/Action Required	
Comment:			
Corrective Action:		Correct Action	Date:

<b>Predrill</b>			
Location ID: 444922			
<b>Site Preparation:</b>			
Lease Road Adeq.: _____		Pads: _____	Soil Stockpile: _____
<b>S/AR:</b> _____			
Corrective Action: _____		Date: _____	CDP Num.: _____
<b>Form 2A COAs:</b>			
<b>S/AR:</b> _____		<b>Comment:</b> _____	
<b>CA:</b> _____			<b>Date:</b> _____
<b>Wildlife BMPs:</b>			
BMP Type	Comment		
Material Handling and Spill Prevention	RULE 604.c.F: The Operator shall develop a plan to monitor Production Facilities on a regular schedule to identify fluid leaks. There will only be a Wellhead on this location - no tanks or production facility.		

Noise mitigation	RULE 604.c.A: Lighting abatement measures shall be implemented, including the installation of lighting shield devices on all of the more conspicuous lights, low density sodium lighting where practicable; and rig shrouding will be used as well as sound walls on the east side during drilling and completion activities to provide noise relief, as the nearest building unit is just over 500' to the east. Permanent equipment on location shall be muffled to reduce noise, or shall be appropriately buffered.
Drilling/Completion Operations	RULE 604.c.N: Any material not in use that might constitute a fire hazard shall be removed a minimum of twenty-five (25) feet from the wellhead, tanks and separator. Any electrical equipment installations inside the bermed area shall comply with API RP 500 classifications and comply with the current national electrical code as adopted by the State of Colorado. An emergency response plan has been generated for this site.
General Housekeeping	RULE 604.c.P: All surface trash, debris, scrap or discarded material connected with the operations of the property shall be removed from the premises or disposed of in a legal manner.
Noise mitigation	RULE 604.c.(2)A: Operations involving pipeline or gas facility installation or maintenance, or the use of a drilling rig, are subject to the maximum permissible noise levels for Light Industrial Zones, as measured at the nearest Building Unit. Short-term increases shall be allowable as described in 802.c. Stimulation or re-stimulation operations and Production Facilities are governed by Rule 802.
Construction	RULE 604.c.V: Where possible, operators shall provide for the development of multiple reservoirs by drilling on existing pads or by multiple completions or commingling in existing wellbores (see Rule 322). If any operator asserts it is not possible to comply with, or requests relief from, this requirement, the matter shall be set for hearing by the Commission and relief granted as appropriate.
Material Handling and Spill Prevention	RULE 604.c.G: Berms or other secondary containment devices in Designated Setback Locations shall be constructed around crude oil, condensate, and produced water storage tanks and shall enclose an area sufficient to contain and provide secondary containment for one- hundred fifty percent (150%) of the largest single tank. Berms or other secondary containment devices shall be sufficiently impervious to contain any spilled or released material. All berms and containment devices shall be inspected at regular intervals and maintained in good condition. No potential ignition sources shall be installed inside the secondary containment area unless the containment area encloses a fired vessel. Refer to API Bulletin D16: Suggested Procedure for Development of a Spill Prevention Control and Countermeasure Plan. There will only be a Wellhead on this location - no tanks or production facility.
Material Handling and Spill Prevention	RULE 604.c.R: All newly installed or replaced crude oil and condensate storage tanks shall be designed, constructed, and maintained in accordance with National Fire Protection Association (NFPA) Code 30 (2008 version). The operator shall maintain written records verifying proper design, construction, and maintenance, and shall make these records available for inspection by the Director. Only the 2008 version of NFPA Code 30 applies to this rule. This rule does not include later amendments to, or editions of, the NFPA Code 30. NFPA Code 30 may be examined at any state publication depository library. Upon request, the Public Room Administrator at the office of the Commission, 1120 Lincoln Street, Suite 801, Denver, Colorado 80203, will provide information about the publisher and the citation to the material. There will only be a Wellhead on this location - no tanks or production facility.
Construction	RULE 604.c.M: Unless otherwise requested by the Surface Owner, well sites constructed within Designated Setback Locations, shall be adequately fenced to restrict access by unauthorized persons.
Noise mitigation	Rule 802: Oil and gas operations at any well site, production facility, or gas facility shall comply with the Rule 802 permissible noise levels.
Odor mitigation	Per Rule 805: Oil & gas facilities and equipment shall be operated in such a manner that odors and dust do not constitute a nuisance or hazard to public welfare. Dust will be controlled by water spreading. Engine filters will be installed on all exhaust lines.
Construction	RULE 604.c.Q: All guy line anchors left buried for future use shall be identified by a marker of bright color not less than four (4) feet in height and not greater than one (1) foot east of the guy line anchor.
Construction	RULE 604.c.E: This will be a single well pad.

Inspector Name: Binschus, Chris

Traffic control	RULE 604.c.D: If required by the local government, a traffic plan shall be coordinated with the local jurisdiction prior to commencement of move in and rig up. Any subsequent modification to the traffic plan must be coordinated with the local jurisdiction.
Final Reclamation	RULE 604.c.U: The operator shall identify the location of the wellbore with a permanent monument as specified in Rule 319.a.(5). The operator shall also inscribe or imbed the well number and date of plugging upon the permanent monument.
Traffic control	RULE 604.c.S: At the time of construction, all leasehold roads shall be constructed to accommodate local emergency vehicle access requirements, and shall be maintained in a reasonable condition.
Final Reclamation	RULE 604.c.T: Within ninety (90) days after a well is plugged and abandoned, the well site shall be cleared of all non-essential equipment, trash, and debris. For good cause shown, an extension of time may be granted by the Director.

**S/AR:** \_\_\_\_\_ **Comment:** \_\_\_\_\_

**CA:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Stormwater:**

Erosion BMPs	Present	Other BMPs	Present
DITCHES	Yes		

S/AR: SATISFACTORY

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

Comments: Erosion BMPs: Ditch around perimeter of location. Ditch depth varied throughout perimeter. Operator said location was wet making it difficult to install ditch

Other BMPs: \_\_\_\_\_

SILT FENCES	Yes		
-------------	-----	--	--

S/AR: SATISFACTORY

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

Comments: Erosion BMPs: May need to inspect and maintain silt fence over time

Other BMPs: \_\_\_\_\_

**Comment:** \_\_\_\_\_

**Staking:**

**On Site Inspection (305):**

Surface Owner Contact Information:

Name: \_\_\_\_\_ Address: \_\_\_\_\_

Phone Number: \_\_\_\_\_ Cell Phone: \_\_\_\_\_

Operator Rep. Contact Information:

Landman Name: \_\_\_\_\_ Phone Number: \_\_\_\_\_

Date Onsite Request Received: \_\_\_\_\_ Date of Rule 306 Consultation: \_\_\_\_\_

Request LGD Attendance: \_\_\_\_\_

LGD Contact Information:

Name: \_\_\_\_\_ Phone Number: \_\_\_\_\_ Agreed to Attend: \_\_\_\_\_

Summary of Landowner Issues:

\_\_\_\_\_

Summary of Operator Response to Landowner Issues:

\_\_\_\_\_

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

Inspector Name: Binschus, Chris

**Facility**

Facility ID: 444921 Type: WELL API Number: 123-42811 Status: XX Insp. Status: CI

**Environmental**

**Spills/Releases:**

Type of Spill: Description: Estimated Spill Volume:  
Comment:  
Corrective Action: Date:  
Reportable: GPS: Lat Long  
Proximity to Surface Water: Depth to Ground Water:

**Water Well:**

Lat Long  
DWR Receipt Num: Owner Name: GPS :

**Field Parameters:**

Sample Location:

Emission Control Burner (ECB):

Comment:

Pilot: Wildlife Protection Devices (fired vessels):

**Reclamation - Storm Water - Pit**

**Interim Reclamation:**

Date Interim Reclamation Started: Date Interim Reclamation Completed:

Land Use: IRRIGATED

Comment:

1003a. Waste and Debris removed?

CM

CA CA Date

Unused or unneeded equipment onsite?

CM

CA CA Date

Pit, cellars, rat holes and other bores closed?

CM

CA CA Date

Guy line anchors marked?

CM

CA CA Date

1003b. Area no longer in use?

Production areas stabilized ?

Inspector Name: Binschus, Chris

1003c. Compacted areas have been cross ripped? \_\_\_\_\_

1003d. Drilling pit closed? \_\_\_\_\_ Subsidence over on drill pit? \_\_\_\_\_

Cuttings management: \_\_\_\_\_

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? \_\_\_\_\_

Production areas have been stabilized? \_\_\_\_\_ Segregated soils have been replaced? \_\_\_\_\_

#### RESTORATION AND REVEGETATION

##### Cropland

Top soil replaced \_\_\_\_\_ Recontoured \_\_\_\_\_ Perennial forage re-established \_\_\_\_\_

##### Non-Cropland

Top soil replaced \_\_\_\_\_ Recontoured \_\_\_\_\_ 80% Revegetation \_\_\_\_\_

1003 f. Weeds Noxious weeds? \_\_\_\_\_

Comment: \_\_\_\_\_

Overall Interim Reclamation

#### Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: \_\_\_\_\_ Date Final Reclamation Completed: \_\_\_\_\_

Final Land Use: IRRIGATED

Reminder: \_\_\_\_\_

Comment: \_\_\_\_\_

Well plugged \_\_\_\_\_ Pit mouse/rat holes, cellars backfilled \_\_\_\_\_

Debris removed \_\_\_\_\_ No disturbance /Location never built \_\_\_\_\_

Access Roads Regraded \_\_\_\_\_ Contoured \_\_\_\_\_ Culverts removed \_\_\_\_\_

Gravel removed \_\_\_\_\_

Location and associated production facilities reclaimed \_\_\_\_\_ Locations, facilities, roads, recontoured \_\_\_\_\_

Compaction alleviation \_\_\_\_\_ Dust and erosion control \_\_\_\_\_

Non cropland: Revegetated 80% \_\_\_\_\_ Cropland: perennial forage \_\_\_\_\_

Weeds present \_\_\_\_\_ Subsidence \_\_\_\_\_

Comment: \_\_\_\_\_

Corrective Action: \_\_\_\_\_ Date \_\_\_\_\_

Overall Final Reclamation \_\_\_\_\_ Well Release on Active Location ☐ Multi-Well Location ☐

#### Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment

S/A/V: \_\_\_\_\_ Corrective Date: \_\_\_\_\_

Comment: \_\_\_\_\_

CA: \_\_\_\_\_

Pits: ☐ NO SURFACE INDICATION OF PIT

#### COGCC Comments

Comment	User	Date
Stormwater and sediment control BMPs installed around perimeter of location prior to construction. Topsoil stockpile is located about 30m south of well location. Sediment control (silt fence) BMP installed around topsoil stockpile.  Refer to photos in Doc.#682400406	binschusc	02/26/2016

**Attached Documents**

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
682400406	Location Photos	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=3794202">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=3794202</a>