

FORM  
5A

Rev  
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:  
400999953

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: <u>47120</u>	4. Contact Name: <u>ILA BEALE</u>
2. Name of Operator: <u>KERR MCGEE OIL &amp; GAS ONSHORE LP</u>	Phone: <u>(720) 929-6408</u>
3. Address: <u>P O BOX 173779</u>	Fax: _____
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80217-</u>	Email: <u>ila.beale@anadarko.com</u>

5. API Number <u>05-123-39592-00</u>	6. County: <u>WELD</u>
7. Well Name: <u>STEWARD</u>	Well Number: <u>14N-6HZ</u>
8. Location: QtrQtr: <u>SESW</u> Section: <u>7</u> Township: <u>1N</u> Range: <u>65W</u> Meridian: <u>6</u>	
9. Field Name: <u>WATTENBERG</u> Field Code: <u>90750</u>	

### Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 01/19/2016 End Date: 01/30/2016 Date of First Production this formation: 02/12/2016  
Perforations Top: 7622 Bottom: 13113 No. Holes: 672 Hole size: 0.46

Provide a brief summary of the formation treatment: Open Hole:

"PERF AND FRAC FROM 7622-13,113.  
369 BBL ACID, 201,562 BBL SLICKWATER, 4,400 BBL WATER, - 206,331 BBL TOTAL FLUID  
6,023,042# 40/70 OTTAWA/ST. PETERS, - 6,023,042# TOTAL SAND."

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): 206331 Max pressure during treatment (psi): 7631

Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.30

Type of gas used in treatment: Min frac gradient (psi/ft): 0.92

Total acid used in treatment (bbl): 369 Number of staged intervals: 28

Recycled water used in treatment (bbl): 4950 Flowback volume recovered (bbl): 2119

Fresh water used in treatment (bbl): 201012 Disposition method for flowback: RECYCLE

Total proppant used (lbs): 6023042 Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

#### Test Information:

Date: 02/22/2016 Hours: 24 Bbl oil: 114 Mcf Gas: 119 Bbl H2O: 496

Calculated 24 hour rate: Bbl oil: 114 Mcf Gas: 119 Bbl H2O: 496 GOR: 1044

Test Method: FLOWING Casing PSI: 1950 Tubing PSI: Choke Size: 14/64

Gas Disposition: SOLD Gas Type: WET Btu Gas: 1369 API Gravity Oil: 47

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

Comment: \_\_\_\_\_

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: ILA BEALE

Title: STAFF REG. SPECIALIST Date: \_\_\_\_\_ Email: ila.beale@anadarko.com

### Attachment Check List

Att Doc Num	Name

Total Attach: 0 Files

## General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>

Total: 0 comment(s)