

		DISPATCH				FIELD RECEIPT #		1004																		
		LOCATION TIME				Date:		4/7/2016																		
CUSTOMER		GWOGCO		Billing Address		CITY		BERTHOUD		STATE		CO		ZIP		80513										
API NUMBER		CUSTOMER REP. NAME				PHONE #		AFE/PO		DISTRICT																
		MIKE COLE								WYCO																
WELL NAME AND NUMBER		COUNTY/PARISH				FIELD		STATE		HOIST/CRANE/TRAILER																
DETERER 34-24		WELD				WATTENBERG		CO		34																
MAX WIRELINE DEPTH		MAX DEVIATION		MAX BHT		H2S		CO2		FLUIDS TYPE		FLUID WT.		MAX BITP		LEVEL										
										WATER		8.2				SURFACE										
MARKETING DATA																										
Price Zone				WELL TYPE				JOB				LOCATION TYPE														
LAND				Completion				OTHER				WORKOVER RIG														
Salesman /Phone				Customer Engineer/Phone																						
SERVICE SEQUENCE									EMPLOYEE NAME									Employee Number								
1) SHOOT SQUEEZE GUN @ 1225'									SS RUSSELL PHIPPS																	
2)									OP JARON PAUL																	
3)									OP MATT MONROE																	
4)									OP																	
5)									OP																	
6)									OP																	
7)									OP																	
8)									SS																	
WELL DATA																										
CSG. SIZE #1: 4.5" CSG.WT 11.6 # / FT. FROM: TO: PACKER #1 DEPTH:																										
CSG. SIZE #2: CSG.WT # / FT. FROM: TO: PACKER #2 DEPTH:																										
LINER SIZE: LINER WT. # / FT. FROM: TO: MAX WELL DEPTH:																										
TBG.SIZE #1: TBG.WT. #1: # / FT. FROM: TO: MIN. ID DEPTH:																										
TBG.SIZE #2: TBG.WT. #2: # / FT. FROM: TO: MIN. ID DEPTH:																										
DRILL PIPE #1: DP WT. #1 # / FT. FROM: TO: DP MIN.ID DEPTH:																										
DRILL PIPE #2: DP WT. #2 # / FT. FROM: TO: DRILL COLLARS: WT.																										
PRESSURE CONTROL DATA TYPE GREASE INJECTOR REQUIRED:																										
SHUT-IN PRESSURE: PSI FLOWING PRESSURE PRESSURE EQUIPMENT RATING :																										
PRESSURE AFTER PERFORATING: WELLHEAD CONNECTION Size Lub needed:																										
Tree, Flange Size: TOTAL LUBRICATOR LENGTH REQUIRED: TOP DRIVE																										
HYDRIL STOP: TEST PUMP: PIPE RECOVERY SAFETY EQUIPMENTS: PUP JOINTS:																										
PACK OFF: PACK OFF / LUBE GREASE PUMP IN BOP TOOL TRAP																										
LOGGING SERVICES LOG INTERVAL: TO & TO																										
<input type="checkbox"/> COLLAR LOG <input type="checkbox"/> CNL/SCBL/GR/CCL <input type="checkbox"/> TEMP SURVEY <input type="checkbox"/> CALIPER <input type="checkbox"/> Logs on Location																										
<input type="checkbox"/> GAMMA RAY/CCL <input type="checkbox"/> SECTOR BOND LOG <input type="checkbox"/> TEMP LOG <input type="checkbox"/> Logs at KLX Shop																										
<input type="checkbox"/> NEUTRON/CCL LOG <input type="checkbox"/> CEMENT BOND LOG <input type="checkbox"/> GAMMA GUN <input type="checkbox"/> DEPTH DETERMINATION																										
<input type="checkbox"/> NEUTRON/GR/CCL LOG <input type="checkbox"/> CNL/CBL/GR/CCL <input type="checkbox"/> DHV(CAMERA)																										
MECHANICAL SERVICES																										
<input checked="" type="checkbox"/> HOIST SERVICE <input type="checkbox"/> DEPTH DETERMINATION <input type="checkbox"/> DUMP BAILER SLO SET STD:																										
<input type="checkbox"/> JUNK CATCHER <input type="checkbox"/> IMPRESSION BLOCK FT. CEMENT #10 BST																										
SIZE: FISHING TOOL HOIST FT. SAND # 20 BST																										
<input type="checkbox"/> GAUGE RING <input type="checkbox"/> ELECTRIC LINE JARS ACID JET CUTTER SIZE:																										
SIZE: CBP/CFP SIZE SET @ STRING SHOT SIZE:																										
<input type="checkbox"/> CAST IRON PLUG SIZE: SETTING DEPTH: SPLIT SHOT SIZE:																										
<input type="checkbox"/> PACKER SIZE: SETTING DEPTH: CMT.RETAINER SIZE: SETTING DEPTH:																										
PERFORATING SERVICES GAMMA GUN: MAG. DECENTRALIZER: MECH. DECENTRALIZER																										
CASING GUN TYPE: PORTED <input type="checkbox"/> SEE ATTACHED GUN SHEET THRU-TUBING GUN TYPE:																										
TYPE: SIZE: 3 1/8" SPF 2 PH: 60 ZONE 1: 1225 TO 1226 ZONE 4: TO																										
TYPE: SIZE: SPF PH: ZONE 2: TO ZONE 5: TO																										
TYPE: SIZE: SPF PH: ZONE 3: TO ZONE 6: TO																										
SQUEEZE GUNS: YES SIZE: 3 1/8" LENGTH: 2' SPF: 2 ORIENTED SUBS:																										
DIRECTIONS OR SPECIAL INSTRUCTIONS:																										

		DISPATCH				FIELD RECEIPT #		1003				
		LOCATION TIME				Date:		4/6/2016				
CUSTOMER		GWOGCO		Billing Address		CITY		STATE		CO	ZIP	80513
API NUMBER		CUSTOMER REP. NAME		PHONE #		AFE/PO		DISTRICT				
WELL NAME AND NUMBER		COUNTY/PARISH		FIELD		STATE		HOIST/Crane/TRAILER				
DETERER 34-24		WELD		WATTENBERG		CO		34				
MAX WIRELINE DEPTH		MAX DEVIATION		MAX BHT		H2S		CO2		FLUIDS TYPE		FLUID WT.
3750										WATER		
MARKETING DATA												
Price Zone		WELL TYPE		JOB		LOCATION TYPE						
LAND		Completion		OTHER		WORKOVER RIG						
Salesman /Phone		Customer Engineer/Phone										
SERVICE SEQUENCE						EMPLOYEE NAME		Employee Number				
1) SET CEMENT RETAINER @ 3700'						SS LEROY HOBBS						
2) DUMP BAIL TWO SACKS OF CEMENT 3700'						OP RUSSELL PHIPPS						
3)						OP JARON PAUL						
4)						OP						
5)						OP						
6)						OP						
7)						OP						
8)						SS						
WELL DATA												
CSG. SIZE #1: 4.5" CSG.WT 11.6 # / FT. FROM: TO: PACKER #1 DEPTH: 3700' CSG. SIZE #2: CSG.WT # / FT. FROM: TO: PACKER #2 DEPTH: LINER SIZE: LINER WT. # / FT. FROM: TO: MAX WELL DEPTH: TBG.SIZE #1: TBG.WT. #1: # / FT. FROM: TO: MIN. ID DEPTH: TBG.SIZE #2: TBG.WT. #2: # / FT. FROM: TO: MIN. ID DEPTH: DRILL PIPE #1: DP.WT. #1: # / FT. FROM: TO: DP MIN. ID DEPTH: DRILL PIPE #2: DP.WT. #2: # / FT. FROM: TO: DRILL COLLARS: WT.												
PRESSURE CONTROL DATA												
TYPE GREASE INJECTOR REQUIRED:												
SHUT-IN PRESSURE: PSI FLOWING PRESSURE PRESSURE EQUIPMENT RATING : PRESSURE AFTER PERFORATING: WELLHEAD CONNECTION Size Lub needed: Tree, Flange Size: TOTAL LUBRICATOR LENGTH REQUIRED: TOP DRIVE HYDRIL STOP: TEST PUMP: PIPE RECOVERY SAFETY EQUIPMENTS: PUP JOINTS: PACK OFF: PACK OFF / LUBE GREASE PUMP IN BOP TOOL TRAP												
LOGGING SERVICES												
LOG INTERVAL: TO & TO												
<input type="checkbox"/> COLLAR LOG <input type="checkbox"/> CNL/SCBL/GR/CCL <input type="checkbox"/> TEMP SURVEY <input type="checkbox"/> CALIPER <input type="checkbox"/> Logs on Location <input type="checkbox"/> GAMMA RAY/CCL <input type="checkbox"/> SECTOR BOND LOG <input type="checkbox"/> TEMP LOG <input type="checkbox"/> Logs at KLX Shop <input type="checkbox"/> NEUTRON/CCL LOG <input type="checkbox"/> CEMENT BOND LOG <input type="checkbox"/> GAMMA GUN <input type="checkbox"/> DEPTH DETERMINATION <input type="checkbox"/> NEUTRON/GR/CCL LOG <input type="checkbox"/> CNL/CBL/GR/CCL <input type="checkbox"/> DHV(CAMERA)												
MECHANICAL SERVICES												
<input checked="" type="checkbox"/> HOIST SERVICE <input type="checkbox"/> DEPTH DETERMINATION <input checked="" type="checkbox"/> DUMP BAILER SLO SET STD: X <input type="checkbox"/> JUNK CATCHER <input type="checkbox"/> IMPRESSION BLOCK 26' FT. CEMENT #10 BST YES SIZE: <input type="checkbox"/> FISHING TOOL HOIST FT. SAND # 20 BST <input type="checkbox"/> GAUGE RING <input type="checkbox"/> ELECTRIC LINE JARS ACID JET CUTTER SIZE: SIZE: <input type="checkbox"/> CBP/CFP SIZE SET @ STRING SHOT SIZE: <input type="checkbox"/> CAST IRON PLUG SIZE: 4.5" SETTING DEPTH: 3700' SPLIT SHOT SIZE: <input type="checkbox"/> PACKER SIZE: SETTING DEPTH: <input checked="" type="checkbox"/> CMT.RETAINER SIZE: 4.5" SETTING DEPTH: 3700'												
PERFORATING SERVICES												
GAMMA GUN: MAG. DECENTRALIZER: MECH. DECENTRALIZER												
CASING GUN TYPE: Slick <input type="checkbox"/> SEE ATTACHED GUN SHEET THRU-TUBING GUN TYPE: TYPE: SIZE: SPF PH: ZONE 1: TO ZONE 4: TO TYPE: SIZE: SPF PH: ZONE 2: TO ZONE 5: TO TYPE: SIZE: SPF PH: ZONE 3: TO ZONE 6: TO SQUEEZE GUNS: SIZE: LENGTH: SPF: ORIENTED SUBS: DIRECTIONS OR SPECIAL INSTRUCTIONS:												



2767

Report #		RCC #	Hub Meter		Company Rep:	Mike Cole
Customer Name		Great Western		Customer AFE #	Date	4/6/2016
Mailing Address		City	State	Zip	County	
2005 Howard Smith Av		Windsor	CO	80550	Weld	
Field	Lease Name	Well #	Order #			
Wattensburg	Detterer	34-24				
Important notes :						

Billing									
EQUIPMENT	QTY./HR	Sale/Rental	Tax	Equiptment Total	DESCRIPTION	RATE			TOTAL
Sale of 4 1/2 Cement retainer	1	800	23.2	\$823.20	TRUCKS & CREW	Hrs. @	Per Hr.		\$0.00
					EXTRA LABOR	Hrs. @	Per Hr.		\$0.00
Rental of Mech. Sett. Tool	1	400	11.6	\$411.60	FUEL	Hrs. @	Per Hr.		\$0.00
						Qty.	RATE		
			0	\$0.00	Handling Equipment				\$0.00
					Tool operator	1	600		\$600.00
			0	\$0.00	Per Diem				\$0.00
			0	\$0.00	Total \$ \$1,834.80				
			0	\$0.00					

Description of Work:	Time started:	Time Stopped:
----------------------	---------------	---------------

4/6/2016 Hunt hole with 32-A packer 07:00-10:00. 3 hours

4/6/2016 RIH with cement Retainer, set with 102 jts. Verify stung in and pumping through, test backside to 500 psi

holes between 3488' & 3520'. 14:00-16:00. 2 hours

Payroll Section

EMPLOYEE		EMR #	REVENUE HOURS	TRAVEL HOURS	NON-REVENUE	TOTAL
OPERATOR	Luke Mahoney					
EMPLOYEE						
EMPLOYEE						
EMPLOYEE						

NO ACCIDENTS PER MY SIGNATURE

SERVICES SUPERVISOR

CUSTOMER/AGENT



2768

Report #		RCC #		Company Rep:	
Hub Meter				Mike Cole	
Customer Name		Customer AFE #		Date	
Great Western				4/7/2016	
Mailing Address		State		Zip	
2005 Howard Smith Ave		CO		80550	
City		Well #		County	
Windsor		34-24		Weld	
Field		Lease Name		Order #	
Wattenburg		Detterer			
Important notes :					

Billing

EQUIPMENT	QTY./HR.	Sale/Rental	Tax	Equipment Total	DESCRIPTION	RATE			TOTAL
Sale of 4 1/2 Cement Retainer	1	800	23.2	\$823.20	TRUCKS & CREW	Hrs. @	Per Hr.		\$0.00
					EXTRA LABOR	Hrs. @	Per Hr.		\$0.00
Rental of Mech. Sett. Tool	1	0	0	\$0.00	FUEL	Hrs. @	Per Hr.		\$0.00
						Qty.	RATE		
			0	\$0.00	Handling Equipment				\$0.00
					Tool operator	1	600		\$600.00
			0	\$0.00	Per Diem				\$0.00
			0	\$0.00	Total \$ \$1,423.20				
			0	\$0.00					

Description of Work:	Time started:	7:00	Time Stopped:	15:00
----------------------	---------------	------	---------------	-------

4/7/2016: pump cement via cement retainer that was set yesterday, sting out and lay down/TOOH. Shoot holes @1225', RIH with mechanical set cement retainer @ 1114. Set retainer, hold 500 psi on backside, and pump cement to surface. Sting out and lay down 8 jts, TOOH. 07:00-15:00.

Payroll Section

EMPLOYEE		EMR #	REVENUE HOURS	TRAVEL HOURS	NON-REVENUE	TOTAL
OPERATOR	Luke Mahoney					
EMPLOYEE						
EMPLOYEE						
EMPLOYEE						

NO ACCIDENTS PER MY SIGNATURE

SERVICES SUPERVISOR

CUSTOMER/AGENT

