



<h1>EXTRACTION OIL & GAS</h1>			
Location:	COLORADO	Slot:	SLOT#04 BYBEE 4 (2268°FSL & 1164°FEL, SEC.14)
Field:	WELD COUNTY (NAD83/TRUE NORTH)	Well:	BYBEE 4
Facility:	SEC.14-T02N-R68W	Wellbore:	BYBEE 4 PWB

Plot reference wellpath is BYBEE 4 PWP (REV-C.0)	Grid System: NAD83 / Lambert Colorado SP, Northern Zone (501), US feet
True vertical depths are referenced to PATTERSON 346 (25KB) (RKB)	" = Wellpath was transformed from a different geodetic datum
Measured depths are referenced to PATTERSON 346 (25KB) (RKB)	North Reference: True north
PATTERSON 346 (25KB) (RKB) to Mean Sea Level: 4914 feet	Scale: True distance
Mean Sea Level to Ground level (At Slot: SLOTH#04 BYBEE 4 (2268FSL & 1164FEL, SEC. 14): 0 feet	Depths are in feet
Coordinates are in feet referenced to Slot	Created by: wagnjam on 2016-03-31
	Database: WA_DEN_Deriver_Defn





Actual Wellpath Report

BYBEE 4 AWP

Page 1 of 9



REFERENCE WELLPATH IDENTIFICATION			
Operator	EXTRACTION OIL & GAS	Slot	SLOT#04 BYBEE 4 (2268'FSL & 1164'FEL, SEC.14)
Area	COLORADO	Well	BYBEE 4
Field	WELD COUNTY (NAD83/TRUE NORTH)	Wellbore	BYBEE 4 AWP
Facility	SEC.14-T02N-R68W		

REPORT SETUP INFORMATION			
Projection System	NAD83 / Lambert Colorado SP, Northern Zone (501), US feet	Software System	WellArchitect® 5.0
North Reference	True	User	Wagnjam
Scale	0.999959	Report Generated	3/31/2016 at 1:31:10 PM
Convergence at slot	0.35° East	Database/Source file	WA_DEN_Denver_Defn/BYBEE_4_AWP.xml

WELLPATH LOCATION						
	Local coordinates		Grid coordinates		Geographic coordinates	
	North[ft]	East[ft]	Easting[US ft]	Northing[US ft]	Latitude	Longitude
Slot Location	0.30	-84.19	3149530.33	1293444.80	40°08'15.583"N	104°57'54.623"W
Facility Reference Pt			3149614.52	1293445.00	40°08'15.580"N	104°57'53.539"W
Field Reference Pt			3185481.27	1419166.81	40°28'55.560"N	104°49'59.556"W

WELLPATH DATUM			
Calculation method	Minimum curvature	PATTERSON 346 (25'KB) (RKB) to Facility Vertical Datum	4914.00ft
Horizontal Reference Pt	Slot	PATTERSON 346 (25'KB) (RKB) to Mean Sea Level	4914.00ft
Vertical Reference Pt	PATTERSON 346 (25'KB) (RKB)	PATTERSON 346 (25'KB) (RKB) to Ground Level at Slot (SLOT#04 BYBEE 4 (2268'FSL & 1164'FEL, SEC.14))	4914.00ft
MD Reference Pt	PATTERSON 346 (25'KB) (RKB)	Section Origin	N 0.00, E 0.00 ft
Field Vertical Reference	Mean Sea Level	Section Azimuth	179.11°



Actual Wellpath Report

BYBEE 4 AWP

Page 2 of 9



REFERENCE WELLPATH IDENTIFICATION			
Operator	EXTRACTION OIL & GAS	Slot	SLOT#04 BYBEE 4 (2268'FSL & 1164'FEL, SEC.14)
Area	COLORADO	Well	BYBEE 4
Field	WELD COUNTY (NAD83/TRUE NORTH)	Wellbore	BYBEE 4 AWP
Facility	SEC.14-T02N-R68W		

WELLPATH DATA (132 stations) † = interpolated/extrapolated station								
MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	DLS [°/100ft]	Comments
0.00†	0.000	3.690	0.00	0.00	0.00	0.00	0.00	
25.00	0.000	3.690	25.00	0.00	0.00	0.00	0.00	
196.00	1.780	3.690	195.97	-2.65	2.65	0.17	1.04	BAKER DRILLED USING 3RD PARTY MWD FIRST SURVEY
288.00	2.220	9.720	287.92	-5.82	5.83	0.56	0.53	
383.00	2.300	6.950	382.84	-9.52	9.54	1.11	0.14	
477.00	2.320	6.050	476.77	-13.28	13.30	1.53	0.04	
572.00	1.140	5.330	571.72	-16.13	16.16	1.82	1.24	
666.00	0.170	326.340	665.71	-17.17	17.20	1.83	1.08	
856.00	0.350	276.820	855.71	-17.49	17.51	1.10	0.14	
1045.00	0.660	294.800	1044.70	-18.04	18.03	-0.46	0.18	
1140.00	0.860	287.730	1139.70	-18.50	18.48	-1.64	0.23	
1329.00	0.340	314.280	1328.69	-19.35	19.30	-3.39	0.30	
1519.00	0.450	291.720	1518.68	-20.04	19.97	-4.48	0.10	
1658.00	0.350	257.470	1657.68	-20.16	20.08	-5.41	0.18	
1752.00	0.170	346.870	1751.68	-20.24	20.16	-5.72	0.41	
1847.00	2.010	10.110	1846.66	-22.01	21.93	-5.46	1.95	
1941.00	5.040	16.360	1940.47	-27.58	27.52	-4.01	3.24	
2035.00	6.940	10.500	2033.95	-37.09	37.07	-1.81	2.12	
2130.00	6.100	7.100	2128.34	-47.71	47.72	-0.14	0.97	
2224.00	6.600	13.500	2221.76	-57.89	57.93	1.74	0.92	
2318.00	6.820	12.210	2315.12	-68.56	68.63	4.18	0.28	
2413.00	7.780	11.050	2409.35	-80.35	80.46	6.61	1.02	
2507.00	6.840	8.060	2502.58	-92.10	92.25	8.61	1.08	
2601.00	7.810	11.930	2595.81	-103.86	104.04	10.72	1.16	
2695.00	8.440	18.510	2688.87	-116.59	116.83	14.23	1.19	
2790.00	7.140	15.600	2782.99	-128.83	129.13	18.03	1.43	
2885.00	5.810	13.430	2877.38	-139.15	139.49	20.73	1.42	
2979.00	6.320	18.650	2970.86	-148.64	149.02	23.49	0.80	
3074.00	6.980	17.080	3065.22	-159.06	159.49	26.86	0.72	
3169.00	7.130	10.760	3159.50	-170.32	170.80	29.66	0.83	



Actual Wellpath Report

BYBEE 4 AWP

Page 3 of 9



REFERENCE WELLPATH IDENTIFICATION

Operator	EXTRACTION OIL & GAS	Slot	SLOT#04 BYBEE 4 (2268'FSL & 1164'FEL, SEC.14)
Area	COLORADO	Well	BYBEE 4
Field	WELD COUNTY (NAD83/TRUE NORTH)	Wellbore	BYBEE 4 AWP
Facility	SEC.14-T02N-R68W		

WELLPATH DATA (132 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	DLS [°/100ft]	Comments
3263.00	6.980	6.850	3252.79	-181.69	182.20	31.43	0.54	
3357.00	7.770	15.920	3346.02	-193.44	193.99	33.85	1.49	
3452.00	9.350	21.580	3439.96	-206.72	207.34	38.45	1.88	
3547.00	9.400	23.100	3533.69	-220.94	221.65	44.33	0.27	
3642.00	7.680	7.450	3627.64	-234.31	235.08	48.20	3.03	
3737.00	7.820	6.940	3721.77	-246.99	247.79	49.81	0.16	
3832.00	7.400	3.500	3815.94	-259.49	260.32	50.96	0.65	
3928.00	8.540	8.370	3911.01	-272.69	273.54	52.38	1.38	
4023.00	8.670	4.040	4004.94	-286.79	287.66	53.91	0.70	
4117.00	8.650	5.900	4097.87	-300.87	301.76	55.13	0.30	
4212.00	7.330	13.350	4191.95	-313.84	314.76	57.27	1.76	
4306.00	7.710	25.340	4285.15	-325.30	326.30	61.35	1.71	
4401.00	6.970	9.910	4379.38	-336.68	337.74	65.07	2.21	
4496.00	8.830	20.460	4473.48	-349.14	350.25	68.61	2.47	
4590.00	7.260	17.890	4566.55	-361.48	362.66	72.96	1.71	
4685.00	5.280	20.710	4660.97	-371.23	372.46	76.35	2.11	
4781.00	3.960	17.260	4756.66	-378.49	379.76	78.89	1.40	
4876.00	3.860	23.660	4851.44	-384.51	385.82	81.15	0.47	
4970.00	2.050	55.060	4945.32	-388.33	389.68	83.80	2.52	
5065.00	0.340	342.030	5040.30	-389.55	390.92	85.10	2.08	
5159.00	1.760	262.420	5134.28	-389.65	391.00	83.59	1.84	
5254.00	1.010	267.180	5229.25	-389.46	390.76	81.30	0.80	
5349.00	0.860	267.240	5324.24	-389.40	390.69	79.76	0.16	
5443.00	0.710	276.380	5418.23	-389.45	390.72	78.47	0.21	
5537.00	1.160	324.460	5512.22	-390.31	391.56	77.34	0.92	
5632.00	1.090	327.670	5607.20	-391.87	393.10	76.30	0.10	
5726.00	1.200	6.110	5701.18	-393.61	394.84	75.93	0.81	
5821.00	1.840	0.350	5796.15	-396.12	397.35	76.04	0.69	
5915.00	2.210	11.110	5890.09	-399.41	400.64	76.40	0.56	
6009.00	2.210	13.170	5984.02	-402.94	404.18	77.16	0.08	



Actual Wellpath Report

BYBEE 4 AWP

Page 4 of 9



REFERENCE WELLPATH IDENTIFICATION			
Operator	EXTRACTION OIL & GAS	Slot	SLOT#04 BYBEE 4 (2268'FSL & 1164'FEL, SEC.14)
Area	COLORADO	Well	BYBEE 4
Field	WELD COUNTY (NAD83/TRUE NORTH)	Wellbore	BYBEE 4 AWB
Facility	SEC.14-T02N-R68W		

WELLPATH DATA (132 stations) † = interpolated/extrapolated station								
MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	DLS [°/100ft]	Comments
6104.00	1.530	326.520	6078.97	-405.78	407.03	76.88	1.69	
6199.00	1.780	269.040	6173.94	-406.85	408.06	74.70	1.69	
6294.00	1.860	291.020	6268.89	-407.42	408.59	71.79	0.73	
6390.00	0.970	317.860	6364.86	-408.62	409.75	69.79	1.13	
6484.00	1.230	73.010	6458.85	-409.49	410.63	70.22	1.98	
6580.00	1.900	31.230	6554.82	-411.13	412.30	72.03	1.33	
6675.00	2.390	50.270	6649.76	-413.70	414.91	74.37	0.90	
6769.00	1.890	118.900	6743.70	-414.16	415.41	77.24	2.60	
6896.00	1.950	81.630	6870.64	-413.40	414.71	81.21	0.97	
6992.00	1.730	127.670	6966.59	-412.71	414.07	83.97	1.51	
7088.00	11.530	186.800	7061.88	-402.27	403.62	83.98	11.19	
7182.00	21.850	189.160	7151.80	-375.66	376.95	80.07	11.00	
7277.00	30.540	189.320	7236.96	-334.42	335.60	73.34	9.15	
7372.00	38.450	180.960	7315.24	-281.03	282.14	68.92	9.69	
7467.00	43.640	184.870	7386.88	-218.84	219.89	65.64	6.09	
7562.00	59.230	190.720	7445.95	-145.76	146.63	55.20	17.09	
7658.00	77.060	192.110	7481.54	-59.07	59.66	37.57	18.62	
7708.00	86.600	192.170	7488.64	-10.91	11.33	27.17	19.08	LANDING POINT (2279'FSL & 1137'FEL SEC 14)
7756.00	90.670	186.920	7489.78	36.26	-35.96	19.22	13.83	
7800.00†	91.427	185.353	7488.98	79.92	-79.70	14.52	3.95	CROSSED SETBACK (2188'FSL & 1149'FEL SEC 14)
7852.00	92.320	183.500	7487.28	131.66	-131.51	10.51	3.95	
7946.00	90.840	182.170	7484.69	225.42	-225.36	5.86	2.12	
8042.00	90.740	181.370	7483.36	321.31	-321.30	2.90	0.84	
8136.00	89.230	177.630	7483.39	415.29	-415.28	3.72	4.29	
8231.00	88.720	176.230	7485.09	510.20	-510.13	8.80	1.57	
8326.00	88.790	176.390	7487.15	605.07	-604.91	14.92	0.18	
8420.00	88.520	176.250	7489.36	698.93	-698.69	20.95	0.32	
8515.00	89.190	176.170	7491.26	793.79	-793.46	27.23	0.71	
8610.00	87.650	176.390	7493.88	888.63	-888.22	33.39	1.64	
8705.00	88.720	178.470	7496.89	983.54	-983.07	37.64	2.46	



Actual Wellpath Report

BYBEE 4 AWP

Page 5 of 9



REFERENCE WELLPATH IDENTIFICATION

Operator	EXTRACTION OIL & GAS	Slot	SLOT#04 BYBEE 4 (2268'FSL & 1164'FEL, SEC.14)
Area	COLORADO	Well	BYBEE 4
Field	WELD COUNTY (NAD83/TRUE NORTH)	Wellbore	BYBEE 4 AWP
Facility	SEC.14-T02N-R68W		

WELLPATH DATA (132 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	DLS [°/100ft]	Comments
8799.00	90.500	179.090	7497.52	1077.53	-1077.04	39.65	2.01	
8894.00	90.640	178.900	7496.58	1172.52	-1172.02	41.31	0.25	
8990.00	88.820	177.770	7497.03	1268.51	-1267.98	44.10	2.23	
9085.00	88.450	175.710	7499.30	1363.39	-1362.79	49.50	2.20	
9180.00	88.490	177.020	7501.83	1458.25	-1457.56	55.52	1.38	
9275.00	89.160	177.190	7503.78	1553.17	-1552.42	60.32	0.73	
9370.00	88.930	176.800	7505.36	1648.09	-1647.28	65.30	0.48	
9464.00	88.390	179.560	7507.56	1742.05	-1741.20	68.28	2.99	
9559.00	90.200	179.060	7508.73	1837.03	-1836.18	69.43	1.98	
9655.00	89.530	178.560	7508.96	1933.03	-1932.15	71.42	0.87	
9750.00	88.990	177.490	7510.18	2028.00	-2027.09	74.69	1.26	
9845.00	88.720	180.440	7512.08	2122.97	-2122.04	76.41	3.12	
9939.00	91.480	180.790	7511.92	2216.93	-2216.03	75.40	2.96	
10034.00	91.650	180.450	7509.32	2311.86	-2310.99	74.37	0.40	
10128.00	91.950	180.360	7506.37	2405.79	-2404.94	73.71	0.33	
10224.00	90.240	180.640	7504.54	2501.74	-2500.91	72.87	1.80	
10319.00	90.540	180.970	7503.89	2596.70	-2595.90	71.54	0.47	
10414.00	89.800	180.400	7503.61	2691.66	-2690.89	70.40	0.98	
10509.00	88.120	177.430	7505.33	2786.63	-2785.85	72.20	3.59	
10604.00	87.510	176.620	7508.96	2881.50	-2880.65	77.13	1.07	
10699.00	88.690	179.370	7512.11	2976.42	-2975.53	80.45	3.15	
10794.00	89.130	179.300	7513.91	3071.40	-3070.50	81.55	0.47	
10889.00	88.380	178.570	7515.98	3166.38	-3165.46	83.31	1.10	
10985.00	89.800	177.710	7517.50	3262.35	-3261.40	86.43	1.73	
11080.00	90.300	177.970	7517.42	3357.32	-3356.33	90.01	0.59	
11174.00	89.330	181.930	7517.72	3451.29	-3450.31	90.09	4.34	
11269.00	90.640	182.520	7517.75	3546.15	-3545.24	86.40	1.51	
11364.00	90.900	180.840	7516.47	3641.04	-3640.18	83.62	1.79	
11553.00	90.470	179.600	7514.21	3829.99	-3829.16	82.89	0.69	
11648.00	88.190	180.380	7515.32	3924.96	-3924.15	82.91	2.54	



Actual Wellpath Report

BYBEE 4 AWP

Page 6 of 9



REFERENCE WELLPATH IDENTIFICATION			
Operator	EXTRACTION OIL & GAS	Slot	SLOT#04 BYBEE 4 (2268'FSL & 1164'FEL, SEC.14)
Area	COLORADO	Well	BYBEE 4
Field	WELD COUNTY (NAD83/TRUE NORTH)	Wellbore	BYBEE 4 AWB
Facility	SEC.14-T02N-R68W		

WELLPATH DATA (132 stations)								
MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	DLS [°/100ft]	Comments
11742.00	87.990	180.670	7518.45	4018.88	4018.09	82.05	0.37	
11838.00	87.720	179.410	7522.05	4114.80	4114.02	81.98	1.34	
11933.00	88.520	179.860	7525.16	4209.75	4208.97	82.59	0.97	
12028.00	89.330	182.420	7526.95	4304.66	4303.93	80.70	2.83	
12123.00	88.490	179.080	7528.75	4399.59	4398.89	79.45	3.62	
12218.00	90.240	181.170	7529.81	4494.56	4493.87	79.25	2.87	
12313.00	91.340	180.290	7528.50	4589.51	4588.85	78.04	1.48	
12408.00	91.010	180.670	7526.55	4684.46	4683.83	77.24	0.53	
12503.00	91.510	181.440	7524.46	4779.38	4778.79	75.49	0.97	
12597.00	92.490	181.190	7521.18	4873.26	4872.71	73.34	1.08	
12675.00	92.560	181.460	7517.74	4951.12	4950.61	71.53	0.36	BAKER DRILLED USING 3RD PARTY MWD-LAST SURVEY (2611'FSL & 1107'FEL SEC 23)
12735.00	92.560	181.460	7515.06	5011.01	5010.53	70.01	0.00	BAKER DRILLED USING 3RD PARTY MWD-PTB (2551'FSL & 1109'FEL SEC 23)

HOLE & CASING SECTIONS - Ref Wellbore: BYBEE 4 AWB Ref Wellpath: BYBEE 4 AWP									
String/Diameter	Start MD [ft]	End MD [ft]	Interval [ft]	Start TVD [ft]	End TVD [ft]	Start N/S [ft]	Start E/W [ft]	End N/S [ft]	End E/W [ft]
13.5in Open Hole	25.00	1615.00	1590.00	25.00	1614.68	0.00	0.00	20.11	-5.14
9.625in Casing Surface	25.00	1572.00	1547.00	25.00	1571.68	0.00	0.00	20.08	-4.86
7.875in Open Hole	1615.00	12735.00	11120.00	1614.68	7515.06	20.11	-5.14	-5010.53	70.01
5.5in Casing Production	25.00	12735.00	12710.00	25.00	7515.06	0.00	0.00	-5010.53	70.01



Actual Wellpath Report

BYBEE 4 AWP

Page 7 of 9



REFERENCE WELLPATH IDENTIFICATION			
Operator	EXTRACTION OIL & GAS	Slot	SLOT#04 BYBEE 4 (2268'FSL & 1164'FEL, SEC.14)
Area	COLORADO	Well	BYBEE 4
Field	WELD COUNTY (NAD83/TRUE NORTH)	Wellbore	BYBEE 4 AWP
Facility	SEC.14-T02N-R68W		

TARGETS								
Name	TVD [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Shape
SEC.14-T02N-R62W	0.00	-0.30	84.19	3149614.52	1293445.00	40°08'15.580"N	104°57'53.539"W	polygon
SEC.23-T02N-R62W	0.00	-0.30	84.19	3149614.52	1293445.00	40°08'15.580"N	104°57'53.539"W	polygon
BYBEE 4 BHL ON PLAT (2500'FSL & 1100'FEL, SEC.23)	7475.00	-5061.13	78.60	3149639.45	1288384.45	40°07'25.568"N	104°57'53.611"W	point
BYBEE 4 LANDING POINT ON PLAT (2192'FSL & 1100'FEL, SEC.14)	7475.00	-76.12	64.04	3149594.83	1293369.07	40°08'14.831"N	104°57'53.798"W	point
BYBEE 4 LANDING POINT REV-1 (2118'FSL & 1100'FEL, SEC.14)	7475.00	-150.00	64.08	3149595.30	1293295.19	40°08'14.101"N	104°57'53.798"W	point
SEC.14/23-T02N-R62W SETBACK (460' 1/2 SECTION LINE (14) & 2500'FSL, SEC.23)	7475.00	-0.30	84.19	3149614.52	1293445.00	40°08'15.580"N	104°57'53.539"W	polygon
BYBE 4 TARGET 1	7486.00	-67.25	67.17	3149597.90	1293377.96	40°08'14.918"N	104°57'53.758"W	point
BYBE 4 TARGET 2	7491.00	-693.18	68.61	3149603.12	1292752.07	40°08'08.733"N	104°57'53.740"W	point
BYBE 4 TARGET 3	7501.00	-1593.14	70.66	3149610.59	1291852.18	40°07'59.839"N	104°57'53.713"W	point
BYBE 4 TARGET 4	7511.00	-2493.10	72.72	3149618.08	1290952.29	40°07'50.946"N	104°57'53.687"W	point
BYBE 4 TARGET 5	7520.00	-3293.06	74.55	3149624.73	1290152.39	40°07'43.041"N	104°57'53.663"W	point
BYBE 4 TARGET 6	7525.00	-3893.03	75.93	3149629.73	1289552.46	40°07'37.112"N	104°57'53.646"W	point



Actual Wellpath Report

BYBEE 4 AWP

Page 8 of 9



REFERENCE WELLPATH IDENTIFICATION			
Operator	EXTRACTION OIL & GAS	Slot	SLOT#04 BYBEE 4 (2268'FSL & 1164'FEL, SEC.14)
Area	COLORADO	Well	BYBEE 4
Field	WELD COUNTY (NAD83/TRUE NORTH)	Wellbore	BYBEE 4 AWB
Facility	SEC.14-T02N-R68W		

TARGETS								
Name	TVD [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Shape
BYBE 4 TARGET 7	7529.00	-4393.01	77.07	3149633.89	1289052.52	40°07'32.171"N	104°57'53.631"W	point
BYBE 4 TARGET 8	7533.00	-5061.13	78.60	3149639.45	1288384.45	40°07'25.568"N	104°57'53.611"W	point
BYBEE 4 BHL ON PLAT REV-1 (2500'FSL & 1100'FEL, SEC.23)	7533.00	-5061.13	78.60	3149639.45	1288384.45	40°07'25.568"N	104°57'53.611"W	point

WELLPATH COMPOSITION - Ref Wellbore: BYBEE 4 AWB					Ref Wellpath: BYBEE 4 AWP	
Start MD [ft]	End MD [ft]	Positional Uncertainty Model	Log Name/Comment		Wellbore	
25.00	1519.00	ISCWSA MWD, Rev. 3 (Standard)	BAKER HANDS DRILLED USING 3RD PARTY MWD 13.5" HOLE <196-1519>		BYBEE 4 AWB	
1519.00	12675.00	ISCWSA MWD, Rev. 3 (Standard)	BAKER HANDS DRILLED USING 3RD PARTY MWD <1658-12675>		BYBEE 4 AWB	
12675.00	12735.00	Blind Drilling (std)	Projection to bit		BYBEE 4 AWB	



Actual Wellpath Report

BYBEE 4 AWP

Page 9 of 9



REFERENCE WELLPATH IDENTIFICATION			
Operator	EXTRACTION OIL & GAS	Slot	SLOT#04 BYBEE 4 (2268'FSL & 1164'FEL, SEC.14)
Area	COLORADO	Well	BYBEE 4
Field	WELD COUNTY (NAD83/TRUE NORTH)	Wellbore	BYBEE 4 AWB
Facility	SEC.14-T02N-R68W		

WELLPATH COMMENTS				
MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Comment
196.00	1.780	3.690	195.97	BAKER DRILLED USING 3RD PARTY MWD FIRST SURVEY
7708.00	86.600	192.170	7488.64	LANDING POINT (2279'FSL & 1137'FEL SEC 14)
7800.00	91.427	185.353	7488.98	CROSSED SETBACK (2188'FSL & 1149'FEL SEC 14)
12675.00	92.560	181.460	7517.74	BAKER DRILLED USING 3RD PARTY MWD-LAST SURVEY (2611'FSL & 1107'FEL SEC 23)
12735.00	92.560	181.460	7515.06	BAKER DRILLED USING 3RD PARTY MWD-PTB (2551'FSL & 1109'FEL SEC 23)