



# Certificate of Analysis

Number: 1030-16040402-001A

Houston Laboratories  
8820 Interchange Drive  
Houston, TX 77054  
Phone 713-660-0901

Jennifer Johnson  
Sandridge Midstream  
123 Robert S. Kerr Ave.  
Oklahoma City, 73102

COGCC Document No. 2056207  
Received 4/25/2016

Apr. 21, 2016

Station Name: Gregory  
Station Location: Coalmont, CO  
Cylinder No: 1030-03726  
Analyzed: 04/13/2016 13:31:45

Sampled By: BB  
Sample Of: Liquid Spot  
Sample Date: 04/06/2016  
Sample Conditions: 50 psig, @ 110 °F  
Method: GPA 2103M

## Analytical Data

Components	Mol. %	MW	Wt. %	Sp. Gravity	L.V. %
Nitrogen	0.205	28.013	0.033	0.807	0.034
Methane	0.913	16.043	0.084	0.300	0.231
Carbon Dioxide	0.147	44.010	0.037	0.817	0.038
Ethane	1.299	30.069	0.224	0.356	0.521
Propane	4.490	44.096	1.135	0.507	1.853
Iso-Butane	1.086	58.122	0.362	0.563	0.533
n-Butane	5.480	58.122	1.826	0.584	2.589
Iso-Pentane	2.529	72.149	1.046	0.625	1.386
n-Pentane	3.687	72.149	1.525	0.631	2.002
i-Hexanes	1.351	86.177	0.668	0.664	0.834
n-Hexane	1.846	86.175	0.912	0.664	1.138
2,2,4-Trimethylpentane	0.090	114.231	0.059	0.697	0.070
Benzene	0.337	78.114	0.151	0.885	0.141
Heptanes	9.705	94.272	5.245	0.726	5.985
Toluene	1.092	92.141	0.577	0.872	0.548
Octanes	10.056	109.119	6.291	0.739	7.049
Ethylbenzene	0.549	106.167	0.334	0.872	0.317
Xylenes	1.130	106.167	0.688	0.874	0.652
Nonanes	6.230	125.692	4.491	0.749	4.969
Decanes Plus	47.778	271.358	74.312	0.891	69.110
	100.000		100.000		100.000

### Calculated Physical Properties

	Total	C10+
Specific Gravity at 60°F	0.8282	0.8905
API Gravity at 60°F	39.359	27.399
Molecular Weight	174.437	271.358
Pounds per Gallon (in Vacuum)	6.904	7.424
Pounds per Gallon (in Air)	6.897	7.416
Cu. Ft. Vapor per Gallon @ 14.696 psia	15.021	10.382

Hydrocarbon Laboratory Manager

Quality Assurance:

The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.



# Certificate of Analysis

Number: 1030-16040402-001A

**Houston Laboratories**

8820 Interchange Drive

Houston, TX 77054

Phone 713-660-0901

Jennifer Johnson  
Sandridge Midstream  
123 Robert S. Kerr Ave.  
Oklahoma City, 73102

Apr. 21, 2016

Station Name: Gregory  
Station Location: Coalmont, CO  
Cylinder No: 1030-03726  
Analyzed: 04/16/2016 02:42:06 by Administrator

Sampled By: BB  
Sample Of: Liquid Spot  
Sample Date: 04/06/2016  
Sample Conditions: 50 psig, @ 110 °F  
Method: ASTM D-2887M

## Analytical Data

Components	Mol. %	Wt. %	L.V. %
Nitrogen	0.205	0.033	0.034
Methane	0.913	0.084	0.231
Carbon Dioxide	0.147	0.037	0.038
Ethane	1.299	0.224	0.521
Propane	4.490	1.135	1.853
Iso-Butane	1.086	0.362	0.533
n-Butane	5.480	1.826	2.589
Iso-Pentane	2.529	1.046	1.386
n-Pentane	3.687	1.525	2.002
i-Hexanes	1.351	0.668	0.834
n-Hexane	1.846	0.912	1.138
2,2,4-Trimethylpentane	0.090	0.059	0.070
Benzene	0.337	0.151	0.141
Heptanes	9.705	5.245	5.985
Toluene	1.092	0.577	0.548
Octanes	10.056	6.291	7.049
Ethylbenzene	0.549	0.334	0.317
Xylenes	1.130	0.688	0.652
Nonanes	6.230	4.491	4.969
C10	5.830	4.837	4.795
C11	4.493	4.094	4.004
C12	3.965	3.938	3.806
C13	3.879	4.169	3.991
C14	3.257	3.767	3.574
C15	2.803	3.471	3.272
C16	2.311	3.052	2.886
C17	2.084	2.922	2.753
C18	2.024	3.003	2.815
C19	1.715	2.686	2.490
C20	1.424	2.346	2.166
C21	1.254	2.169	1.995
C22	1.149	2.081	1.907
C23	1.022	1.935	1.810
C24	0.916	1.809	1.648
C25	0.838	1.723	1.566
C26	0.781	1.669	1.562
C27	0.709	1.575	1.471
C28	0.694	1.597	1.441
C29	0.624	1.486	1.339
C30 Plus	6.006	19.983	17.819
	100.000	100.000	100.000



## Certificate of Analysis

Number: 1030-16040402-001A

**Houston Laboratories**

8820 Interchange Drive

Houston, TX 77054

Phone 713-660-0901

Jennifer Johnson  
Sandridge Midstream  
123 Robert S. Kerr Ave.  
Oklahoma City, 73102

Apr. 21, 2016

Station Name: Gregory  
Station Location: Coalmont, CO  
Cylinder No: 1030-03726  
Analyzed: 04/16/2016 02:42:06 by Administrator

Sampled By: BB  
Sample Of: Liquid Spot  
Sample Date: 04/06/2016  
Sample Conditions: 50 psig, @ 110 °F  
Method: ASTM D-2887M

---

**Calculated Physical Properties**

	<b>Total</b>	<b>C30+</b>
Specific Gravity at 60°F	0.8282	0.9632
API Gravity at 60°F	39.359	15.406
Molecular Weight	174.437	570.724
Pounds per Gallon (in Vacuum)	6.904	8.030
Pounds per Gallon (in Air)	6.897	8.022
Cu. Ft. Vapor per Gallon @ 14.696 psia	15.021	5.340

Hydrocarbon Laboratory Manager

Quality Assurance:

The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.



Certificate of Analysis  
Number: 1030-16040402-001A

Houston Laboratories  
8820 Interchange Drive  
Houston, TX 77054  
Phone 713-660-0901

Jennifer Johnson  
Sandridge Midstream  
123 Robert S. Kerr Ave.  
Oklahoma City, 73102

Apr. 21, 2016

Station Name: Gregory  
Station Location: Coalmont, CO  
Cylinder No: 1030-03726

Sampled By: BB  
Sample Of: Liquid Spot  
Sample Date: 04/06/2016  
Sample Conditions: 50 psig, @ 110 °F

**Analytical Data**

Test	Method	Result	Units	Detection Limit	Lab Tech.	Analysis Date
Shrinkage Factor	Proprietary	0.9864			MR	04/14/2016
Flash Factor	Proprietary	21.9948	Cu.Ft./STBbl.		MR	04/14/2016
Color Visual	Proprietary	Light Straw			MR	04/14/2016
API Gravity @ 60° F	ASTM D-4052	38.31	°		FM	04/19/2016

Hydrocarbon Laboratory Manager

Quality Assurance:

The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.



# Certificate of Analysis

Number: 1030-16040402-002A

**Houston Laboratories**

8820 Interchange Drive

Houston, TX 77054

Phone 713-660-0901

Jennifer Johnson  
Sandridge Midstream  
123 Robert S. Kerr Ave.  
Oklahoma City, 73102

Apr. 21, 2016

Station Name: Gregory  
Station Location: Coalmont, CO  
Cylinder No: 2393  
Analyzed: 04/14/2016 04:19:09

Sampled By: BB  
Sample Of: Gas Spot  
Sample Date: 04/06/2016  
Sample Conditions: 80 psig, @ 100 °F  
Method: GPA 2286

## Analytical Data

Components	Mol. %	Wt. %	GPM at 14.696 psia		
Nitrogen	1.019	1.117		GPM TOTAL C2+	8.697
Carbon Dioxide	1.985	3.419		GPM TOTAL C3+	5.902
Methane	67.358	42.287		GPM TOTAL IC5+	1.257
Ethane	10.420	12.261	2.795		
Propane	10.794	18.626	2.982		
Iso-butane	1.245	2.832	0.409		
n-Butane	3.965	9.018	1.254		
Iso-pentane	0.889	2.510	0.326		
n-Pentane	0.988	2.790	0.359		
Hexanes Plus	1.337	5.140	0.572		
	100.000	100.000	8.697		

Calculated Physical Properties	Total	C6+
Relative Density Real Gas	0.8868	3.3894
Calculated Molecular Weight	25.55	98.16
Compressibility Factor	0.9945	

### GPA 2172-09 Calculation:

#### Calculated Gross BTU per ft<sup>3</sup> @ 14.696 psia & 60°F

Real Gas Dry BTU	1460	5265
Water Sat. Gas Base BTU	1434	5174

**Comments:** H2O Mol% : 1.744 ; Wt% : 1.236

Hydrocarbon Laboratory Manager

Quality Assurance: The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.



# Certificate of Analysis

Number: 1030-16040402-002A

**Houston Laboratories**

8820 Interchange Drive

Houston, TX 77054

Phone 713-660-0901

Jennifer Johnson  
Sandridge Midstream  
123 Robert S. Kerr Ave.  
Oklahoma City, 73102

Apr. 21, 2016

Station Name: Gregory  
Station Location: Coalmont, CO  
Cylinder No: 2393  
Analyzed: 04/14/2016 04:19:09

Sampled By: BB  
Sample Of: Gas Spot  
Sample Date: 04/06/2016  
Sample Conditions: 80 psig, @ 100 °F  
Method: GPA 2286

## Analytical Data

Components	Mol. %	Wt. %	GPM at 14.696 psia		
Nitrogen	1.019	1.117		GPM TOTAL C2+	8.697
Carbon Dioxide	1.985	3.419		GPM TOTAL C3+	5.902
Methane	67.358	42.287		GPM TOTAL IC5+	1.257
Ethane	10.420	12.261	2.795		
Propane	10.794	18.626	2.982		
Iso-Butane	1.245	2.832	0.409		
n-Butane	3.965	9.018	1.254		
Iso-Pentane	0.889	2.510	0.326		
n-Pentane	0.988	2.790	0.359		
Hexanes	0.428	1.421	0.172		
Heptanes Plus	0.909	3.719	0.400		
	100.000	100.000	8.697		

Calculated Physical Properties	Total	C7+
Relative Density Real Gas	0.8868	3.6109
Calculated Molecular Weight	25.55	104.58
Compressibility Factor	0.9945	

### GPA 2172-09 Calculation:

#### Calculated Gross BTU per ft<sup>3</sup> @ 14.696 psia & 60°F

Real Gas Dry BTU	1460	5554
Water Sat. Gas Base BTU	1434	5458

**Comments:** H2O Mol% : 1.744 ; Wt% : 1.236

Hydrocarbon Laboratory Manager

Quality Assurance:

The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.



# Certificate of Analysis

Number: 1030-16040402-002A

Houston Laboratories

8820 Interchange Drive

Houston, TX 77054

Phone 713-660-0901

Jennifer Johnson  
Sandridge Midstream  
123 Robert S. Kerr Ave.  
Oklahoma City, 73102

Apr. 21, 2016

Station Name: Gregory  
Station Location: Coalmont, CO  
Cylinder No: 2393  
Analyzed: 04/14/2016 04:19:09

Sampled By: BB  
Sample Of: Gas Spot  
Sample Date: 04/06/2016  
Sample Conditions: 80 psig, @ 100 °F  
Method: GPA 2286

## Analytical Data

Components	Mol. %	Wt. %	GPM at 14.696 psia	
Nitrogen	1.019	1.117		
Methane	67.358	42.287		
Carbon Dioxide	1.985	3.419		
Hydrogen Sulfide	NIL	NIL		
Ethane	10.420	12.261	2.795	
Propane	10.794	18.626	2.982	
Iso-Butane	1.245	2.832	0.409	
n-Butane	3.965	9.018	1.254	
Iso-Pentane	0.889	2.510	0.326	
n-Pentane	0.988	2.790	0.359	
i-Hexanes	0.263	0.865	0.104	
n-Hexane	0.165	0.556	0.068	
Benzene	0.021	0.066	0.006	
Cyclohexane	0.058	0.192	0.020	
i-Heptanes	0.287	1.036	0.115	
n-Heptane	0.062	0.245	0.029	
Toluene	0.032	0.115	0.011	
i-Octanes	0.192	0.808	0.088	
n-Octane	0.029	0.127	0.015	
Ethylbenzene	0.009	0.038	0.004	
Xylenes	0.029	0.117	0.011	
i-Nonanes	0.083	0.410	0.042	
n-Nonane	0.018	0.093	0.010	
i-Decanes	0.057	0.291	0.029	
n-Decane	0.012	0.064	0.007	
Undecanes	0.016	0.094	0.010	
Dodecanes	0.004	0.023	0.003	
Tridecanes	NIL	NIL	NIL	
Tetradecanes Plus	NIL	NIL	NIL	
	100.000	100.000	8.697	



## Certificate of Analysis

Number: 1030-16040402-002A

**Houston Laboratories**

8820 Interchange Drive

Houston, TX 77054

Phone 713-660-0901

Jennifer Johnson  
Sandridge Midstream  
123 Robert S. Kerr Ave.  
Oklahoma City, 73102

Apr. 21, 2016

Station Name: Gregory  
Station Location: Coalmont, CO  
Cylinder No: 2393  
Analyzed: 04/14/2016 04:19:09

Sampled By: BB  
Sample Of: Gas Spot  
Sample Date: 04/06/2016  
Sample Conditions: 80 psig, @ 100 °F  
Method: GPA 2286

---

Calculated Physical Properties	Total
Calculated Molecular Weight	25.554
<b>GPA 2172-09 Calculation:</b>	
<b>Calculated Gross BTU per ft<sup>3</sup> @ 14.696 psia &amp; 60°F</b>	
Real Gas Dry BTU	1459.7
Water Sat. Gas Base BTU	1434.2
Relative Density Real Gas	0.8868
Compressibility Factor	0.9945

Hydrocarbon Laboratory Manager

Quality Assurance: The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.





# Certificate of Analysis

Number: 1030-16040402-003A

**Houston Laboratories**

8820 Interchange Drive

Houston, TX 77054

Phone 713-660-0901

Jennifer Johnson  
Sandridge Midstream  
123 Robert S. Kerr Ave.  
Oklahoma City, 73102

Apr. 21, 2016

Station Name: Gregory  
Station Location: Coalmont, CO  
Cylinder No: 86338  
Analyzed: 04/20/2016 13:40:31 by Patrick Weber

Sampled By: BB  
Sample Of: Liquid Spot  
Sample Date: 04/06/2016  
Sample Conditions: 50 psig, @ 110 °F  
Method: ASTM D-1946M/GPA-2286M

## Analytical Data

Components	Mol. %	Wt. %	GPM at 14.696 psia	
Carbon Monoxide	ND	ND		GPM TOTAL C2+ 3.983
Oxygen	4.616	4.246		GPM TOTAL iC5+ 0.664
Helium	ND	ND		
Hydrogen	ND	ND		
Nitrogen	20.408	16.435		
Carbon Dioxide	41.246	52.181		
Methane	20.090	9.265		
Ethane	5.525	4.776	1.480	
Ethylene	ND	ND	ND	
Propane	4.289	5.437	1.184	
Propylene	ND	ND	ND	
Iso-Butane	0.461	0.770	0.151	
n-Butane	1.597	2.669	0.504	
Iso-Pentane	0.335	0.695	0.123	
n-Pentane	0.380	0.788	0.138	
Hexanes Plus	1.053	2.738	0.403	
	100.000	100.000	3.983	

### Calculated Physical Properties

	Total	C6+
Relative Density Real Gas	1.2056	3.1228
Calculated Molecular Weight	34.78	90.44
Compressibility Factor	0.9959	
Real Dry BTU at 14.696 Psia, 60°F	557	4787
Real Wet BTU at 14.696 Psia, 60°F	547	4704

**Comments:** Air Report

Hydrocarbon Laboratory Manager

Quality Assurance: The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.



# Certificate of Analysis

Number: 1030-16040402-003A

**Houston Laboratories**

8820 Interchange Drive

Houston, TX 77054

Phone 713-660-0901

Jennifer Johnson  
Sandridge Midstream  
123 Robert S. Kerr Ave.  
Oklahoma City, 73102

Apr. 21, 2016

Station Name: Gregory  
Station Location: Coalmont, CO  
Cylinder No: 86338  
Analyzed: 04/20/2016 13:40:31 by Patrick Weber

Sampled By: BB  
Sample Of: Liquid Spot  
Sample Date: 04/06/2016  
Sample Conditions: 50 psig, @ 110 °F  
Method: ASTM D-1946M/GPA-2286M

## Analytical Data

Components	Mol. %	Wt. %	GPM at 14.696 psia	
Carbon Monoxide	NIL	NIL		GPM TOTAL C2+ 3.983
Oxygen	4.616	4.246		GPM TOTAL iC5+ 0.664
Helium	NIL	NIL		
Hydrogen	NIL	NIL		
Nitrogen	20.408	16.435		
Carbon Dioxide	41.246	52.181		
Methane	20.090	9.265		
Ethane	5.525	4.776	1.480	
Ethylene	NIL	NIL	NIL	
Propane	4.289	5.437	1.184	
Propylene	NIL	NIL	NIL	
Iso-Butane	0.461	0.770	0.151	
n-Butane	1.597	2.669	0.504	
Iso-Pentane	0.335	0.695	0.123	
n-Pentane	0.380	0.788	0.138	
Hexanes	0.334	0.795	0.129	
Heptanes Plus	0.719	1.943	0.274	
	100.000	100.000	3.983	

### Calculated Physical Properties

	Total	C7+
Relative Density Real Gas	1.2056	3.2363
Calculated Molecular Weight	34.78	93.73
Compressibility Factor	0.9959	
Real Dry BTU at 14.696 Psia, 60°F	557	4886
Real Wet BTU at 14.696 Psia, 60°F	547	4800

**Comments:** Air Report

Hydrocarbon Laboratory Manager

Quality Assurance:

The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.



# Certificate of Analysis

Number: 1030-16040402-003A

**Houston Laboratories**

8820 Interchange Drive

Houston, TX 77054

Phone 713-660-0901

Jennifer Johnson  
Sandridge Midstream  
123 Robert S. Kerr Ave.  
Oklahoma City, 73102

Apr. 21, 2016

Station Name: Gregory  
Station Location: Coalmont, CO  
Cylinder No: 86338  
Analyzed: 04/20/2016 13:40:31 by Patrick Weber

Sampled By: BB  
Sample Of: Liquid Spot  
Sample Date: 04/06/2016  
Sample Conditions: 50 psig, @ 110 °F  
Method: ASTM D-1946M/GPA-2286M

## Analytical Data

Components	Mol. %	Wt. %	GPM at 14.696 psia	
Carbon Monoxide	ND	ND		GPM TOTAL C2+ 3.983
Oxygen	4.616	4.246		GPM TOTAL iC5+ 0.664
Helium	ND	ND		
Hydrogen	ND	ND		
Nitrogen	20.408	16.435		
Carbon Dioxide	41.246	52.181		
Methane	20.090	9.265		
Ethane	5.525	4.776	1.480	
Ethylene	ND	ND	ND	
Propane	4.289	5.437	1.184	
Propylene	ND	ND	ND	
Iso-Butane	0.461	0.770	0.151	
n-Butane	1.597	2.669	0.504	
Iso-Pentane	0.335	0.695	0.123	
n-Pentane	0.380	0.788	0.138	
i-Hexanes	0.233	0.545	0.088	
n-Hexane	0.101	0.250	0.041	
i-Heptanes	0.199	0.521	0.078	
n-Heptane	0.031	0.088	0.014	
Benzene	0.114	0.254	0.032	
Cyclohexane	0.106	0.256	0.036	
Toluene	0.078	0.204	0.026	
i-Octanes	0.113	0.343	0.050	
n-Octane	0.009	0.029	0.005	
Ethylbenzene	0.003	0.009	0.001	
Xylenes	0.020	0.059	0.007	
i-Nonanes	0.026	0.096	0.013	
n-Nonane	0.004	0.016	0.002	
i-Decanes	0.014	0.057	0.008	
n-Decane	0.001	0.005	0.001	
Undecanes Plus	0.001	0.006	0.001	
	100.000	100.000	3.983	



# Certificate of Analysis

Number: 1030-16040402-003A

**Houston Laboratories**

8820 Interchange Drive

Houston, TX 77054

Phone 713-660-0901

Jennifer Johnson  
Sandridge Midstream  
123 Robert S. Kerr Ave.  
Oklahoma City, 73102

Apr. 21, 2016

Station Name: Gregory  
Station Location: Coalmont, CO  
Cylinder No: 86338  
Analyzed: 04/20/2016 13:40:31 by Patrick Weber

Sampled By: BB  
Sample Of: Liquid Spot  
Sample Date: 04/06/2016  
Sample Conditions: 50 psig, @ 110 °F  
Method: ASTM D-1946M/GPA-2286M

---

Calculated Physical Properties	Total	C11+
Calculated Molecular Weight	34.78	156.31
<b>GPA 2172-09 Calculation:</b>		
<b>Calculated Gross BTU per ft<sup>3</sup> @ 14.696 psia &amp; 60°F</b>		
Real Gas Dry BTU	557	8489
Water Sat. Gas Base BTU	547	8341
Relative Density Real Gas	1.2056	
Compressibility Factor	0.9959	
<b>Comments:</b> Air Report		

Hydrocarbon Laboratory Manager

Quality Assurance: The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.



# Certificate of Analysis

Number: 1030-16040402-003A

**Houston Laboratories**

8820 Interchange Drive

Houston, TX 77054

Phone 713-660-0901

Jennifer Johnson  
Sandridge Midstream  
123 Robert S. Kerr Ave.  
Oklahoma City, 73102

Apr. 21, 2016

Station Name: Gregory  
Station Location: Coalmont, CO  
Cylinder No: 86338  
Analyzed: 04/20/2016 13:40:31 by Patrick Weber

Sampled By: BB  
Sample Of: Liquid Spot  
Sample Date: 04/06/2016  
Sample Conditions: 50 psig, @ 110 °F  
Method: ASTM D-1946M/GPA-2286M

## Analytical Data

Components	Mol. %	Wt. %	GPM at 14.696 psia	
Carbon Monoxide	ND	ND		GPM TOTAL C2+ 5.119
Helium	ND	ND		GPM TOTAL iC5+ 0.855
Hydrogen	ND	ND		
Nitrogen	3.830	2.942		
Carbon Dioxide	52.906	63.852		
Methane	25.769	11.337		
Ethane	7.087	5.844	1.901	
Ethylene	ND	ND	ND	
Propane	5.501	6.652	1.521	
Propylene	ND	ND	ND	
Iso-Butane	0.591	0.942	0.194	
n-Butane	2.048	3.265	0.648	
Iso-Pentane	0.430	0.851	0.158	
n-Pentane	0.487	0.964	0.177	
Hexanes Plus	1.351	3.351	0.520	
	100.000	100.000	5.119	

### Calculated Physical Properties

	Total	C6+
Relative Density Real Gas	1.2660	3.1228
Calculated Molecular Weight	36.46	90.44
Compressibility Factor	0.9940	
Real Dry BTU at 14.696 Psia, 60°F	716	4787
Real Wet BTU at 14.696 Psia, 60°F	703	4704

**Comments:** Air Free Report

Hydrocarbon Laboratory Manager

Quality Assurance: The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.



# Certificate of Analysis

Number: 1030-16040402-003A

**Houston Laboratories**

8820 Interchange Drive

Houston, TX 77054

Phone 713-660-0901

Jennifer Johnson  
Sandridge Midstream  
123 Robert S. Kerr Ave.  
Oklahoma City, 73102

Apr. 21, 2016

Station Name: Gregory  
Station Location: Coalmont, CO  
Cylinder No: 86338  
Analyzed: 04/20/2016 13:40:31 by Patrick Weber

Sampled By: BB  
Sample Of: Liquid Spot  
Sample Date: 04/06/2016  
Sample Conditions: 50 psig, @ 110 °F  
Method: ASTM D-1946M/GPA-2286M

## Analytical Data

Components	Mol. %	Wt. %	GPM at 14.696 psia	
Carbon Monoxide	ND	ND		GPM TOTAL C2+ 5.119
Helium	ND	ND		GPM TOTAL iC5+ 0.855
Hydrogen	ND	ND		
Nitrogen	3.830	2.942		
Carbon Dioxide	52.906	63.852		
Methane	25.769	11.337		
Ethane	7.087	5.844	1.901	
Ethylene	ND	ND	ND	
Propane	5.501	6.652	1.521	
Propylene	ND	ND	ND	
Iso-Butane	0.591	0.942	0.194	
n-Butane	2.048	3.265	0.648	
Iso-Pentane	0.430	0.851	0.158	
n-Pentane	0.487	0.964	0.177	
Hexanes	0.426	0.972	0.167	
Heptanes Plus	0.925	2.379	0.353	
	100.000	100.000	5.119	

### Calculated Physical Properties

	Total	C7+
Relative Density Real Gas	1.2660	3.2363
Calculated Molecular Weight	36.46	93.73
Compressibility Factor	0.9940	
Real Dry BTU at 14.696 Psia, 60°F	716	4886
Real Wet BTU at 14.696 Psia, 60°F	703	4800

**Comments:** Air Free Report

Hydrocarbon Laboratory Manager

Quality Assurance:

The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.



# Certificate of Analysis

Number: 1030-16040402-003A

**Houston Laboratories**

8820 Interchange Drive

Houston, TX 77054

Phone 713-660-0901

Jennifer Johnson  
Sandridge Midstream  
123 Robert S. Kerr Ave.  
Oklahoma City, 73102

Apr. 21, 2016

Station Name: Gregory  
Station Location: Coalmont, CO  
Cylinder No: 86338  
Analyzed: 04/20/2016 13:40:31 by Patrick Weber

Sampled By: BB  
Sample Of: Liquid Spot  
Sample Date: 04/06/2016  
Sample Conditions: 50 psig, @ 110 °F  
Method: ASTM D-1946M/GPA-2286M

## Analytical Data

Components	Mol. %	Wt. %	GPM at 14.696 psia	
Carbon Monoxide	ND	ND		GPM TOTAL C2+
Helium	ND	ND		GPM TOTAL iC5+
Hydrogen	ND	ND		
Nitrogen	3.830	2.942		
Carbon Dioxide	52.906	63.852		
Methane	25.769	11.337		
Ethane	7.087	5.844	1.901	
Ethylene	ND	ND	ND	
Propane	5.501	6.652	1.521	
Propylene	ND	ND	ND	
Iso-Butane	0.591	0.942	0.194	
n-Butane	2.048	3.265	0.648	
Iso-Pentane	0.430	0.851	0.158	
n-Pentane	0.487	0.964	0.177	
i-Hexanes	0.297	0.666	0.114	
n-Hexane	0.129	0.306	0.053	
i-Heptanes	0.257	0.637	0.101	
n-Heptane	0.039	0.108	0.018	
Benzene	0.146	0.312	0.041	
Cyclohexane	0.136	0.314	0.046	
Toluene	0.099	0.250	0.033	
i-Octanes	0.147	0.420	0.064	
n-Octane	0.011	0.036	0.006	
Ethylbenzene	0.004	0.011	0.001	
Xylenes	0.025	0.071	0.010	
i-Nonanes	0.032	0.115	0.017	
n-Nonane	0.006	0.020	0.003	
i-Decanes	0.019	0.071	0.011	
n-Decane	0.002	0.006	0.001	
Undecanes Plus	0.002	0.008	0.001	
	100.000	100.000	5.119	



# Certificate of Analysis

Number: 1030-16040402-003A

**Houston Laboratories**

8820 Interchange Drive

Houston, TX 77054

Phone 713-660-0901

Jennifer Johnson  
Sandridge Midstream  
123 Robert S. Kerr Ave.  
Oklahoma City, 73102

Apr. 21, 2016

Station Name: Gregory  
Station Location: Coalmont, CO  
Cylinder No: 86338  
Analyzed: 04/20/2016 13:40:31 by Patrick Weber

Sampled By: BB  
Sample Of: Liquid Spot  
Sample Date: 04/06/2016  
Sample Conditions: 50 psig, @ 110 °F  
Method: ASTM D-1946M/GPA-2286M

---

Calculated Physical Properties	Total	C11+
Calculated Molecular Weight	36.46	156.31
<b>GPA 2172-09 Calculation:</b>		
<b>Calculated Gross BTU per ft<sup>3</sup> @ 14.696 psia &amp; 60°F</b>		
Real Gas Dry BTU	716	8489
Water Sat. Gas Base BTU	703	8341
Relative Density Real Gas	1.2660	
Compressibility Factor	0.9940	

**Comments:** Air Free Report

Hydrocarbon Laboratory Manager

Quality Assurance: The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.





# Certificate of Analysis

Number: 1030-16040402-003A

**Houston Laboratories**

8820 Interchange Drive

Houston, TX 77054

Phone 713-660-0901

Jennifer Johnson  
Sandridge Midstream  
123 Robert S. Kerr Ave.  
Oklahoma City, 73102

Apr. 21, 2016

Station Name: Gregory  
Station Location: Coalmont, CO  
Cylinder No: 86338

Sampled By: BB  
Sample Of: Liquid Spot  
Sample Date: 04/06/2016  
Sample Conditions: 50 psig, @ 110 °F

## Analytical Data

Test	Method	Result	Units	Detection Limit	Lab Tech.	Analysis Date
Hydrogen Sulfide	ASTM D-5504M	<0.1	ppmw		TB	04/20/2016
Flash Gas		0.28	Cu.Ft./STBbl.		MES	04/20/2016
Flash Gas (Air Free)		0.219	Cu.Ft./STBbl.		MES	04/20/2016

Hydrocarbon Laboratory Manager

Quality Assurance:

The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.



Certificate of Analysis  
Number: 1030-16040402-004A

Houston Laboratories  
8820 Interchange Drive  
Houston, TX 77054  
Phone 713-660-0901

Jennifer Johnson  
Sandridge Midstream  
123 Robert S. Kerr Ave.  
Oklahoma City, 73102

Apr. 21, 2016

Station Name: Gregory  
Station Location: Coalmont, CO  
Sample Conditions: 110 °F

Sampled By: BB  
Sample Of: Liquid Spot  
Sample Date: 04/06/2016

Analytical Data


Test	Method	Result	Units	Detection Limit	Lab Tech.	Analysis Date
Reid Vapor Pressure (RVP) @ 100° F	ASTM D-323	6.80	psi		FM	04/14/2016
API Gravity @ 60° F	ASTM D-4052	36.61	°		KO	04/15/2016
Specific Gravity @ 60/60° F	ASTM D-4052	0.8417	—		KO	04/15/2016
Density @ 60° F	ASTM D-4052	0.8409	g/ml		KO	04/15/2016

Hydrocarbon Laboratory Manager

Quality Assurance:

The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.





# Analysis Request Chain of Custody Record

Report To: (Co. Name)		Address:		City, State Zip:		Contact:		Phone:		Invoice To: (Co. Name)		Address:		City, State Zip:		Contact:		Phone:		PO/Ref. No.:		Contract/Proposal #:	
SANDRIDGE		123 Robert S Kerr Av.		OKLAHOMA CITY OK 73102		ANDREA GRAVES		405-429-5500 Fax: 405-429-6507		SPNO AS ABOVE													
Project/Station Name:		Project/Station Number:		Project/Station Location:		Requested TAT				Indicate Billing Type:		Net 30 day Acct.		Check #		Cash Rec'd		\$					
GREGORY		0790-194		COMBUSTION COLORADO		24 Hour*				Credit Card													
Special Instructions:						48 Hour*																	
						72 Hour*																	
						Standard																	
						Other (Indicate Below)																	
				</																			