

**FORM
INSP**Rev
05/11**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Inspection Date:

05/04/2016

Document Number:

680400504

Overall Inspection:

SATISFACTORY**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	432692	316367	BROWNING, CHUCK	<input type="checkbox"/>	

Operator Information:OGCC Operator Number: 49100Name of Operator: KOCH EXPLORATION COMPANY, LLCAddress: 2388 LELAND AVECity: GRAND JUNCTION State: CO Zip: 81505

- ☐ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☒ NO FOLLOW UP INSPECTION REQUIRED
- ☐ INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
Peterson, Diane	970-675-3842	dlpe@chevron.com	Regulatory Specialist
Browning, Chuck	970-433-4139	chuck.browning@state.co.us	Field Inspector

Compliance Summary:QtrQtr: SWSE Sec: 25 Twp: 2N Range: 97W

Insp. Date	Doc Num	Insp. Type	Insp Status	Satisfactory /Action Required	PA P/F/I	Pas/Fail (P/F)	Violation (Y/N)
06/09/2015	668403092	SI	TA	SATISFACTORY			No
07/14/2014	668402425	DG	PD	SATISFACTORY	P		No
10/30/2013	673400058	DG	PD	SATISFACTORY	I		No

Inspector Comment:Routine UIC Inspection.**Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
159420	UIC DISPOSAL	AC	11/19/2014	DSPW	-	AHU WYATT 25-43 SWD	AC	<input type="checkbox"/>
269368	WELL	PR	05/17/2004	GW	103-10374	ANT HILL UNIT WYWATT 25-43	PR	<input type="checkbox"/>
271041	WELL	AL	02/12/2004	LO	103-10415	ANT HILL UNIT WYATT 25-43W	AL	<input type="checkbox"/>
432692	WELL	SI	07/21/2014	DSPW	103-11961	AHU WYATT 25-43 SWD	TA	<input checked="" type="checkbox"/>

Equipment:Location Inventory

Inspector Name: BROWNING, CHUCK

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>3</u>	Production Pits: _____
Condensate Tanks: _____	Water Tanks: <u>9</u>	Separators: <u>1</u>	Electric Motors: _____
Gas or Diesel Mortors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: <u>1</u>	Oil Pipeline: _____	Water Pipeline: <u>1</u>
Gas Compressors: _____	VOC Combustor: _____	Oil Tanks: <u>3</u>	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: _____

Location				
-----------------	--	--	--	--

Lease Road:				
Type	Satisfactory/Action Required	comment	Corrective Action	Date
Access	SATISFACTORY			
Main	SATISFACTORY			

Signs/Marker:				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
WELLHEAD	SATISFACTORY			

Emergency Contact Number (S/AR): SATISFACTORY Corrective Date: _____

Comment: _____

Corrective Action: _____

Good Housekeeping:				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

Spills:				
Type	Area	Volume	Corrective action	CA Date
<input type="checkbox"/> Multiple Spills and Releases?				

Fencing/:				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

Equipment:				
Type:	#	Satisfactory/Action Required:		
Comment				
Corrective Action				Date:

Venting:	
Yes/No	NO
Comment	

Flaring:	
Type	Satisfactory/Action Required
Comment:	

Corrective Action:

Correct Action
Date:**Predrill**

Location ID: 432692

Lease Road Adeq.: _____

Pads: _____

Soil Stockpile: _____

S/AR: _____

Corrective Action: _____

Date: _____

CDP Num.: _____

Form 2A COAs:

Group	User	Comment	Date
OGLA	kubeczkod	<p>SITE SPECIFIC COAs:</p> <p>Notify the COGCC 48 hours prior to start of pad construction, rig mobilization, spud, and start of hydraulic stimulation operations using Form 42 (the appropriate COGCC individuals will automatically be email notified, including the LGD for hydraulic stimulation operations).</p> <p>Operator must submit an as-built drawing (plan view and cross-sections) of the SWD injection well pad and associated equipment within 30 calendar days of construction.</p> <p>Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface or buried pipelines.</p> <p>Operator must ensure secondary containment for any volume of fluids contained at well site during drilling and completion operations (as described on the BMPs tab and shown on the Construction Layout Drawings attachment); including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.</p> <p>The moisture content of any freshwater generated cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, if the drill cuttings are to be left onsite, they must also meet the applicable standards of table 910-1.</p> <p>If the well is to be hydraulically stimulated, flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline, storage vessel, or lined pit (only if an amended Form 2A has been submitted/approved and a Form 15 Earthen Pit Permitted has been submitted/approved) located on the well pad; or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.</p> <p>Operator will use qualified containment devices for all appropriate chemicals/hazardous materials used onsite during the operation of the injection well.</p> <p>All tanks and aboveground vessels containing fluids must have secondary containment structures. All secondary containment structures/areas must be lined. Operator must ensure a minimum of 110 percent secondary containment for the largest structure containing fluids within each bermed area the facility during operations. The construction and lining of the secondary containment structures/areas shall be supervised by a professional engineer or their agent.</p>	03/28/2013

Operator shall equip and maintain on all tanks an electronic level monitoring device.

Operator shall install a steel containment ring around tank batteries to provide secondary containment and install a synthetic liner that underlies the entire battery and is keyed into the top of the containment ring.

Approval of this Form 2A does not authorize operator the right to inject. Authorization to inject into the selected Formation(s) requires approval of both the Form 31 and the Form 33.

Before hydraulic stimulation of the each well, operator shall collect a groundwater sample from the Ohio Creek and analyze for total dissolved solids (TDS); submit laboratory analytical results to denise.onyskiw@state.co.us and arthur.koelspell@state.co.us.

S/AR: _____ **Comment:** _____

CA: _____ **Date:** _____

Wildlife BMPs:

BMP Type	Comment
Wildlife	<ol style="list-style-type: none"> Where drilling and completion activities must occur in mule deer critical winter range, conduct these activities outside the time period from December 1 through April 15. Restrict work-over rig activities to between the hours of 10:00 a.m. and 3:00 p.m. from December 1 to April 15 when possible, to accommodate mule deer critical winter range. Concentrate post-development water truck delivery trips to between the hours of 10:00 a.m. and 3:00 p.m. from December 1 to April 15 when possible, to accommodate mule deer critical winter range. Follow company guidelines to minimize wildlife mortality from vehicle collisions on roads. Install and utilize bear-proof dumpsters and trash receptacles for all food-related trash on location, following COGCC Rule 1204 a-1.
Material Handling and Spill Prevention	KEC operates certain natural gas production wells in Rio Blanco County Colorado that are subject to SPCC planning requirements because they have oil storage capacity greater than 1,320 gallons (approx. 31 bbl). For those wells that meet or exceed the threshold storage quantities (referred to henceforth as the "SPCC wells") KEC is required to develop and implement an SPCC Plan. This field-wide SPCC Plan has been developed for the KEC SPCC wells that together are referred to as the Rio Blanco County Well Sites, Colorado in response to the regulations listed above.
Storm Water/Erosion Control	A Master Stormwater Management Plan, as required by the CDPHE, is in place for the White River Dome field and includes the subject location. The Plan details BMPs related to storm water management and erosion control that will be implemented during construction and interim reclamation. A Post-Construction Stormwater Plan is in place and will be implemented after interim reclamation is complete.

S/AR: _____ **Comment:** _____

CA: _____ **Date:** _____

Comment: _____

Staking:

On Site Inspection (305):

Surface Owner Contact Information:

Name: _____ Address: _____

Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:

Landman Name: _____ Phone Number: _____

Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____

Request LGD Attendance: _____

Inspector Name: BROWNING, CHUCK

LGD Contact Information:

Name: _____ Phone Number: _____ Agreed to Attend: _____

Summary of Landowner Issues:

Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

Facility

Facility ID: 432692 Type: WELL API Number: 103-11961 Status: SI Insp. Status: TA

Underground Injection Control

UIC Violation: _____ Maximum Injection Pressure: _____

UIC Routine

Inj./Tube: Pressure or inches of Hg 0 Previous Test Pressure _____ MPP _____
(e.g. 30 psig or -30" Hg) Inj Zone: OHCRK

TC: Pressure or inches of Hg 0 Previous Test Pressure _____ Last MIT: 10/30/2013

Brhd: Pressure or inches of Hg 0 Previous Test Pressure _____ AnnMTReq: _____

Comment: Routine UIC Inspection. Well temporarily abandoned (never used). Last MIT 10/30/2013.

Method of Injection: _____

Test Type: _____ Tbg psi: _____ Csg psi: _____ BH psi: _____

Insp. Status: _____

Comment: _____

Environmental

Spills/Releases:

Type of Spill: _____ Description: _____ Estimated Spill Volume: _____

Comment: _____

Corrective Action: _____ Date: _____

Reportable: _____ GPS: Lat _____ Long _____

Proximity to Surface Water: _____ Depth to Ground Water: _____

Water Well:

DWR Receipt Num: _____ Owner Name: _____ GPS : _____ Lat _____ Long _____

Field Parameters:

Sample Location: _____

Emission Control Burner (ECB): _____

Comment: _____

Pilot: _____ Wildlife Protection Devices (fired vessels): _____

Reclamation - Storm Water - Pit

Interim Reclamation:

Date Interim Reclamation Started: _____ Date Interim Reclamation Completed: _____

Land Use: RANGELAND

Comment: _____

1003a. Waste and Debris removed? Pass

CM _____

CA _____

CA Date _____

Unused or unneeded equipment onsite? Pass

CM _____

CA _____

CA Date _____

Pit, cellars, rat holes and other bores closed? Pass

CM _____

CA _____

CA Date _____

Guy line anchors marked? _____

CM _____

CA _____

CA Date _____

1003b. Area no longer in use? _____ Production areas stabilized ? Pass

1003c. Compacted areas have been cross ripped? _____

1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____

Cuttings management: _____

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____

Production areas have been stabilized? Pass

Segregated soils have been replaced? _____

RESTORATION AND REVEGETATIONCropland

Top soil replaced _____

Recontoured _____

Perennial forage re-established _____

Non-Cropland

Top soil replaced _____

Recontoured _____

80% Revegetation _____

1003 f. Weeds Noxious weeds? P

Comment: _____

Overall Interim Reclamation

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: RANGELAND

Reminder: _____

Comment: _____

Well plugged _____

Pit mouse/rat holes, cellars backfilled _____

Debris removed _____

No disturbance /Location never built _____

Access Roads Regraded _____

Contoured _____

Culverts removed _____

Gravel removed _____

Location and associated production facilities reclaimed _____

Locations, facilities, roads, recontoured _____

Inspector Name: BROWNING, CHUCK

Compaction alleviation _____ Dust and erosion control _____

Non cropland: Revegetated 80% _____ Cropland: perennial forage _____

Weeds present _____ Subsidence _____

Comment: _____

Corrective Action: _____ Date _____

Overall Final Reclamation _____ Well Release on Active Location ☐ Multi-Well Location ☐

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Gravel	Pass	Gravel	Pass	MHSP	Pass	

S/A/V: SATISFACTOR _____ Corrective Date: _____
Y _____

Comment: _____

CA: _____

Pits: ☐ NO SURFACE INDICATION OF PIT

Attached Documents

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
680400504	INSPECTION APPROVED	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=3847950