



Photo 1: Photo taken 5/4/16 from start of Reference #1 transect, facing Northwest. Location dominated by smooth brome (*Bromus inermis*). Refer to cover datasheet for total vegetation composition.



Photo 2: Photo taken 5/4/16 from midpoint of Reference #1 transect.



Photo 3: Photo taken 5/4/16 from midpoint of Reference #1 transect, facing West.



Photo 4: Photo taken 5/4/16 from midpoint of Reference #1 transect, facing North.



Photo 5: Photo taken 5/4/16 from midpoint of Reference #1 transect, facing East.



Photo 6: Photo taken 5/4/16 from midpoint of Reference #1 transect, facing South.



Photo 7: Photo taken 5/4/16 from end of Reference #1 transect, facing Southeast.



Photo 8: Photo taken 5/4/16 from start of Reference #2 transect, facing West. Location dominated by western wheatgrass (*Pascopyrum smithii*) and crested wheatgrass (*Agropyron cristatum*). Refer to cover datasheet for total vegetation composition.



Photo 9: Photo taken 5/4/16 from midpoint of Reference #2 transect.



Photo 10: Photo taken 5/4/16 from midpoint of Reference #2 transect, facing West.



Photo 11: Photo taken 5/4/16 from midpoint of Reference #2 transect, facing North.



Photo 12: Photo taken 5/4/16 from midpoint of Reference #2 transect, facing East.



Photo 13: Photo taken 5/4/16 from midpoint of Reference #2 transect, facing South.



Photo 14: Photo taken 5/4/16 from end of Reference #2 transect, facing East.



Photo 15: Photo taken 5/4/16 from start of Disturbance #1 transect, facing East. Location lacks vegetative growth. Refer to cover datasheet for total vegetation composition.



Photo 16: Photo taken 5/4/16 from midpoint of Disturbance #1 transect.




Photo 17: Photo taken 5/4/16 from midpoint of Disturbance #1 transect, facing West.



Photo 18: Photo taken 5/4/16 from midpoint of Disturbance #1 transect, facing North.



Photo 19: Photo taken 5/4/16 from midpoint of Disturbance #1 transect, facing East.



Photo 20: Photo taken 5/4/16 from midpoint of Disturbance #1 transect, facing South.



Photo 21: Photo taken 5/4/16 from end of Disturbance #1 transect, facing West.



Photo 22: Photo taken 5/4/16 from start of Disturbance #2 transect, facing South. Location dominated by curly dock (*Rumex crispus*) and bindweed (*Convolvulus sp.*). Refer to cover datasheet for total vegetation composition.



Photo 23: Photo taken 5/4/16 from midpoint of Disturbance #2 transect.



Photo 24: Photo taken 5/4/16 from midpoint of Disturbance #2 transect, facing West.



Photo 25: Photo taken 5/4/16 from midpoint of Disturbance #2 transect, facing North.



Photo 26: Photo taken 5/4/16 from midpoint of Disturbance #2 transect, facing East.



Photo 27: Photo taken 5/4/16 from midpoint of Disturbance #2 transect, facing South.



Photo 28: Photo taken 5/4/16 from end of Disturbance #2 transect, facing North.