

**FORM
INSP**Rev
05/11**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Inspection Date:

04/29/2016

Document Number:

680600582

Overall Inspection:

SATISFACTORY w/ CMT
or AR**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	<input type="checkbox"/>
	432673	432671	ROY, CATHERINE	2A Doc Num:	

Operator Information:OGCC Operator Number: 46685Name of Operator: KINDER MORGAN CO2 CO LPAddress: 17801 HWY 491City: CORTEZ State: CO Zip: 81321

- ☐ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☐ NO FOLLOW UP INSPECTION REQUIRED
- ☒ INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
Conway, Jamie		James_Conway@kindermorgan.com	All inspections
Millican, Chris		chris_millican@kindermorgan.com	
Antipas, Andrew		andrew_antipas@kindermorgan.com	
Kennedy, Phil	970-270-7512	phil_kennedy@kindermorgan.com	

Compliance Summary:QtrQtr: SENE Sec: 29 Twp: 38N Range: 18W

Insp. Date	Doc Num	Insp. Type	Insp Status	Satisfactory /Action Required	PA P/F/I	Pas/Fail (P/F)	Violation (Y/N)
05/29/2015	667100584	PR	PR	ACTION REQUIRED			No
03/31/2014	674600161	PR	PR	SATISFACTORY	P		No

Inspector Comment:

This is a reclamation and stormwater inspection. Any corrective actions not addressed from previous inspection are still applicable. Kinder Morgan has applied for an interim reclamation waiver on this location.

Related Facilities:

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
432673	WELL	PR	10/30/2013	LO	083-06702	HA 5	RI	<input checked="" type="checkbox"/>

Equipment:**Location Inventory**

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>1</u>	Production Pits: _____
Condensate Tanks: _____	Water Tanks: _____	Separators: _____	Electric Motors: _____
Gas or Diesel Motors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: _____	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: _____	VOC Combustor: _____	Oil Tanks: _____	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: _____

Location**Lease Road:**

Type	Satisfactory/Action Required	comment	Corrective Action	Date

Signs/Marker:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

Emergency Contact Number (S/AR): _____

Corrective Date: _____

Comment: _____

Corrective Action: _____

Good Housekeeping:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

Spills:

Type	Area	Volume	Corrective action	CA Date
------	------	--------	-------------------	---------

☐ Multiple Spills and Releases?**Fencing/:**

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

Equipment:

Type:	#	Satisfactory/Action Required:
Comment		
Corrective Action		Date:

Venting:

Yes/No
Comment

Flaring:

Type	Satisfactory/Action Required
Comment:	
Corrective Action:	Correct Action Date:

Predrill

Location ID: 432673

Lease Road Adeq.: _____

Pads: _____

Soil Stockpile: _____

S/AR: _____

Corrective Action: _____

Date: _____

CDP Num.: _____

Form 2A COAs:

Group	User	Comment	Date
OGLA	kubeczkod	<p>SITE SPECIFIC COAs:</p> <p>Notify the COGCC 48 hours prior to start of any new pad construction, rig mobilization, spud, and start of hydraulic stimulation operations using Form 42 (the appropriate COGCC individuals will automatically be email notified, including the LGD for hydraulic stimulation operations).</p> <p>Operator must ensure 110 percent secondary containment for any volume of fluids contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals, and maintained in good condition.</p> <p>Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface pipelines or buried permanent pipelines.</p> <p>If the well is to have hydraulic fracturing treatment, then Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline, storage vessel, or lined pit (only if an amended Form 2A has been submitted/approved and a Form 15 Earthen Pit Permit has been submitted/approved) located on the well pad; or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.</p> <p>All cuttings generated during drilling with high chloride mud must be kept in a lined temporary trench, or placed either in containers or on a lined/bermed portion of the well pad; prior to analysis and/or offsite disposal. The moisture content of any drill cuttings in a temporary trench or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts prior to offsite disposal.</p> <p>All personnel must be H2S trained and proper air monitoring for H2S must be implemented during drilling, completion, and production operations. Emergency response plan for H2S must be onsite at all times.</p>	04/23/2013

S/AR: _____ **Comment:** _____

CA: _____ **Date:** _____

Wildlife BMPs:

BMP Type	Comment
Construction	<p>All equipment will be stored within the right-of-way (ROW) area of disturbance. Top soil will be removed to create a level pad for drilling and an access road (Length: 325', ROW: 50'). The Drilling Facility Layout Map displays the areas that will be used for storage of building materials, equipment, and soil.</p> <p>Vegetation that does not need to be removed will be avoided during construction and removed vegetation will be cut near ground level, leaving the root system intact except where permanent facilities, roads, or ROWs require the complete removal of vegetation.</p>

Inspector Name: ROY, CATHERINE

Storm Water/Erosion Control	Fiber wattles will encompass the entire periphery of the disturbed area. Tackifier will be added to the stored topsoil piles to prevent erosion. Stockpiled soils will have slopes not greater than 3:1. Stormwater BMPs will be maintained/amended by Kinder Morgan as site conditions change throughout the construction and reclamation process.
Final Reclamation	All disturbed areas that are not necessary for operational procedures will be restored to at least 70 percent of pre-disturbance vegetative cover.
General Housekeeping	Erosion control barriers, namely fiber wattles, will be placed at the edge of disturbance where necessary. Care will be taken to avoid disturbance outside of the project area unless it is deemed necessary for equipment stability and fire safety.
Interim Reclamation	Surface roughening, surface contouring, seeding, and weed control will be employed to facilitate vegetation reestablishment. Tackifier will be added to reclaimed areas.

S/AR: _____ **Comment:** _____

CA: _____ **Date:** _____

Comment: _____

Staking:

On Site Inspection (305):

Surface Owner Contact Information:

Name: _____ Address: _____
Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:

Landman Name: _____ Phone Number: _____
Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____

Request LGD Attendance: _____

LGD Contact Information:

Name: _____ Phone Number: _____ Agreed to Attend: _____

Summary of Landowner Issues:

Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

Facility

Facility ID: 432673 Type: WELL API Number: 083-06702 Status: PR Insp. Status: RI

Environmental

Spills/Releases:

Type of Spill: _____ Description: _____ Estimated Spill Volume: _____
Comment: _____
Corrective Action: _____ Date: _____
Reportable: _____ GPS: Lat _____ Long _____
Proximity to Surface Water: _____ Depth to Ground Water: _____

Water Well:

DWR Receipt Num: _____	Owner Name: _____	GPS : _____
Field Parameters:		
Sample Location: _____		
Emission Control Burner (ECB): _____		
Comment: _____		
Pilot: _____ Wildlife Protection Devices (fired vessels): _____		

Reclamation - Storm Water - Pit**Interim Reclamation:**

Date Interim Reclamation Started: _____ Date Interim Reclamation Completed: _____

Land Use: CRP

Comment: Project area is surrounded by perennial pasture and a rural residence. The northeastern and eastern cut-slopes are not vegetated. The western, northwestern, southern and pipeline revegetation areas are progressing but infested with annual weeds. Annual weeds are only a temporary stabilization measure as they will dry off and blow as the season progresses leaving bare soils. These need to be managed to prevent dried weeds from becoming debris and to reduce competition with desirable vegetation.

1003a. Waste and Debris removed? In

CM _____

CA _____ CA Date _____

Unused or unneeded equipment onsite? _____

CM _____

CA _____ CA Date _____

Pit, cellars, rat holes and other bores closed? Pass

CM _____

CA _____ CA Date _____

Guy line anchors marked? _____

CM _____

CA _____ CA Date _____

1003b. Area no longer in use? _____ Production areas stabilized ? In

1003c. Compacted areas have been cross ripped? _____

1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____

Cuttings management: _____

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____

Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATIONCropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

Inspector Name: ROY, CATHERINE

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation In Process

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____

Date Final Reclamation Completed: _____

Final Land Use: CRP

Reminder: _____

Comment: _____

Well plugged _____

Pit mouse/rat holes, cellars backfilled _____

Debris removed _____

No disturbance /Location never built _____

Access Roads Regraded _____

Contoured _____

Culverts removed _____

Gravel removed _____

Location and associated production facilities reclaimed _____

Locations, facilities, roads, recontoured _____

Compaction alleviation _____

Dust and erosion control _____

Non cropland: Revegetated 80% _____

Cropland: perennial forage _____

Weeds present _____

Subsidence _____

Comment: _____

Corrective Action: _____

Date _____

Overall Final Reclamation _____

Well Release on Active Location ☐

Multi-Well Location ☐

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment

S/A/V: ACTION
REQUIRED

Corrective Date: 06/03/2016

Comment: Straw wattles in the southwestern portion of the project area are in disrepair and need maintenance. See attached photos.

CA: Maintain stormwater BMPs.

Pits: ☒ NO SURFACE INDICATION OF PIT

Attached Documents

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
680600582	INSPECTION APPROVED	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=3848778
680600583	Inspection Photos	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=3848775