

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <div>401047648</div>			
Date Received: <div>05/16/2016</div>			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 100322	Contact Name Julie Webb	<div>Complete the Attachment Checklist</div> <div>OP OGCC</div>
Name of Operator: NOBLE ENERGY INC	Phone: (720) 587-2223	
Address: 1625 BROADWAY STE 2200	Fax: ()	
City: DENVER State: CO Zip: 80202	Email: jwebb@progressivepcs.net	
API Number : 05- 123 40815 00	OGCC Facility ID Number: 440374	Survey Plat
Well/Facility Name: HESTON	Well/Facility Number: LD06-630	Directional Survey
Location QtrQtr: SESE Section: 5 Township: 9N Range: 58W Meridian: 6		Srhc Eqpmt Diagram
County: WELD Field Name: WILDCAT		Technical Info Page
Federal, Indian or State Lease Number:		Other

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☐ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4):There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☒ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.

0

Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

4

Number of Water Source Exceptions requested per Rule 609.c.

0

Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

0

Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling. **The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

<u>COMMENTS</u>	
	<p data-bbox="217 69 1513 75">Noble requests an exception to Rule 609 for the Heston LD06-635 well pad. There are no water wells within a 1/2 mile of this location.</p> <p data-bbox="217 77 774 86">This exception request applies to the following wells on the pad:</p> <p data-bbox="217 88 414 94">Heston LD06-620 123-40816</p> <p data-bbox="217 94 414 98">Heston LD06-625 123-40813</p> <p data-bbox="217 100 414 105">Heston LD06-630 123-40815</p>

Heston LD06-630 123-40815

--

Title: Senior Regulatory Analyst Email: jwebb@progressivepcs.net Date: 5/16/2016

COGCC Approved: KOEPSSELL, ARTHUR Date: 5/19/2016

Routing Review	A review of DWR data on the COGCC website indicates that there are no water features that meet the 100 series definition of a water source within ½ mile of the oil and gas well(s).	5/19/2016 9:59:42 AM
----------------	--	-------------------------

Total: 1 comment(s)

401047648	FORM 4 SUBMITTED
-----------	------------------

Total Attach: 1 Files