

US ROCKIES REGION
Operation Summary Report

Well: MCPEEK 5-10				Spud date: 12/1/2003				
Project: COLORADO-WELD-NAD83-UTM13				Site: MCPEEK 5-10				Rig name no.: LEED/721
Event: ABANDONMENT				Start date: 3/30/2016				End date: 5/3/2016
Active datum: RKB @4,964.99usft (above Mean Sea Level)				UWI: 0/2/N/66/W/10/0/NWSW/6/0/N/2158/W/0/-810/0/0				
Date	Time Start-End	Duration (hr)	Phase	Code	Sub Code	P/U	MD from (usft)	Operation
3/29/2016	-							
	10:45 - 11:30	0.75	ABANDP	53	B	P		TP500/CP500/SP0, MIRU FLARE EQUIP/PULL AUTOMATION
	11:30 - 13:00	1.50	ABANDP	46	F	P		WAIT ON SLICKLINE
	13:00 - 16:30	3.50	ABANDP	53	B	P		BLOW DOWN CSG THROUGH FLARE TO 100#, BLOW DOWN TBG TO 100#, PUMPED 55 BBLS DOWN CSG, 25 BBLS DOWN TBG, WELL ON VAC
	16:30 - 17:30	1.00	ABANDP	53	B	P		SWI, RDMO FLARE EQUIP
3/30/2016	6:00 - 7:00	1.00	ABANDP	30	G	P		TRAVEL TO LOCATION, FILL OUT JSA & HAVE SAFETY MEETING W/RIG CREW, INSPECT EQUIPMENT PRE JOB CHECK TO ELIMINATE JOB ISSUES
	7:00 - 9:30	2.50	ABANDP	30	A	P		MIRU LEED 721, HAVE JSA & SAFETY MEETING, INSPECT LOCATION IT IS A PASTURE, IT IS WET BUT NOT TO MUDDY, LEAD ROAD JUST BEFORE LOCATION IS VERY MUDDY, SPOT BASE BEAM, PUMP, TANK, & RIG, RU RIG ONTO BASE BEAM, RU PUMP & TANK, SPOT CEMENT TANK, CHECK WELL PSI
	9:30 - 10:00	0.50	ABANDP	30	E	P		KILL WELL TP-150#, CP-150#, SP-0#, PUMPED 25BBLS WATER DOWN CSG, PUMP 15BBLS WATER DOWN TBG, WELL WENT ON A SUCK
	10:00 - 11:00	1.00	ABANDP	30	F	P		ND WH, MADRIL STUCK IN WH HAD TO WORK IT JUST A BIT PULL UP TO 60,000LBS, UNLAND TBG W/34,000LBS, NU BOP & FUNCTION TEST BOP'S, RU RIG FLOOR
	11:00 - 13:00	2.00	ABANDP	31	I	P		TOOH, STD BACK 250JTS 2.375" TBG, LD 1JT 2.375" TBG, MIRU CUTTERS WIRELINE
	13:00 - 14:00	1.00	ABANDP	34	G	P		HOLD PRE-JOB JSA & SAFETY MEETING, PU & RIH TO 7850' W/3.7"GAUGE RING, JUNK BASKET, CCL, & SINKER BAR, POOH LD TOOL
	14:00 - 15:00	1.00	ABANDP	34	I	P		PU & RIH CIBP & SETTING TOOL, SET CIBP @ 7835', POOH LD TOOL, RDMO CUTTERS WIRELINE
	15:00 - 16:00	1.00	ABANDP	30	G	P		SIW, COMPLETE POST DAY INSPECTION, SDFN RIG CREW TRAVEL HOME FOR THE DAY
3/31/2016	6:00 - 7:00	1.00	ABANDP	30	G	P		TRAVEL TO LOCATION, FILL OUT JSA & HAVE SAFETY MEETING W/RIG CREW, INSPECT EQUIPMENT PRE JOB CHECK TO ELIMINATE JOB ISSUES, FUNCTION TEST BOP, CHECK WELL PRESSURE CP-0#, SP-0#, MIRU ANYTIME HYDROTESTER
	7:00 - 10:00	3.00	ABANDP	31	I	P		TIH TO 7832' W/250JST 2.375" TBG, WHILE HYDROTESTING TO 3000#
	10:00 - 10:45	0.75	ABANDP	31	H	P		CIRCULATE ALL GAS OUT-FULL RETURNS 2BPM @ 800PSI FOR 90BBLS, RDMO ANYTIME HYDRO TESTER, MIRU SANJEL CEMENT CREW, MIRU RELIABLE WATER TRUCK

US ROCKIES REGION
Operation Summary Report

Well: MCPEEK 5-10

Spud date: 12/1/2003

Project: COLORADO-WELD-NAD83-UTM13

Site: MCPEEK 5-10

Rig name no.: LEED/721

Event: ABANDONMENT

Start date: 3/30/2016

End date: 5/3/2016

Active datum: RKB @4,964.99usft (above Mean Sea Level)

UWI: 0/2/N/66/W/10/0/NWSW/6/0/N/2158/W/0/-810/0/0

Date	Time Start-End	Duration (hr)	Phase	Code	Sub Code	P/U	MD from (usft)	Operation
	10:45 - 11:00	0.25	ABANDP	52	F	P		HOLD JSA & SAFETY MEETING, MADE SURE TRUCKS & EVERYONE WAS BEHIND RED ZONE THAT WAS SET WITH CONES 50' MINIMUM FROM WH, PT CIBP & CSG TO 1000# FOR 15MIN – GOOD TEST
	11:00 - 11:45	0.75	ABANDP	51	D	P		HOLD PRE-JOB JSA & SAFETY MEETING, PUMP 5BBLS FRESH WATER, 2.5BPM @ 1000PSI, MIX & PUMP 70SX G+ADDs @ 15.8PPG, 1.51YLD, 6.23GPS, 18.8BBLS, 2.5BPM, 1000PSI, DISPLACE 24BBLS H2O TO BALANCE CMT, 2.5BPM, 0PSI, WASH UP CMT UNIT
	11:45 - 12:45	1.00	ABANDP	31	I	P		PUH TO 5259', STD BACK 46JTS 2.375" TBG, LD 36JTS 2.375" TBG, TIH 2 10' SUBS
	12:45 - 13:30	0.75	ABANDP	31	H	P		CIRCULATE FULL RETURNS 2BPM @ 600PSI FOR 30BBLS
	13:30 - 14:00	0.50	ABANDP	51	D	P		HOLD PRE-JOB JSA & SAFETY MEETING, PUMP 5BBLS FRESH WATER 2BPM @ 400PSI, MIX & PUMP 80SX G+ADDs @ 15.8PPG, 1.15YLD, 4.98GPS, 16.8BBLS, 2BPM, 370PSI, DISPLACE 14.5BBLS H2O TO BALANCE CMT, 2.5BPM, 0PSI, WASH UP CMT UNIT
	14:00 - 14:30	0.50	ABANDP	31	I	P		PUH TO 3812', LD 47JTS 2.375" TBG, RDMO RELIABLE WATER TRUCK W/LOAD TO ARF
	14:30 - 14:45	0.25	ABANDP	31	H	P		CIRCULATE FULL RETURNS 2BPM @ 400PSI FOR 30BBLS, RDMO SANJEL CEMENT CREW
	14:45 - 15:00	0.25	ABANDP	31	I	P		PUH TO 3500', LD 10JTS 2.375" TBG, SD WAIT TO TAG TOC
	15:00 - 16:00	1.00	ABANDP	30	G	P		SIW, COMPLETE POST DAY INSPECTION, SDFN RIG CREW TRAVEL HOME FOR THE DAY
4/1/2016	6:00 - 7:00	1.00	ABANDP	30	G	P		TRAVEL TO LOCATION, FILL OUT JSA & HAVE SAFETY MEETING W/RIG CREW, INSPECT EQUIPMENT PRE JOB CHECK TO ELIMINATE JOB ISSUES, FUNCTION TEST BOP, CHECK WELL PRESSURE CP-0#, SP-0#
	7:00 - 7:09	0.15	ABANDP	52	I	P		CHECK BRADENHEAD PRESSURE WITH 100PI GAUGE, GAUGE READ 0PSI, TEST PASSED, NO BLOW FROM SURFACE CSG VALVE,
	7:09 - 7:30	0.35	ABANDP	31	I	P		PU & TIH TAG TOC @ 4133' W/135JTS 2.375" TBG, MIRU CUTTERS WIRELINE
	7:30 - 8:30	1.00	ABANDP	31	I	P		TOOH, LD 135JTS 2.375" TBG
	8:30 - 8:45	0.25	ABANDP	34	H	P		HOLD PRE-JOB JSA & SAFETY MEETING, PU & RIH W/JET CUTTER, CCL & SINKER BAR, CUT CSG @ 1370', POOH LD TOOL, RDMO CUTTERS WIRELINE, MI RELIABLE WATER TRUCK
	8:45 - 10:00	1.25	ABANDP	30	F	P		ND BOP, ND WH, UNLAND CSG W/25,000LBS, NU THUNDERBIRD FLABGED WH, NU BOP, CHANGE OUT 2.375" ELEVATORS FOR 4.5" ELEVATORS, CHANGE 2.375" SLIPS TO 4.5" SLIPS, CHANGE OUT 2.375" PIPE RAMS FOR 4.5" PIPE RAMS, FUNCTION TEST BOP
	10:00 - 11:00	1.00	ABANDP	31	H	P		CIRCULATE NO RETURNS 2BPM @ 700PSI FOR 60BBLS,

US ROCKIES REGION
Operation Summary Report

Well: MCPPEEK 5-10

Spud date: 12/1/2003

Project: COLORADO-WELD-NAD83-UTM13

Site: MCPPEEK 5-10

Rig name no.: LEED/721

Event: ABANDONMENT

Start date: 3/30/2016

End date: 5/3/2016

Active datum: RKB @4,964.99usft (above Mean Sea Level)

UWI: 0/2/N/66/W/10/0/NWSW/6/0/N/2158/W/0/-810/0/0

Date	Time Start-End	Duration (hr)	Phase	Code	Sub Code	P/U	MD from (usft)	Operation
	11:00 - 12:00	1.00	ABANDP	31	I	P		TOOH LD 33JTS 4.5" CSG, MIRU SANJEL CEMENT CREW, MI CONCORD WATER TRANSPORT/VAC TRUCK, CHANGE OUT 4.5" ELEVATORS FOR 2.375" ELEVATORS, CHANGE 4.5" SLIPS TO 2.375" SLIPS, CHANGE OUT 4.5" PIPE RAMS FOR 2.375" PIPE RAMS, FUNCTION TEST BOP
	12:00 - 12:15	0.25	ABANDP	31	I	P		TIH TO 697' W/22JTS 2.375" TBG
	12:15 - 12:30	0.25	ABANDP	31	H	P		CIRCULATE FULL RETURNS 2BPM @ 400PSI FOR 30BBLs
	12:30 - 12:45	0.25	ABANDP	31	I	P		TIH TO 1472' W/24JTS 2.375" TBG, 1 6' SUB, 1 10' SUB
	12:45 - 13:15	0.50	ABANDP	31	H	P		CIRCULATE FULL RETURNS 2BPM @ 400PSI FOR 60BBLs
	13:15 - 13:45	0.50	ABANDP	51	D	P		HOLD PRE-JOB JSA & SAFETY MEETING, PUMP 5BBLs FRESH WATER 3BPM @ 400PSI, PUMP 10BBLs SAPP WATER, 3BPM, 400PSI, PUMP 20BBLs FRESH WATER, 2BPM @ 420PSI, MIX & PUMP 240SX TYPE III+ADDS @ 14.8PPG, 1.33YLD, 6.31GPS, 56.8BBLs, 3BPM, 370PSI, DISPLACE TO BALANCE CMT W/1BBL H2O, 2BPM, 250PSI, WASH UP CMT UNIT
	13:45 - 14:00	0.25	ABANDP	31	I	P		PUH TO 125', LD 6' SUB, LD 10' SUB, LD 42JTS 2.375" TBG
	14:00 - 14:15	0.25	ABANDP	31	H	P		CIRCULATE FULL RETURNS 2BPM @ 400PSI FOR 60BBLs
	14:15 - 14:30	0.25	ABANDP	31	I	P		TOOH, LD 4JTS 2.375" TBG, RDMO SANJEL CEMENT CREW, RDMO RELIABLE TO ARF, RDMO CONCORD WATER TRUCK
	14:30 - 15:30	1.00	ABANDP	30	G	P		SIW, COMPLETE POST DAY INSPECTION, SDFN RIG CREW TRAVEL HOME FOR THE DAY
4/4/2016	6:00 - 7:00	1.00	ABANDP	30	G	P		TRAVEL TO LOCATION, FILL OUT JSA & HAVE SAFETY MEETING W/RIG CREW, INSPECT EQUIPMENT PRE JOB CHECK TO ELIMINATE JOB ISSUES, FUNCTION TEST BOP, CHECK WELL PRESSURE
	7:00 - 7:05	0.08	ABANDP	52	I	P		CHECK BRADENHEAD PRESSURE WITH 100PI GAUGE, GAUGE READ 0PSI, TEST PASSED, NO BLOW FROM SURFACE CSG VALVE,
	7:05 - 7:15	0.17	ABANDP	31	I	P		TIH TAG TOC @ 600' W/19JTS 2.375" TBG, MIRU CUTTERS WIRELING
	7:15 - 7:30	0.25	ABANDP	31	I	P		TOOH LD 19JTS 2.375" TBG
	7:30 - 8:00	0.50	ABANDP	30	F	P		RIG DOWN RIG FLOOR GET READY FOR RIG MOVE, ND BOP, ND THUNDERBIRD WH
	8:00 - 8:15	0.25	ABANDP	34	I	P		HOLD PRE-JOB JSA & SAFETY MEETING, PU & RIH CIBP & SETTING TOOL, SET CIBP @ 80' , POOH LD TOOL, RDMO CUTTERS WIRELINE, MI NORTHERN PLAINS TRUCKING TO MOVE RIG
	8:15 - 9:00	0.75	ABANDP	30	C	P		RDMO LEED 721, RIG DOWN PUMP & LINES, RD BOP'S, RD GUIDE CABLES, LOWER DERRICK, LOAD UP BASE BEAM, LOAD UP PUMP & TANK MOVE EVERYTHING OFF LOCATION INSPECT LOCATION FOR HOUSE KEEPING MAKING SURE LOCATION WAS LEFT BETTER THAN WE ARRIVED

US ROCKIES REGION
Operation Summary Report

Well: MCPEEK 5-10

Spud date: 12/1/2003

Project: COLORADO-WELD-NAD83-UTM13		Site: MCPEEK 5-10				Rig name no.: LEED/721		
Event: ABANDONMENT		Start date: 3/30/2016				End date: 5/3/2016		
Active datum: RKB @4,964.99usft (above Mean Sea Level)				UWI: 0/2/N/66/W/10/0/NWSW/6/0/N/2158/W/0/-810/0/0				
Date	Time Start-End	Duration (hr)	Phase	Code	Sub Code	P/U	MD from (usft)	Operation
5/3/2016	6:00 - 7:00	1.00	ABANDP	52		P		pressure tested CIBP, surface casing to 500 psi, good test
	7:00 - 8:00	1.00	ABANDP	53	B	P		dug up surface casing
	8:00 - 9:00	1.00	ABANDP	53	C	P		cut casing 6' below GL, tagged @ 75'
	9:00 - 10:00	1.00	ABANDP	53	B	P		filled casing stub with 40 bags 5000 psi cement
	10:00 - 11:00	1.00	ABANDP	53	A	P		capped casing with a metal plate containing well info
	11:00 - 12:00	1.00	ABANDP	53	B	P		backfilled
	10:30 - 10:30	0.00	ABANDP	50		P		P&A'd OFFLINE. JSND