

**FORM
INSP**Rev
05/11**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Inspection Date:

06/09/2016

Document Number:

666802240

Overall Inspection:

SATISFACTORY**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	296974	336028	Murray, Richard	<input type="checkbox"/>	

Operator Information:OGCC Operator Number: 10447Name of Operator: URSA OPERATING COMPANY LLCAddress: 1050 17TH STREET #1700City: DENVER State: CO Zip: 80265

- ☐ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☒ NO FOLLOW UP INSPECTION REQUIRED
- ☐ INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
Knudson, Dwayne	970-456-3335	dknudson@ursaresources.com	All Inspections

Compliance Summary:QtrQtr: NESW Sec: 8 Twp: 6S Range: 92W

Insp. Date	Doc Num	Insp. Type	Insp Status	Satisfactory /Action Required	PA P/F/I	Pas/Fail (P/F)	Violation (Y/N)
08/11/2015	666801280	PR	PR	SATISFACTORY			No
02/05/2014	670201221	PR	PR	SATISFACTORY			No
12/10/2010	200287113	PR	PR	SATISFACTORY			No

Inspector Comment:**Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
287951	WELL	AL	05/20/2014	LO	045-13105	River Ranch C1	AL	<input type="checkbox"/>
288420	WELL	AL	05/20/2014	LO	045-13286	River Ranch C3	AL	<input type="checkbox"/>
288421	WELL	AL	05/20/2014	LO	045-13285	River Ranch C4	AL	<input type="checkbox"/>
288422	WELL	AL	05/20/2014	LO	045-13284	River Ranch C5	AL	<input type="checkbox"/>
288423	WELL	AL	01/02/2014	LO	045-13283	River Ranch C-1H	AL	<input type="checkbox"/>
296974	WELL	PR	10/26/2008	GW	045-16241	RIVER RANCH C9	PR	<input checked="" type="checkbox"/>

Equipment:**Location Inventory**

Inspector Name: Murray, Richard

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>6</u>	Production Pits: _____
Condensate Tanks: <u>2</u>	Water Tanks: <u>4</u>	Separators: <u>4</u>	Electric Motors: _____
Gas or Diesel Mortors: _____	Cavity Pumps: _____	LACT Unit: <u>1</u>	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: <u>1</u>	Oil Pipeline: <u>1</u>	Water Pipeline: <u>1</u>
Gas Compressors: _____	VOC Combustor: <u>1</u>	Oil Tanks: _____	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: <u>1</u>	Flare: _____	Fuel Tanks: _____

Location

Lease Road:

Type	Satisfactory/Action Required	comment	Corrective Action	Date

Signs/Marker:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
BATTERY	SATISFACTORY	AIRS ID 045-2053-001		

Emergency Contact Number (S/AR): SATISFACTORY Corrective Date: _____

Comment: _____

Corrective Action: _____

Good Housekeeping:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

Spills:

Type	Area	Volume	Corrective action	CA Date

☐ Multiple Spills and Releases?

Fencing/:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

Equipment:

Type: Gas Meter Run	# 0	Satisfactory/Action Required:	SATISFACTORY
Comment			
Corrective Action			Date: _____
Type: Pig Station	# 1	Satisfactory/Action Required:	SATISFACTORY
Comment			
Corrective Action			Date: _____
Type: Horizontal Heated Separator	# 1	Satisfactory/Action Required:	SATISFACTORY
Comment			
Corrective Action			Date: _____
Type: Emission Control Device	# 1	Satisfactory/Action Required:	SATISFACTORY

Inspector Name: Murray, Richard

Comment	
Corrective Action	Date:

Facilities: ☐ New Tank Tank ID: _____

Contents	#	Capacity	Type	SE GPS
CONDENSATE	1	300 BBLS	STEEL AST	39.539490,-107.692918

S/AR	SATISFACTORY	Comment:	
Corrective Action:		Corrective Date:	

Paint

Condition	Adequate
-----------	----------

Other (Content) _____

Other (Capacity) _____

Other (Type) _____

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Metal	Adequate	Walls Sufficient	Base Sufficient	Adequate

Corrective Action		Corrective Date	
Comment			

Facilities: ☐ New Tank Tank ID: _____

Contents	#	Capacity	Type	SE GPS
PRODUCED WATER	1	300 BBLS	STEEL AST	,

S/AR	SATISFACTORY	Comment:	Centralized battery
Corrective Action:		Corrective Date:	

Paint

Condition	Adequate
-----------	----------

Other (Content) _____

Other (Capacity) _____

Other (Type) _____

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance

Corrective Action		Corrective Date	
Comment			

Venting:

Yes/No	NO
Comment	

Flaring:

Type		Satisfactory/Action Required	
Comment:			
Corrective Action:		Correct Action Date:	

Predrill

Location ID: 296974

Lease Road Adeq.: _____

Pads: _____

Soil Stockpile: _____

S/AR: _____

Corrective Action: _____

Date: _____

CDP Num.: _____

Form 2A COAs:

Group	User	Comment	Date
OGLA	kubeczkod	<p>SITE SPECIFIC COAs:</p> <p>Operator must ensure 110 percent secondary containment for any volume of fluids contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals, and maintained in good condition.</p> <p>Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface pipelines or buried permanent pipelines.</p> <p>If the well is to be hydraulically stimulated, flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline or pit located on the well pad or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.</p> <p>The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, if drill cuttings are to remain/disposed of onsite, they must also meet the applicable standards of table 910-1.</p>	04/22/2012

S/AR: _____ **Comment:** No drilling or completions being performed at time of inspection, No visual sign of pits or cuttings

CA: _____**Date:** _____**Wildlife BMPs:**

BMP Type	Comment
Planning	<p>PLANNING INFRASTRUCTURE AND DEVELOPMENT ACTIVITIES:</p> <ul style="list-style-type: none"> • Directional drilling will be implemented to minimize habitat loss and habitat fragmentation • Remote monitoring using SCADA systems to reduce truck traffic, fugitive dust • Water pipeline infrastructure will be installed concurrently with the gas pipeline infrastructure where possible. • SPCC inspections will be conducted quarterly • Water used for well completions will be recycled as practicable • Baseline and post drilling/completion water well testing will be performed for permitted water wells within ½ mile of down-hole location • Annual planning meeting to be conducted with Rifle-Silt-New Castle Community

General Housekeeping	INVASIVE NON-NATIVE VEGETATION CONTROL: <ul style="list-style-type: none"> • Weed management plan will be developed and implemented to monitor and control noxious and invasive weeds • Noxious weed control includes three treatments per year • Existing weed infestations will be mapped prior to the development of each pad, access road and pipeline when practicable • Reclamation/revegetation will be used as a weed management tool
Site Specific	PUBLIC WATER SYSTEM PROTECTION SECTION 317B: <ul style="list-style-type: none"> • Best management practices will be implemented to contain any unintentional releases of fluids for locations within 500 feet of surface water • Locations within 500 feet of surface water will ensure 110 percent secondary containment for any volume of fluids contained at a well site during drilling and completion operations
Storm Water/Erosion Control	STORWATER MANAGEMENT: <ul style="list-style-type: none"> • Facilities will be operated with a Water Quality Control Division (WQCD) stormwater construction permit. • Stormwater BMPs in accordance with the Stormwater Management Plan will be implemented in a manner that minimizes erosion, transport of sediment offsite, and site degradation. • Inspections will be conducted every two weeks or monthly and in accordance with WQCD General Permit to confirm that applicable BMPs are in place, maintained and functioning properly.
Drilling/Completion Operations	DRILLING AND PRODUCTION: <ul style="list-style-type: none"> • No reserve, drill cuttings or frac/flowback pits will be constructed • Well pads will be constructed with perimeter berm on downslope area • Well pads, access roads will be graveled to reduce fugitive dust, sediment run-off • Above-ground facilities will be located to minimize visual effects (e.g. production tanks will be low profile tanks and painted to mitigate visual impacts.) • Combustor controls will be used to mitigate odors from production tanks • Well completions will utilize flowback completion technologies and/or flares to reduce odors from plug drillout, and venting of salable and non-salable gas • High level alarms will be installed on production tanks • Production tank containment area will be lined with plastic
Wildlife	MITIGATION PLAN BEST MANAGEMENT PRACTICES: <ul style="list-style-type: none"> • Closed loop (pitless) drilling system. • Participation in raptor and other birds (great blue heron) monitoring and surveying with protocol to be developed by CDOW and implemented by Antero when practicable. • Buried water and gas pipelines as means to reduce truck traffic. • Seasonal raptor RSOs for species not included in new COGCC rules will be considered where practicable. • Avoidance/seclusion area in the northeast corner of the CDP (Burning Mountain) unless lease expiration warrants development. • Restricted rig operation to less than 2 per section within the big game seclusion areas during the winter (to be determined in consultation with CDOW). • Maintaining a ¼ mile no surface occupancy buffer around active bald eagle nests. • New pad construction not to exceed 3 acres. • Pad density not to exceed 1 pad per 120 acres. • Bury all gas and water pipelines adjacent to roads whenever possible. • The mitigation opportunities/projects will be defined by the Mitigation Plan for each well pad. • The mitigation opportunities/projects will be determined cooperatively with the CDOW during the annual Antero Mitigation Plan Review. • CDOW Actions to Minimize Adverse Impacts to Wildlife Resources is attached to the March 22, 2010 Mitigation Plan

S/AR: SATISFACTORY**Comment:** BMPs in place**CA:****Date:****Comment:****Staking:**

Inspector Name: Murray, Richard

On Site Inspection (305):

Surface Owner Contact Information:

Name: _____ Address: _____
Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:

Landman Name: _____ Phone Number: _____
Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____
Request LGD Attendance: _____

LGD Contact Information:

Name: _____ Phone Number: _____ Agreed to Attend: _____

Summary of Landowner Issues:

Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

Facility

Facility ID: 296974 Type: WELL API Number: 045-16241 Status: PR Insp. Status: PR

Producing Well

Comment: Producing

Environmental

Spills/Releases:

Type of Spill: _____ Description: _____ Estimated Spill Volume: _____
Comment: _____
Corrective Action: _____ Date: _____
Reportable: _____ GPS: Lat _____ Long _____
Proximity to Surface Water: _____ Depth to Ground Water: _____

Water Well:

Lat _____ Long _____
DWR Receipt Num: _____ Owner Name: _____ GPS : _____

Field Parameters:

Sample Location: _____

Emission Control Burner (ECB): Y

Comment: _____

Pilot: ON Wildlife Protection Devices (fired vessels): YES

Reclamation - Storm Water - Pit

Interim Reclamation:

Date Interim Reclamation Started: _____ Date Interim Reclamation Completed: _____

Land Use: RANGELAND

Comment: _____

1003a. Waste and Debris removed? Pass

CM _____

CA _____

CA Date _____

Unused or unneeded equipment onsite? Pass

CM _____

CA _____

CA Date _____

Pit, cellars, rat holes and other bores closed? Pass

CM _____

CA _____

CA Date _____

Guy line anchors marked? _____

CM _____

CA _____

CA Date _____

1003b. Area no longer in use? _____

Production areas stabilized ? _____

1003c. Compacted areas have been cross ripped? _____

1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____

Cuttings management: _____

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____

Production areas have been stabilized? _____

Segregated soils have been replaced? _____

RESTORATION AND REVEGETATION

Cropland

Top soil replaced _____

Recontoured _____

Perennial forage re-established _____

Non-Cropland

Top soil replaced _____

Recontoured _____

80% Revegetation _____

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation _____

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____

Date Final Reclamation Completed: _____

Final Land Use: RANGELAND

Reminder: _____

Comment: _____

Well plugged _____

Pit mouse/rat holes, cellars backfilled _____

Debris removed _____

No disturbance /Location never built _____

Access Roads Regraded _____

Contoured _____

Culverts removed _____

Gravel removed _____

Location and associated production facilities reclaimed _____

Locations, facilities, roads, recontoured _____

Compaction alleviation _____

Dust and erosion control _____

Non cropland: Revegetated 80% _____

Cropland: perennial forage _____

Inspector Name: Murray, Richard

Weeds present _____ Subsidence _____

Comment: _____

Corrective Action: _____ Date _____

Overall Final Reclamation

Well Release on Active Location ☐

Multi-Well Location ☐

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
		Culverts	Pass			
Seeding						
		Ditches	Pass			
Berms	Pass					
Gravel	Pass					
		Gravel	Pass			

S/A/V: SATISFACTOR
Y Corrective Date: _____

Comment: _____

CA: _____

Pits: ☒ NO SURFACE INDICATION OF PIT

Attached Documents

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
666802240	INSPECTION APPROVED	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=3876276