

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <div>401063460</div>			
Date Received: <div>06/15/2016</div>			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 96850	Contact Name	Jessie Pahler	<div>Complete the Attachment Checklist</div> <div>OP OGCC</div>	
Name of Operator: TEP ROCKY MOUNTAIN LLC	Phone:	(970) 242-0170		
Address: PO BOX 370	Fax:	()		
City: PARACHUTE	State: CO	Zip: 81635		
Email: jpahler@westernwaterandland.com				
API Number : 05- 045 23128 00	OGCC Facility ID Number:	445633	Survey Plat	
Well/Facility Name: Youberg	Well/Facility Number:	RU 512-7	Directional Survey	
Location QtrQtr: SENW	Section: 7	Township: 7S	Range: 93W	Meridian: 6
County: GARFIELD	Field Name:	RULISON	Technical Info Page	
Federal, Indian or State Lease Number:			Other	

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☐ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4):There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☒ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.

2

Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

4

Number of Water Source Exceptions requested per Rule 609.c.

2

Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

0

Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling. **The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

An evaluation considered all water sources within a 1/2 mile radius of well pad RU 22-7 (Location ID 323942). Two water sources were located, but were deemed unsuitable. The water sources are monitoring wells that lack dedicated pumps and are either dry or contain little water. Please see attached document for details. This sundry applies to the following API numbers:

05-045-23128
05-045-23129
05-045-23130
05-045-23131
05-045-23132
05-045-23133
05-045-23134
05-045-23230
05-045-23231
05-045-23232
05-045-23233
05-045-23234
05-045-23235

Operator Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Jessie Pahler (WPX Agent)

Title: Project Scientist Email: jpahler@westernwaterandland.com Date: 6/15/2016

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 6/16/2016

CONDITIONS OF APPROVAL, IF ANY:

<u>COA Type</u>	<u>Description</u>

General Comments

User Group	Comment	Comment Date
Environmental Data	A review of DWR data on the COGCC website indicates that there are no additional water features, other than those addressed by the operator, that meet the 100 series definition of a water source within ½ mile of the oil and gas well(s).	6/16/2016 2:22:42 PM

Total: 1 comment(s)

Attachment Check List

<u>Att Doc Num</u>	<u>Name</u>
401063460	FORM 4 SUBMITTED
401063495	WATER ANALYSIS

Total Attach: 2 Files