

**FORM
INSP**Rev
05/11**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Inspection Date:

06/16/2016

Document Number:

675102623

Overall Inspection:

SATISFACTORY**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	428956	428956	GRANAHAN, KYLE	<input type="checkbox"/>	

Operator Information:OGCC Operator Number: 96850Name of Operator: WPX ENERGY ROCKY MOUNTAIN LLCAddress: PO BOX 370City: PARACHUTE State: CO Zip: 81635

- ☐ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☒ NO FOLLOW UP INSPECTION REQUIRED
- ☐ INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
, WPX		COGCCInspectionReports@wpxenergy.com	All inspections

Compliance Summary:QtrQtr: Lot 10 Sec: 36 Twp: 1S Range: 98W

Insp. Date	Doc Num	Insp. Type	Insp Status	Satisfactory /Action Required	PA P/F/I	Pas/Fail (P/F)	Violation (Y/N)
08/11/2015	675101706			SATISFACTORY	P		No
05/15/2014	673400546			SATISFACTORY			No

Inspector Comment:**Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
428948	WELL	PR	04/11/2013	GW	103-11923	Federal RGU 434-36-198	PR	<input checked="" type="checkbox"/>
428949	WELL	PR	04/11/2013	GW	103-11924	Federal RGU 344-36-198	PR	<input checked="" type="checkbox"/>
428950	WELL	PR	04/11/2013	GW	103-11925	Federal RG 543-36-198	PR	<input checked="" type="checkbox"/>
428951	WELL	PR	04/11/2013	GW	103-11926	Federal RGU 433-36-198	PR	<input checked="" type="checkbox"/>
428952	WELL	PR	04/11/2013	GW	103-11927	Federal RG 343-36-198	PR	<input checked="" type="checkbox"/>
428953	WELL	PR	04/11/2013	GW	103-11928	Federal RGU 544-36-198	PR	<input checked="" type="checkbox"/>
428954	WELL	PR	04/17/2013	GW	103-11929	Federal RGU 34-36-198	PR	<input checked="" type="checkbox"/>
428955	WELL	PR	03/30/2013	GW	103-11930	Federal RGU 33-36-198	WK	<input checked="" type="checkbox"/>

Equipment:**Location Inventory**

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>8</u>	Production Pits: _____
Condensate Tanks: <u>4</u>	Water Tanks: <u>4</u>	Separators: <u>8</u>	Electric Motors: _____
Gas or Diesel Mortors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: <u>1</u>	Oil Pipeline: _____	Water Pipeline: <u>2</u>
Gas Compressors: _____	VOC Combustor: <u>1</u>	Oil Tanks: _____	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: _____

Location

Lease Road:

Type	Satisfactory/Action Required	comment	Corrective Action	Date

Signs/Marker:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
WELLHEAD	SATISFACTORY			
BATTERY	SATISFACTORY			
TANK LABELS/PLACARDS	SATISFACTORY			

Emergency Contact Number (S/AR): SATISFACTORY

Corrective Date: _____

Comment: 970-285-9377

Corrective Action: _____

Good Housekeeping:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

Spills:

Type	Area	Volume	Corrective action	CA Date
------	------	--------	-------------------	---------

☐ Multiple Spills and Releases?**Fencing/:**

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
WELLHEAD	SATISFACTORY			
TANK BATTERY	SATISFACTORY			
SEPARATOR	SATISFACTORY			

Equipment:

Type: Other	# 1	Satisfactory/Action Required:	SATISFACTORY
Comment	Production water pump		
Corrective Action			Date: _____
Type: Plunger Lift	# 8	Satisfactory/Action Required:	SATISFACTORY
Comment			
Corrective Action			Date: _____

Type: Emission Control Device	# 1	Satisfactory/Action Required:	SATISFACTORY
Comment			
Corrective Action			Date:
Type: Bird Protectors	# 14	Satisfactory/Action Required:	SATISFACTORY
Comment			
Corrective Action			Date:
Type: Horizontal Heated Separator	# 10	Satisfactory/Action Required:	SATISFACTORY
Comment			
Corrective Action			Date:

Facilities: ☐ New Tank Tank ID: _____

Contents	#	Capacity	Type	SE GPS
PRODUCED WATER	4	500 BBLS	HEATED STEEL AST	,

S/AR	SATISFACTORY	Comment:	
Corrective Action:		Corrective Date:	

Paint

Condition	Adequate
-----------	----------

Other (Content) _____

Other (Capacity) _____

Other (Type) _____

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance

Corrective Action		Corrective Date	
Comment			

Facilities: ☐ New Tank Tank ID: _____

Contents	#	Capacity	Type	SE GPS
CONDENSATE	4	500 BBLS	HEATED STEEL AST	39.916070,-108.340740

S/AR	SATISFACTORY	Comment:	AIRS ID # 103-0657-002, 103-0657-003
Corrective Action:		Corrective Date:	

Paint

Condition	Adequate
-----------	----------

Other (Content) _____

Other (Capacity) _____

Other (Type) _____

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Metal	Adequate	Walls Sufficient	Base Sufficient	Adequate

Corrective Action		Corrective Date	
Comment			

Venting:

Yes/No	NO
Comment	

Flaring:

Type	Satisfactory/Action Required		
Comment:			
Corrective Action:		Correct Action Date:	

Predrill

Location ID: 428956

Lease Road Adeq.: _____ Pads: _____ Soil Stockpile: _____

S/AR: _____

Corrective Action: _____ Date: _____ CDP Num.: _____

Form 2A COAs:

Group	User	Comment	Date
OGLA	kubeczkod	<p>SITE SPECIFIC COAs:</p> <p>Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface pipelines.</p> <p>Reserve pit, or any other pit used to contain/hold fluids, if constructed, must be lined or a closed loop system (as indicated on the Form 2A Permit) must be implemented during drilling.</p> <p>Operator must ensure secondary containment for any volume of fluids contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.</p> <p>Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline or pit located on the well pad or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.</p> <p>The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, the drill cuttings must also meet the applicable standards of table 910-1.</p>	04/22/2012

S/AR: _____ **Comment:** _____

CA: _____ **Date:** _____

Wildlife BMPs:

BMP Type	Comment
Planning	<ul style="list-style-type: none"> • Share/consolidate corridors for pipeline ROWs to the maximum extent possible. • Maximize the utility of surface facilities by developing multiple wells from a single pad (directional drilling), and by co-locating multipurpose facilities (for example, well pads and compressors) to avoid unnecessary habitat fragmentation and disturbance of additional geographic areas. • Minimize newly planned activities and operations within 300 feet of the ordinary high water mark of any reservoir, lake, wetland, or natural perennial or seasonally flowing stream or river. • Locate roads outside of drainages where possible and outside of riparian habitat. • Avoid constructing any road segment in the channel of an intermittent or perennial stream • Avoid new surface disturbance and placing new facilities in key wildlife habitats in consultation with CDOW. • Minimize the number, length, and footprint of oil and gas development roads • Use existing roads where possible • Combine utility infrastructure (gas, electric, and water) planning with roadway planning to avoid separate utility corridors • Combine and share roads to minimize habitat fragmentation • Where possible, consolidate pipeline and existing roadways, or roadways that are planned for development • Place roads to avoid obstructions to migratory routes for wildlife, and to avoid displacement of wildlife from public to private lands. • Design roads with visual and auditory buffers or screens (e.g., topographic barriers, vegetation, and distance). • Accelerate development under a “clustered-development concept” on a site-specific basis where WPX Energy has a 100% mineral interest or control of mineral development • Maximize the use of directional drilling to minimize habitat loss/fragmentation • Maximize use of long-term centralized tank batteries to minimize traffic • Maximize use of remote completion/frac operations to minimize traffic • Maximize use of remote telemetry for well monitoring to minimize traffic • Phase and concentrate development activities, so that large areas of undisturbed habitat for wildlife remain. • Maintain undeveloped areas within development boundaries sufficient to allow wildlife to persist within development boundaries during all phases of construction, drilling, and production. • Minimize the duration of development and avoid repeated or chronic disturbance of developed areas. Complete all anticipated drilling within a phased, concentrated, development area during a single, uninterrupted time period. • Restrict oil and gas activities as practical during critical seasonal periods • Implement self imposed timing limitations to protect species and/or habitat

Final Reclamation	<ul style="list-style-type: none"> • Utilize staked soil retention blankets for erosion control and reclamation of large surface areas with 1.5:1 or steeper slopes. Avoid use of plastic blanket materials. • Restore both form and function of impacted wetlands and riparian areas and mitigate erosion. • Remove well pad and road surface materials that are incompatible with post-production land use and re-vegetation requirements • Use only certified weed-free native seed in seed mixes, except for non-native plants that benefit wildlife • WPX Energy will use certified, weed free grass hay, straw, hay or other mulch materials used for the reseeding and reclamation of disturbed areas. • Install exclusionary devices to prevent bird and other wildlife access to equipment stacks, vents and openings. • Reduce visits to well-sites through remote monitoring (i.e. SCADA) and the use of multi-function contractors. • Avoid dust suppression activities within 300 feet of the ordinary high water mark of any reservoir, lake, wetland, or natural perennial or seasonally flowing stream or river where possible. • Bore pipelines that cross perennial streams • Install and use locked gates or other means to prevent unauthorized vehicular travel on roads and facility rights-of-way.
Drilling/Completion Operations	<ul style="list-style-type: none"> • Use centralized hydraulic fracturing operations. • Install and maintain adequate measures to exclude all types of wildlife (e.g., big game, birds, and small rodents) • from all fluid pits (e.g., fencing, netting, and other appropriate exclusion measures). • Conduct well completions with drilling operations to limit the number of rig moves and traffic.
Construction	<ul style="list-style-type: none"> • Close and reclaim roads not necessary for development, including removing all bridges and culverts and recontouring/reclaiming all stream crossings. • Structures for perennial or intermittent stream channel crossings should be constructed using appropriately sized bridges or culverts • Design road crossings of streams to allow fish passage at all flows and to minimize the generation of sediment. • Design road crossings of streams at right angles to all riparian corridors and streams to minimize the area of disturbance to the extent possible. • Construct retention basins and ponds that benefit wildlife

S/AR: _____ Comment: _____

CA: _____ Date: _____

Comment: _____

Staking:**On Site Inspection (305):**Surface Owner Contact Information:

Name: _____ Address: _____

Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:

Landman Name: _____ Phone Number: _____

Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____

Request LGD Attendance: _____

LGD Contact Information:

Name: _____ Phone Number: _____ Agreed to Attend: _____

Inspector Name: GRANAHAH, KYLE

Summary of Landowner Issues:

Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

Facility

Facility ID: 428948 Type: WELL API Number: 103-11923 Status: PR Insp. Status: PR

Producing Well

Comment: PR - no leaks/venting

Facility ID: 428949 Type: WELL API Number: 103-11924 Status: PR Insp. Status: PR

Producing Well

Comment: PR - no leaks/venting

Facility ID: 428950 Type: WELL API Number: 103-11925 Status: PR Insp. Status: PR

Producing Well

Comment: PR - no leaks/venting

Facility ID: 428951 Type: WELL API Number: 103-11926 Status: PR Insp. Status: PR

Producing Well

Comment: PR - no leaks/venting

Facility ID: 428952 Type: WELL API Number: 103-11927 Status: PR Insp. Status: PR

Producing Well

Comment: PR - no leaks/venting

Facility ID: 428953 Type: WELL API Number: 103-11928 Status: PR Insp. Status: PR

Producing Well

Comment: PR - no leaks/venting

Facility ID: 428954 Type: WELL API Number: 103-11929 Status: PR Insp. Status: PR

Producing Well

Comment: PR - no leaks/venting

Facility ID: 428955 Type: WELL API Number: 103-11930 Status: PR Insp. Status: WK

Workover

Comment: Ensign rig 330 on location - set tubing to a deeper depth and put back on production.

Environmental

Spills/Releases:

Type of Spill: Description: Estimated Spill Volume:

Comment:

Corrective Action: Date:

Reportable: _____	GPS: Lat _____	Long _____
Proximity to Surface Water: _____	Depth to Ground Water: _____	

Water Well:

DWR Receipt Num: _____ Owner Name: _____ GPS : _____ Lat _____ Long _____

Field Parameters:

Sample Location: _____

Emission Control Burner (ECB): _____

Comment: _____

Pilot: _____ Wildlife Protection Devices (fired vessels): _____

Reclamation - Storm Water - Pit**Interim Reclamation:**

Date Interim Reclamation Started: _____ Date Interim Reclamation Completed: _____

Land Use: RANGELAND

Comment: _____

1003a. Waste and Debris removed? Pass

CM _____

CA _____ CA Date _____

Unused or unneeded equipment onsite? Pass

CM _____

CA _____ CA Date _____

Pit, cellars, rat holes and other bores closed? Pass

CM _____

CA _____ CA Date _____

Guy line anchors marked? Pass

CM _____

CA _____ CA Date _____

1003b. Area no longer in use? _____ Production areas stabilized ? _____

1003c. Compacted areas have been cross ripped? _____

1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____

Cuttings management: _____

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____

Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATION

Cropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

Inspector Name: GRANAHAN, KYLE

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation _____

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____

Date Final Reclamation Completed: _____

Final Land Use: RANGELAND _____

Reminder: _____

Comment: _____

Well plugged _____

Pit mouse/rat holes, cellars backfilled _____

Debris removed _____

No disturbance /Location never built _____

Access Roads Regraded _____

Contoured _____

Culverts removed _____

Gravel removed _____

Location and associated production facilities reclaimed _____

Locations, facilities, roads, recontoured _____

Compaction alleviation _____

Dust and erosion control _____

Non cropland: Revegetated 80% _____

Cropland: perennial forage _____

Weeds present _____

Subsidence _____

Comment: _____

Corrective Action: _____

Date _____

Overall Final Reclamation _____

Well Release on Active Location ☐

Multi-Well Location ☐

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Gravel	Pass					
Berms	Pass					
Compaction	Pass					

S/A/V: SATISFACTOR
Y _____

Corrective Date: _____

Comment: No sediment flow evident

CA: _____

Pits: ☒ NO SURFACE INDICATION OF PIT

Attached Documents

You can go to COGCC Images (<https://cogcc.state.co.us/webblink/>) and search by document number:

Document Num	Description	URL
675102623	INSPECTION APPROVED	http://ogccwebblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=3880806