



## RELATED REMOTE LOCATIONS

(Enter as many Related Locations as necessary. Enter the Form 2A document # only if there is no established COGCC Location ID#)

**This proposed Oil and Gas Location is:** Production Facilities Location serves Well(s)

<u>LOCATION ID #</u>	<u>FORM 2A DOC #</u>
_____	400999508
_____	401009985
_____	400999515

## FACILITIES

Indicate the number of each type of oil and gas facility planned on location

Wells _____	Oil Tanks* _____	8	Condensate Tanks* _____	Water Tanks* _____	4	Buried Produced Water Vaults* _____	2
Drilling Pits _____	Production Pits* _____		Special Purpose Pits _____	Multi-Well Pits* _____		Modular Large Volume Tanks _____	
Pump Jacks _____	Separators* _____	19	Injection Pumps* _____	Cavity Pumps* _____		Gas Compressors* _____	4
Gas or Diesel Motors* _____	Electric Motors _____		Electric Generators* _____	Fuel Tanks* _____		LACT Unit* _____	1
Dehydrator Units* _____	Vapor Recovery Unit* _____		VOC Combustor* _____	10	Flare* _____	1	Pigging Station* _____

## OTHER FACILITIES\*

<u>Other Facility Type</u>	<u>Number</u>
----------------------------	---------------

<u>Other Facility Type</u>	<u>Number</u>
Blowcase	4
Heater Treater	2
IA Compressor skid	1
KO Drum	1
Maintenance Tank	1
Sand Catchers	19
Scrubber	4

\*Those facilities indicated by an asterisk (\*) shall be used to determine the distance from the Production Facility to the nearest cultural feature on the Cultural Setbacks Tab.

Per Rule 303.b.(3)C, description of all oil, gas, and/or water pipelines:

Sixteen (16) 2"-4" steel Three-phase flowlines, one (1) 8"-16" Steel Gas Gathering Line, One (1) 4"-12" Steel Oil line.

## CONSTRUCTION

Date planned to commence construction: 09/01/2016      Size of disturbed area during construction in acres: 6.40  
 Estimated date that interim reclamation will begin: 05/01/2017      Size of location after interim reclamation in acres: 6.40  
 Estimated post-construction ground elevation: 4838

## DRILLING PROGRAM

Will a closed loop system be used for drilling fluids: \_\_\_\_\_

Is H<sub>2</sub>S anticipated? \_\_\_\_\_

Will salt sections be encountered during drilling: \_\_\_\_\_

Will salt based mud (>15,000 ppm Cl) be used? \_\_\_\_\_

Will oil based drilling fluids be used? \_\_\_\_\_

## DRILLING WASTE MANAGEMENT PROGRAM

Drilling Fluids Disposal: \_\_\_\_\_ Drilling Fluids Disposal Method: \_\_\_\_\_

Cutting Disposal: \_\_\_\_\_ Cuttings Disposal Method: \_\_\_\_\_

Other Disposal Description:

\_\_\_\_\_

Beneficial reuse or land application plan submitted? \_\_\_\_\_

Reuse Facility ID: \_\_\_\_\_ or Document Number: \_\_\_\_\_

Centralized E&P Waste Management Facility ID, if applicable: \_\_\_\_\_

## SURFACE & MINERALS & RIGHT TO CONSTRUCT

Name: Timbro Ranch & Cattle Co Phone: \_\_\_\_\_

Address: PO Box 367 Fax: \_\_\_\_\_

Address: \_\_\_\_\_ Email: \_\_\_\_\_

City: Springfield State: NE Zip: 68059

Surface Owner:  Fee  State  Federal  Indian

Check all that apply. The Surface Owner:  is the mineral owner

is committed to an oil and Gas Lease

has signed the Oil and Gas Lease

is the applicant

The Mineral Owner beneath this Oil and Gas Location is:  Fee  State  Federal  Indian

The Minerals beneath this Oil and Gas Location will be developed from or produced to this Oil and Gas Location: Yes

The right to construct this Oil and Gas Location is granted by: oil and gas lease

Surface damage assurance if no agreement is in place: \_\_\_\_\_ Surface Surety ID: \_\_\_\_\_

Date of Rule 306 surface owner consultation 01/04/2016

## CURRENT AND FUTURE LAND USE

Current Land Use (Check all that apply):

Crop Land:  Irrigated  Dry land  Improved Pasture  Hay Meadow  CRP

Non-Crop Land:  Rangeland  Timber  Recreational  Other (describe): \_\_\_\_\_

Subdivided:  Industrial  Commercial  Residential

Future Land Use (Check all that apply):

Crop Land:  Irrigated  Dry land  Improved Pasture  Hay Meadow  CRP

Non-Crop Land:  Rangeland  Timber  Recreational  Other (describe): \_\_\_\_\_

Subdivided:  Industrial  Commercial  Residential

## CULTURAL DISTANCE INFORMATION

Provide the distance to the nearest cultural feature as measured from Wells or Production Facilities onsite.

	From WELL	From PRODUCTION FACILITY
Building:	_____ Feet	<u>5280</u> Feet
Building Unit:	_____ Feet	<u>5280</u> Feet

### INSTRUCTIONS:

- All measurements shall be provided from center of nearest Well or edge of nearest Production Facility to nearest of each cultural feature as described in Rule 303.b. (3)A.
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If

High Occupancy Building Unit:	_____	Feet	5280	Feet
Designated Outside Activity Area:	_____	Feet	5280	Feet
Public Road:	_____	Feet	5280	Feet
Above Ground Utility:	_____	Feet	5280	Feet
Railroad:	_____	Feet	5280	Feet
Property Line:	_____	Feet	251	Feet

nearest Building is a Building Unit, enter same distance for both.  
 - Building Unit, High Occupancy Building Unit, and Designated Outside Activity Area - as defined in 100-Series Rules.  
 -For measurement purposes only, Production Facilities should only include those items with an asterisk(\*) on the Facilities Tab.

**DESIGNATED SETBACK LOCATION INFORMATION**

Check all that apply. This location is within a:

- Buffer Zone
- Exception Zone
- Urban Mitigation Area

- Buffer Zone - as described in Rule 604.a.(2), within 1,000' of a Building Unit.  
 - Exception Zone - as described in Rule 604.a.(1), within 500' of a Building Unit.  
 - Urban Mitigation Area - as defined in 100-Series Rules.  
 - Large UMA Facility – as defined in 100-Series Rules.

Pre-application Notifications (required if location is within 1,000 feet of a building unit):

Date of Rule 305.a.(1) Urban Mitigation Area Notification to Local Government: \_\_\_\_\_  
 Date of Rule 305.a.(2) Buffer Zone Notification to Building Unit Owners: \_\_\_\_\_

**FOR MULTI-WELL PADS AND PRODUCTION FACILITIES WITHIN DESIGNATED SETBACK LOCATIONS ONLY:**

- Check this box if this Oil and Gas Location has or will have Production Facilities that serve multiple wells (onl or offsite) and the Production Facilities are proposed to be located less than 1,000 feet from a Building Unit. *(Pursuant to Rule 604.c.(2)E.i., the operator must evaluate alternative locations for the Production Facilities that are farther from the Building Unit, and determine whether those alternative locations were technically feasible and economically practicable for the same proposed development.)*
- By checking this box, I certify that no alternative placements for the Production Facilities, farther from the nearest Building Unit, were available based on the analysis conducted pursuant to Rule 604.c.(2)E.i.

In the space below, explain rationale for siting the multi-well Production Facility(ies) that supports your Rule 604.c.(2)E.i determination. Attach documentation that supports your determination to this Form 2A.

**SOIL**

List all soil map units that occur within the proposed location. attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.org/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 31: Kim-Mitchell Complex, 0-6 % slopes \_\_\_\_\_  
 NRCS Map Unit Name: \_\_\_\_\_  
 NRCS Map Unit Name: \_\_\_\_\_

**PLANT COMMUNITY:**

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes  No

Plant species from:  NRCS or,  field observation Date of observation: 01/04/2016

List individual species: \_\_\_\_\_

Check all plant communities that exist in the disturbed area.

- Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)
- Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)
- Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)
- Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)
- Mountain Riparian (Cottonwood, Willow, Blue Spruce)
- Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)
- Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)
- Alpine (above timberline)
- Other (describe): \_\_\_\_\_

**WATER RESOURCES**

Is this a sensitive area:  No  Yes

Distance to nearest

downgradient surface water feature: 6940 Feet

water well: 790 Feet

Estimated depth to ground water at Oil and Gas Location 90 Feet

Basis for depth to groundwater and sensitive area determination:

Not a sensitive area, based on SWL and distance to surface water.

Is the location in a riparian area:  No  Yes

Was an Army Corps of Engineers Section 404 permit filed  No  Yes If yes attach permit.

Is the location within a Rule 317B Surface Water Supply Area buffer No zone:

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: \_\_\_\_\_

Is the Location within a Floodplain?  No  Yes Floodplain Data Sources Reviewed (check all that apply)

Federal (FEMA)

State

County

Local

Other \_\_\_\_\_

**GROUNDWATER BASELINE SAMPLING AND MONITORING AND WATER WELL SAMPLING**

Water well sampling required per Rule 609

**DESIGNATED SETBACK LOCATION EXCEPTIONS**

Check all that apply:

- Rule 604.a.(1)A. Exception Zone (within 500' of a Building Unit) and is in an Urban Mitigation Area
- Rule 604.b.(1)A. Exception Location (existing or approved Oil & Gas Location now within a Designated Setback as a result of Rule 604.a.)
- Rule 604.b.(1)B. Exception Location (existing or approved Oil & Gas Location is within a Designated Setback due to Building Unit construction after Location approval)
- Rule 604.b.(2) Exception Location (SUA or site-specific development plan executed on or before August 1, 2013)
- Rule 604.b.(3) Exception Location (Building Units constructed after August 1, 2013 within setback per an SUA or site-specific development plan)

## RULE 502.b VARIANCE REQUEST

Rule 502.b. Variance Request from COGCC Rule or Spacing Order Number \_\_\_\_\_

ALL exceptions and variances require attached Request Letter(s). Refer to applicable rule for additional required attachments (e.g. waivers, certifications, SUAs).

## OPERATOR COMMENTS AND SUBMITTAL

Comments Construction of the LD19-16 Production Facility will take place directly West of the existing Timbro LD19-73HN & Timbro LD29-78HN Production Facility (Location ID 430722). After construction is complete for the new facility and production is online from the new 14 wells listed below, Noble will reroute the existing Timbro LD19-73HN & Timbro LD29-78HN to the new facility. Noble will reclaim the existing Production Facility (Location ID: 430722) to COGCC 1103 Interim Reclamation standards beginning within the 2017 calendar year. Proposed wells producing at this site: Bennett LD19-785 (400999514), LD19-758 (400999509), LD19-765 (400999510), LD19-771 (400999512), LD19-777 (401027243), LD19-781 (400999513), Riley LD19-752 (400999521), LD19-715 (400999516), LD19-722 (400999517), LD19-738 (400999518), LD19-745 (400999520). Anni LD29-771 (401009990), LD29-463 (401009988), LD29-755 (401009984). Existing: Timbro LD19-73HN (API 05-123-36268) and Timbro LD29-78HN (API 05-123-36267). SUA attached for information only. Noble will provide via Sundry Notice, photos of the reference area during the growing season within 12-months of approval of the subject Form 2A.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: \_\_\_\_\_ Date: 06/22/2016 Email: regulatorynotification@nblenergy.com

Print Name: Jan Kajiwara Title: Regulatory Analyst III

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: \_\_\_\_\_ Director of COGCC Date: \_\_\_\_\_

### Conditions Of Approval

**All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.**

#### COA Type

#### Description

<u>COA Type</u>	<u>Description</u>

## Best Management Practices

<u>No</u>	<u>BMP/COA Type</u>	<u>Description</u>
1	General Housekeeping	Housekeeping will consist of neat and orderly storage of materials and fluids. Wastes will be temporarily stored in sealed containers and regularly collected and disposed of at offsite, suitable facilities. If spills occur prompt cleanup is required to minimize any commingling of waste materials with stormwater runoff. Routine maintenance will be limited to fueling and lubrication of equipment. Drip pans will be used during routine fueling and maintenance to contain spills or leaks. Any waste product from maintenance will be containerized and transported offsite for disposal or recycling. There will be no major equipment overhauls conducted onsite. Equipment will be transported offsite for major overhauls. Cleanup of trash and discarded materials will be conducted at the end of each work day. Cleanup will consist of patrolling the roadway, access areas, and other work areas to pickup trash, scrap debris, other discarded materials, and any contaminated soil. These materials will be disposed of properly.
2	Storm Water/Erosion Control	Stormwater management plans (SWMP) are in place to address construction, drilling and operations associated with Oil & Gas development throughout the state of Colorado in accordance with Colorado Department of Public Health and Environment (CDPHE) General Permit No. COR- 038637. BMP's will be constructed around the perimeter of the site prior to, or at the beginning of construction. BMP's used will vary according to the location, and will remain in place and maintained until the pad reaches final reclamation.
3	Material Handling and Spill Prevention	Spill Prevention Control and Countermeasures (SPCC) plans are in place to address any possible spill associated with Oil & Gas operations throughout the state of Colorado in accordance with CFR 112.
4	Construction	<p>1. A contiguous spray liner will be installed and will underlay the entire tank battery. The location of a partially buried cement water vault will be excavated prior to liner install.</p> <p>2. A 60 bbl cement water vault will be utilized to collect excess produced water from oil tanks. Produced water in the vault will be removed as needed and disposed of in an approved UIC disposal well. The cement water vault is one piece with no seams designed to minimize potential for leaks. All piping associated with the use of the water vault will be aboveground and visually inspected on a regular basis.</p> <p>3. The partially buried cement water vault will be installed above the spray in liner.</p> <p>4. A sized steel secondary containment ring will be installed surrounding the entire tank battery. Sand and gravel bedding will be installed to protect the liner prior to placing equipment in the containment area.</p>

Total: 4 comment(s)

## Attachment Check List

<u>Att Doc Num</u>	<u>Name</u>
400999524	FORM 2A SUBMITTED
401063078	SURFACE AGRMT/SURETY
401063079	ACCESS ROAD MAP
401063080	HYDROLOGY MAP
401063081	LOCATION DRAWING
401063082	LOCATION PICTURES
401063084	NRCS MAP UNIT DESC
401063085	WASTE MANAGEMENT PLAN
401063087	REFERENCE AREA MAP
401063088	REFERENCE AREA PICTURES

Total Attach: 10 Files

**General Comments**

**User Group**

**Comment**

**Comment Date**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>

Total: 0 comment(s)

