From: Julie Webb
To: Arthur Koepsell - DNR
Subject: Re: Harper LD21-655 (123-43293) Rule 318A.f Sundry Notice Doc # 401078166
Date: Thursday, July 14, 2016 9:40:53 AM
Attachments: image001.png

Thanks Arthur. You have my permission to make the changes.

Julie Webb
Senior Regulatory Analyst
Progressive Consulting
616-813-5063

This email message, and its attachment(s), is for the sole use of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply email and destroy all copies of the original message.

From: Arthur Koepsell - DNR <Arthur.Koepsell@state.co.us>
Sent: Thursday, July 14, 2016 9:39:13 AM
To: Julie Webb
Subject: RE: Harper LD21-655 (123-43293) Rule 318A.f Sundry Notice Doc # 401078166

Julie,

The following changed need to be made prior to passing the Sundry:

The number of Water Sources with ½ mile should be 1, and

The number of exceptions should be 4 instead of 3.


within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

☑ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.

1 Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated injection Well.

4 Number of Water Source Exceptions requested per Rule 609.c.

0 Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

1 Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.

The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.

I can make the changes with your approval.

Thanks,

Arthur

Arthur W. Koepsell, P.G.
Environmental Data Analyst

COLORADO
Oil & Gas Conservation Commission
Department of Natural Resources

P 303.894.2100 x5148 | F 303.894.2109
1120 Lincoln Street, Suite 801, Denver, CO 80203
arthur.koepsell@state.co.us | www.colorado.gov/cogcc

From: Julie Webb [mailto:jwebb@progressivepcs.net]
Sent: Thursday, July 14, 2016 9:30 AM
To: Arthur Koepsell - DNR
Subject: Re: Harper LD21-655 (123-43293) Rule 318A.f Sundry Notice Doc # 401078166

Thanks Arthur,

This has been corrected and resubmitted.

Julie Webb
Senior Regulatory Analyst
Progressive Consulting
616-813-5063

This email message, and its attachment(s), is for the sole use of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply email and destroy all copies of the original message.

From: Arthur Koepsell - DNR <Arthur.Koepsell@state.co.us>
Sent: Thursday, July 14, 2016 9:25:14 AM
To: Julie Webb
Subject: Harper LD21-655 (123-43293) Rule 318A.f Sundry Notice Doc # 401078166

Julie,

The well referenced above fall under Rule 609 not 318A.f. The Sundry has been returned to draft so that you can make the necessary changes to the form.

Thanks,

Arthur

Arthur W. Koepsell, P.G.
Environmental Data Analyst

COLORADO
Oil & Gas Conservation Commission
Department of Natural Resources

P 303.894.2100 x5148 | F 303.894.2109
1120 Lincoln Street, Suite 801, Denver, CO 80203
arthur.koepsell@state.co.us | www.colorado.gov/cogcc