



Housey - DNR, Melissa <melissa.housey@state.co.us>

### State North Platte T-36 Doc 401012486 Comments on Form2A Addressed

Julie Vigil <JVigil@bonanzacrk.com>  
To: "Housey - DNR, Melissa" <melissa.housey@state.co.us>

Fri, Jul 22, 2016 at 12:46 PM

Melissa,

The reason for the amendment of the Form 2A is to add one additional well: Latham U41-1-12XDRLNC. The tanks are 512' from the property line on which they are located. The ECD's are item 4 on the location drawing and they are located 378' from the property line. I concur with your changes to the depth to groundwater 22' and the distance to nearest water well 2075'. I attached the comments below to ensure I provided the information needed to process the subject document, if not , please let me know if you need anything further.

I appreciate your patience and consideration in reviewing this Form 2A.

Respectfully,

Julie

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
OGLA	<ul style="list-style-type: none"> <li>- Need reason for amendment</li> <li>- WMP is incorrect</li> <li>- Cultural Resourse measurement for production is from the edge of the location. Need distance from the closest production facility or production facility pad. Need to verify which facility is closest. (Appears to be #4 on the Location Drawing).</li> <li>- Multi-Well Plan shows only 7 wells</li> <li>- Access Road Map does not show the Highway or County Road</li> <li>- Depth to Groundwater is incorrect. Changed to 22 feet.</li> <li>- Distance to the nearest Water Well is incorrect. Changed to 2075 feet.</li> </ul>	7/20/2016 2:20:54 PM

**JULIE L. VIGIL**

Sr. Regulatory Specialist

Bonanza Creek Energy

7/28/2016

State.co.us Executive Branch Mail - State North Platte T-36 Doc 401012486 Comments on Form2A Addressed

410 17th Street, Suite 1400

Denver, CO 80202

Office: 303-803-1718

Fax: 720-279-2331

[jvigil@bonanzacrk.com](mailto:jvigil@bonanzacrk.com)

[www.bonanzacrk.com](http://www.bonanzacrk.com)

