



STATE OF
COLORADO

Freeman - DNR, Sarah <sarah.freeman@state.co.us>

Fwd: EXPEDITED APPROVAL REQUEST--CAERUS MESA C23-697, 23-6S-97W, GARFIELD COUNTY

1 message

Westerdale - DNR, Barbara <barbara.westerdale@state.co.us>

Thu, Aug 4, 2016 at 3:54 PM

To: Sarah Freeman - DNR <sarah.freeman@state.co.us>, Dave Kubeczko - DNR <dave.kubeczko@state.co.us>, Jane Stanczyk - DNR <jane.stanczyk@state.co.us>, Dave Kulmann <dave.kulmann@state.co.us>

Sarah,

Please attach this email approval to the 2A and APD's. Thank you!

----- Forwarded message -----

From: **Matt Lepore - DNR** <Matt.Lepore@state.co.us>

Date: Thu, Aug 4, 2016 at 3:49 PM

Subject: RE: EXPEDITED APPROVAL REQUEST--CAERUS MESA C23-697, 23-6S-97W, GARFIELD COUNTY

To: Barbara Westerdale - DNR <barbara.westerdale@state.co.us>

I approve based on the stated need, and the waivers provided.

Matthew J. Lepore
Director

From: Westerdale - DNR, Barbara [mailto:barbara.westerdale@state.co.us]

Sent: Tuesday, August 2, 2016 3:25 PM

To: Matt Lepore - DNR <matt.lepore@state.co.us>

Cc: Jane Stanczyk - DNR <jane.stanczyk@state.co.us>; Dave Kulmann <dave.kulmann@state.co.us>; Sarah Freeman - DNR <sarah.freeman@state.co.us>; Dave Kubeczko - DNR <dave.kubeczko@state.co.us>

Subject: EXPEDITED APPROVAL REQUEST--CAERUS MESA C23-697, 23-6S-97W, GARFIELD COUNTY

Hi, Matt,

Caerus has requested expedited approval under Rule 303.i.(2) for an Amended 2A#401057565 located in S. 23-T6S-R67W and 17 APD's citing rig standby costs that will be incurred if the rig currently contracted cannot move to this location to begin drilling by September 1. Even though the location is currently built, Caerus would like expedited approval to begin work on the pad and setting of conductors as soon as possible so that the location will be ready for the drilling rig on September 1.

Comment period will end August 8, 2016. The location is not in a designated setback. Nearest building unit owner is at 2488'. Attached is the expedited request letter and waivers from the surface owner and LGD. There are no public comments on this location to date.

Thank you for your consideration of this request. Let me know if I can provide additional information for your decision.

--
Barbara Westerdale

Permit Supervisor



P [303.894.2100](tel:303.894.2100) x5159 | F [303.894.2105](tel:303.894.2105)

1120 Lincoln Street, Suite 801, Denver, CO 80203

barbara.westerdale@state.co.us | www.colorado.gov/cogcc

--
Barbara Westerdale

Permit Supervisor



P [303.894.2100](tel:303.894.2100) x5159 | F [303.894.2105](tel:303.894.2105)

1120 Lincoln Street, Suite 801, Denver, CO 80203

barbara.westerdale@state.co.us | www.colorado.gov/cogcc