

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: 401088543			
Date Received: 08/05/2016			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: <u>10447</u>	Contact Name <u>Dwayne Knudson</u>
Name of Operator: <u>URSA OPERATING COMPANY LLC</u>	Phone: <u>(970) 625-9922</u>
Address: <u>1050 17TH STREET #1700</u>	Fax: <u>()</u>
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80265</u>	Email: <u>dknudson@ursaresources.com</u>

API Number : 05- <u>045</u> <u>22894</u> <u>00</u>	OGCC Facility ID Number: <u>442813</u>
Well/Facility Name: <u>MONUMENT RIDGE B</u>	Well/Facility Number: <u>21B-17-07-95</u>
Location QtrQtr: <u>SESE</u> Section: <u>8</u> Township: <u>7S</u> Range: <u>95W</u> Meridian: <u>6</u>	
County: <u>GARFIELD</u> Field Name: <u>PARACHUTE</u>	
Federal, Indian or State Lease Number: _____	

Complete the Attachment
Checklist

OP OGCC

Survey Plat		
Directional Survey		
Srvc Eqpmt Diagram		
Technical Info Page		
Other		

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☐ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4): There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☐ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.
- _____ Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- _____ Number of Water Source Exceptions requested per Rule 609.c.
- _____ Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**
- _____ Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.
- The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- ☒ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Pre_Drill Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose
545483	707996	09/08/2015	609Pre
545485	707956	09/08/2015	609Pre

COMMENTS

Ursa Operating Company (Ursa) is requesting previously water well samples collected on September 8, 2015 for the Monumnet Ridge B location

to be used to satisfy additional API's for the location.

In addition to the API associated with this form (ending in 543), the other API's associated are as followed;

05-045-22893

05-045-22909

05-045-22964

05-045-22907

05-045-22911

05-045-22917

05-045-22908

05-045-22959

Operator Comments:

Please forward onto Arthur Koepsell for review

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Kris Rowe
Title: Env. Consultant Email: krowe@hrlcomp.com Date: 8/5/2016

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 8/5/2016

CONDITIONS OF APPROVAL, IF ANY:**COA Type****Description**

--	--

General Comments**User Group****Comment****Comment Date**

Environmental
Data

The operator's request for using existing samples to meet the rule 609 pre drill sampling requirements has been entered in the COENV database.

3/5/2016 1:11:38
PM

Total: 1 comment(s)

Attachment Check List**Att Doc Num****Name**

401088543

SUNDRY NOTICE APPROVED-GW

401089774

FORM 4 SUBMITTED

Total Attach: 2 Files