

**FORM
INSP**

Rev
05/11

**State of Colorado
Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Inspection Date:

08/08/2016

Document Number:

675102806

Overall Inspection:

SATISFACTORY

FIELD INSPECTION FORM

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	<u>316519</u>	<u>316519</u>	<u>GRANAHAN, KYLE</u>	<input type="checkbox"/>	

Operator Information:

OGCC Operator Number:	<u>96850</u>
Name of Operator:	<u>TEP ROCKY MOUNTAIN LLC</u>
Address:	<u>PO BOX 370</u>
City:	<u>PARACHUTE</u> State: <u>CO</u> Zip: <u>81635</u>

- THIS IS A FOLLOW UP INSPECTION
- FOLLOW UP INSPECTION REQUIRED
- NO FOLLOW UP INSPECTION REQUIRED
- INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
, Terra	970-263-2760	COGCCInspectionReports@terraep.com	All inspections

Compliance Summary:

QtrQtr:	<u>NENE</u>	Sec:	<u>8</u>	Twp:	<u>2S</u>	Range:	<u>98W</u>
Insp. Date	Doc Num	Insp. Type	Insp Status	Satisfactory /Action Required	PA P/F/I	Pas/Fail (P/F)	Violation (Y/N)
08/27/2014	675100355			SATISFACTORY			No

Inspector Comment:

Related Facilities:

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
283368	WELL	PR	02/22/2006	GW	103-10706	FEDERAL RGU 41-8-298	PR	<input checked="" type="checkbox"/>
437226	WELL	XX	04/07/2016	LO	103-12106	FEDERAL RGU 411-9-298	XX	<input type="checkbox"/>
437227	WELL	XX	04/07/2016	LO	103-12107	FEDERAL RGU 541-8-298	XX	<input type="checkbox"/>
437228	WELL	XX	04/07/2016	LO	103-12108	FEDERAL RGU 342-8-298	XX	<input type="checkbox"/>
437229	WELL	XX	04/07/2016	LO	103-12109	FEDERAL RGU 441-8-298	XX	<input type="checkbox"/>
437230	WELL	XX	04/07/2016	LO	103-12110	FEDERAL RGU 332-8-298	XX	<input type="checkbox"/>
437231	WELL	XX	04/07/2016	LO	103-12111	FEDERAL RGU 331-8-298	XX	<input type="checkbox"/>
437232	WELL	XX	04/07/2016	LO	103-12112	FEDERAL RGU 341-8-298	XX	<input type="checkbox"/>
437233	WELL	XX	04/07/2016	LO	103-12113	FEDERAL RGU 31-8-298	XX	<input type="checkbox"/>

Equipment:

Location Inventory

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>9</u>	Production Pits: _____
Condensate Tanks: _____	Water Tanks: <u>5</u>	Separators: <u>9</u>	Electric Motors: <u>1</u>
Gas or Diesel Mortors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: _____	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: _____	VOC Combustor: <u>1</u>	Oil Tanks: <u>3</u>	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: _____

Location

Lease Road:

Type	Satisfactory/Action Required	comment	Corrective Action	Date

Signs/Marker:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
BATTERY	SATISFACTORY			
WELLHEAD	SATISFACTORY			
TANK LABELS/PLACARDS	SATISFACTORY			

Emergency Contact Number (S/AR): SATISFACTORY Corrective Date: _____

Comment: 970-285-9377

Corrective Action: _____

Good Housekeeping:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

Spills:

Type	Area	Volume	Corrective action	CA Date

Multiple Spills and Releases?

Fencing/:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
TANK BATTERY	SATISFACTORY			
WELLHEAD	SATISFACTORY			
PIT	SATISFACTORY			
SEPARATOR	SATISFACTORY			

Equipment:

Type: Deadman # & Marked	# 4	Satisfactory/Action Required:	SATISFACTORY
Comment			
Corrective Action	Date: _____		
Type: Plunger Lift	# 1	Satisfactory/Action Required:	SATISFACTORY
Comment			

Corrective Action		Date:	
Type: Horizontal Heated Separator	# 1	Satisfactory/Action Required:	SATISFACTORY
Comment			
Corrective Action		Date:	
Type: Other	# 1	Satisfactory/Action Required:	SATISFACTORY
Comment Chem tote w/secondary containment			
Corrective Action		Date:	
Type: Bird Protectors	# 3	Satisfactory/Action Required:	SATISFACTORY
Comment			
Corrective Action		Date:	

Facilities: New Tank Tank ID: _____

Contents	#	Capacity	Type	SE GPS
CONDENSATE	1	300 BBLS	HEATED STEEL AST	,
S/AR	SATISFACTORY		Comment: AIRD ID # 103-0352-001	
Corrective Action:			Corrective Date:	

Paint

Condition	Adequate
-----------	----------

Other (Content) _____

Other (Capacity) _____

Other (Type) _____

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Earth	Adequate	Walls Sufficient	Base Sufficient	Adequate
Corrective Action			Corrective Date	
Comment				

Facilities: New Tank Tank ID: _____

Contents	#	Capacity	Type	SE GPS
PRODUCED WATER	1	300 BBLS	HEATED STEEL AST	,
S/AR	SATISFACTORY		Comment:	
Corrective Action:			Corrective Date:	

Paint

Condition	Adequate
-----------	----------

Other (Content) _____

Other (Capacity) _____

Other (Type) _____

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Corrective Action			Corrective Date	
Comment				

Venting:	
Yes/No	NO
Comment	

Flaring:			
Type		Satisfactory/Action Required	
Comment:			
Corrective Action:		Correct Action Date:	

Predrill			
Location ID:	316519		
Lease Road Adeq.:	Pads:	Soil Stockpile:	
S/AR:			
Corrective Action:	Date:	CDP Num.:	

Form 2A COAs:

Group	User	Comment	Date
OGLA	kubeczkd	Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline or storage vessel located on the well pad; or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area constructed to be sufficiently impervious to contain any spilled or released material and with additional downgradient perimeter berming.	03/18/2014
OGLA	kubeczkd	Operator shall pressure test pipelines in accordance with Rule 1101.e.(1) prior to putting into initial service any temporary surface or permanent buried pipelines and following any reconfiguration of the pipeline network. Operator must routinely inspect the entire length of the surface pipeline to ensure integrity. Operator shall conduct daily inspections of surface poly pipeline routes for leaks during active transfer of fluids and implement best management practices to contain any unintentional release of fluids along all portions of the surface pipeline route where temporary pumps and other necessary equipment are located. Inspections shall be conducted by viewing the length of the pipeline; operator will endeavor to minimize surface disturbance during pipeline monitoring. The operator shall maintain records of inspections, findings and repairs, if necessary, for the life of the pipelines. In addition, pump stations along the surface poly or steel pipeline route will be continuously monitored when operating in order to swiftly respond to such a failure. Operator must ensure no release of fluids at all stream, intermittent stream, ditch, and drainage crossings. For these crossings: operator will ensure appropriate containment by either installing over-sized pipe "sleeves" which extend the length of the crossing and beyond to a distance deemed adequate to capture and/or divert any possible release of fluids and prevent fluids from reaching the stream or drainage; or installing over-sized pipe "sleeves" which extend the length of the crossing and installing shut off valves on either side of crossing instead of catchment basins. Operator will utilize, to the extent practical, all existing access and other public roads, and/or existing pipeline right-of-ways, when placing/routing the surface pipelines.	03/18/2014

OGLA	kubeczkd	Operator must ensure secondary containment for any volume of fluids contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.	03/18/2014
OGLA	kubeczkd	Notify the COGCC 48 hours prior to start of pad reconstruction/regarding (if necessary), rig mobilization, spud, pipeline testing, and start of hydraulic stimulation operations using Form 42 (the appropriate COGCC individuals will automatically be email notified, including the LGD for hydraulic stimulation operations).	03/18/2014

S/IAR: SATISFACTORY **Comment:** COA's met at time of inspection

CA: **Date:**

Wildlife BMPs:

BMP Type	Comment
Interim Reclamation	<ul style="list-style-type: none"> * Remove well pad and road surface materials that are incompatible with post-production land use and re-vegetation requirements * Use only certified weed-free native seed in seed mixes, except for non-native plants that benefit wildlife * WPX Energy will use certified, weed free grass hay, straw, hay or other mulch materials used for the reseeded and reclamation of disturbed areas. * Install exclusionary devices to prevent bird and other wildlife access to equipment stacks, vents and openings. * Reduce visits to well-sites through remote monitoring (i.e. SCADA) and the use of multi-function contractors.
Planning	<ul style="list-style-type: none"> * Share/consolidate corridors for pipeline ROWs to the maximum extent possible. * Maximize the utility of surface facilities by developing multiple wells from a single pad (directional drilling), and by co-locating multipurpose facilities (for example, well pads and compressors) to avoid unnecessary habitat fragmentation and disturbance of additional geographic areas. * Locate roads outside of drainages where possible and outside of riparian habitat. * Minimize the number, length, and footprint of oil and gas development roads * Use existing roads where possible * Combine utility infrastructure (gas, electric, and water) planning with roadway planning to avoid separate utility corridors * Combine and share roads to minimize habitat fragmentation * Where possible, consolidate pipeline and existing roadways, or roadways that are planned for development * Maximize the use of directional drilling to minimize habitat loss/fragmentation * Maximize use of remote telemetry for well monitoring to minimize traffic
Drilling/Completion Operations	<ul style="list-style-type: none"> * Install and maintain adequate measures to exclude all types of wildlife (e.g., big game, birds, and small rodents) from all fluid pits (e.g., fencing, netting, and other appropriate exclusion measures).

S/IAR: SATISFACTORY **Comment:**

CA: **Date:**

Comment:

Staking:

On Site Inspection (305):

Surface Owner Contact Information:

Name: _____ Address: _____
 Phone Number: _____ Cell Phone: _____
Operator Rep. Contact Information:
 Landman Name: _____ Phone Number: _____
 Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____
 Request LGD Attendance: _____
LGD Contact Information:
 Name: _____ Phone Number: _____ Agreed to Attend: _____
Summary of Landowner Issues:

Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

Facility

Facility ID: 283368 Type: WELL API Number: 103-10706 Status: PR Insp. Status: PR

Producing Well

Comment: Pr - no leaks/venting

Environmental

Spills/Releases:
 Type of Spill: _____ Description: _____ Estimated Spill Volume: _____
 Comment: _____
 Corrective Action: _____ Date: _____
 Reportable: _____ GPS: Lat _____ Long _____
 Proximity to Surface Water: _____ Depth to Ground Water: _____

Water Well:
 DWR Receipt Num: _____ Owner Name: _____ GPS : _____ Lat _____ Long _____

Field Parameters:

 Sample Location: _____

Emission Control Burner (ECB): _____
 Comment: _____
 Pilot: _____ Wildlife Protection Devices (fired vessels): _____

Reclamation - Storm Water - Pit

Interim Reclamation:
 Date Interim Reclamation Started: _____ Date Interim Reclamation Completed: _____
 Land Use: RANGELAND
 Comment: _____

1003a. Waste and Debris removed? Pass
 CM _____
 CA _____ CA Date _____

Unused or unneeded equipment onsite? Pass
 CM _____
 CA _____ CA Date _____

Pit, cellars, rat holes and other bores closed? Pass
 CM _____
 CA _____ CA Date _____

Guy line anchors marked? Pass
 CM _____
 CA _____ CA Date _____

1003b. Area no longer in use? _____ Production areas stabilized ? _____

1003c. Compacted areas have been cross ripped? _____

1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____
 Cuttings management: _____

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____
 Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATION

Cropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

1003 f. Weeds Noxious weeds? _____
 Comment: _____

Overall Interim Reclamation

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: RANGELAND

Reminder: _____

Comment: _____

Well plugged _____ Pit mouse/rat holes, cellars backfilled _____
 Debris removed _____ No disturbance /Location never built _____
 Access Roads Regraded _____ Contoured _____ Culverts removed _____
 Gravel removed _____
 Location and associated production facilities reclaimed _____ Locations, facilities, roads, recontoured _____
 Compaction alleviation _____ Dust and erosion control _____
 Non cropland: Revegetated 80% _____ Cropland: perennial forage _____

Weeds present _____ Subsidence _____
 Comment: _____

Inspector Name: GRANAHAN, KYLE

Corrective Action: _____ Date _____

Overall Final Reclamation _____ Well Release on Active Location Multi-Well Location

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Berms	Pass					
Compaction	Pass					
Gravel	Pass					

S/A/V: SATISFACTOR Corrective Date: _____
Y _____

Comment: No sediment flow evident

CA: _____

Pits: NO SURFACE INDICATION OF PIT