

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <div>401090901</div>			
Date Received: <div>08/09/2016</div>			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: <div>8960</div> Contact Name <div>Dave Castro</div>	<div>Complete the Attachment Checklist</div> <div>OP OGCC</div>
Name of Operator: <div>BONANZA CREEK ENERGY OPERATING COMPANY LLC</div> Phone: <div>(720) 2256663</div>	
Address: <div>410 17TH STREET SUITE #1400</div> Fax: <div>(720) 3050802</div>	
City: <div>DENVER</div> State: <div>CO</div> Zip: <div>80202</div> Email: <div>dcastro@bonanzacrk.com</div>	
API Number : <div>05-123 41817 00</div> OGCC Facility ID Number: <div>442343</div>	<div>Survey Plat</div>
Well/Facility Name: <div>North Platte</div> Well/Facility Number: <div>P31-T34-34HC</div>	<div>Directional Survey</div>
Location QtrQtr: <div>SESW</div> Section: <div>27</div> Township: <div>5N</div> Range: <div>63W</div> Meridian: <div>6</div>	<div>Srvc Eqpmt Diagram</div>
County: <div>WELD</div> Field Name: <div>WATTENBERG</div>	<div>Technical Info Page</div>
Federal, Indian or State Lease Number: <div></div>	<div>Other</div>

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).
NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☒ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4):There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☐ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.

Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

Number of Water Source Exceptions requested per Rule 609.c.

Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.
The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

Mr. David Bale's WW receipt 451016 (Facility ID 750123) was up for subsequent sampling earlier this year in regards to our State Pronghorn X-29 Pad and he rudely denied us with strong language. The approved Form 4 Sundry for that sampling exemption is document 401016621. His same WW is up again for subsequent sampling, this time for our Pronghorn D-28 pad. This Form 4 Sundry is for exemption from this subsequent sampling requirement due to Mr. Bale's previous aggressive verbal denial of sampling that WW.

Operator Comments:

This request includes the following wells on the Pronghorn D-28 Pad:

05-123-41217: Pronghorn D-X-28HNC
05-123-41219: Pronghorn D13-X43-28HNB
05-123-41216: Pronghorn 13-43-28HNC
05-123-41218: Pronghorn C13-W43-28HNB
05-123-41221: Pronghorn C-W-28HNC
05-123-41214: Pronghorn D14-X44-28HNB
05-123-41215: Pronghorn 14-44-28HNC

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Dave Castro
Title: Environmental Specialist Email: dcastro@bonanzacrk.com Date: 8/9/2016

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 8/10/2016

CONDITIONS OF APPROVAL, IF ANY:**COA Type****Description**

--	--

General Comments**User Group****Comment****Comment Date**

Environmental Data	The landowner has refused access to collect the follow up sample.	8/10/2016 8:31:15 AM
--------------------	---	-------------------------

Total: 1 comment(s)

Attachment Check List**Att Doc Num****Name**

401090901	SUNDRY NOTICE APPROVED-GW
401091369	FORM 4 SUBMITTED

Total Attach: 2 Files