

FORM INSP
Rev 05/11

**State of Colorado
Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Inspection Date:
08/15/2016
Document Number:
681901316
Overall Inspection:
SATISFACTORY

FIELD INSPECTION FORM

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	<u>439725</u>	<u>439730</u>	<u>HELGELAND, GARY</u>	<input type="checkbox"/>	

Operator Information:

OGCC Operator Number: 47120
Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP
Address: P O BOX 173779
City: DENVER State: CO Zip: 80217-

- THIS IS A FOLLOW UP INSPECTION
- FOLLOW UP INSPECTION REQUIRED
- NO FOLLOW UP INSPECTION REQUIRED
- INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
		COGCCinspections@anadarko.com	All Inspections

Compliance Summary:

QtrQtr: NENW Sec: 14 Twp: 2N Range: 67W

Inspector Comment:

Related Facilities:

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
439725	WELL	PR	08/01/2015	OW	123-40533	VOLLMAR 3N-11HZ	PR	<input checked="" type="checkbox"/>
439726	WELL	PR	08/01/2015	OW	123-40534	VOLLMAR 28N-11HZ	PR	<input checked="" type="checkbox"/>
439728	WELL	PR	08/01/2015	OW	123-40535	VOLLMAR 29C-11HZ	PR	<input checked="" type="checkbox"/>
439729	WELL	PR	08/01/2015	OW	123-40536	VOLLMAR 4N-11HZ	PR	<input checked="" type="checkbox"/>

Equipment:

Location Inventory

Special Purpose Pits: <u> </u>	Drilling Pits: <u> </u>	Wells: <u>4</u>	Production Pits: <u> </u>
Condensate Tanks: <u>1</u>	Water Tanks: <u>1</u>	Separators: <u>9</u>	Electric Motors: <u> </u>
Gas or Diesel Mortors: <u> </u>	Cavity Pumps: <u> </u>	LACT Unit: <u>1</u>	Pump Jacks: <u>4</u>
Electric Generators: <u> </u>	Gas Pipeline: <u> </u>	Oil Pipeline: <u> </u>	Water Pipeline: <u> </u>
Gas Compressors: <u> </u>	VOC Combustor: <u>1</u>	Oil Tanks: <u> </u>	Dehydrator Units: <u> </u>
Multi-Well Pits: <u> </u>	Pigging Station: <u> </u>	Flare: <u> </u>	Fuel Tanks: <u> </u>

Location

Signs/Marker:				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
BATTERY	SATISFACTORY			
WELLHEAD	SATISFACTORY			
TANK LABELS/PLACARDS	SATISFACTORY			

Emergency Contact Number (S/AR): SATISFACTORY Corrective Date: _____

Comment: _____

Corrective Action: _____

Spills:				
Type	Area	Volume	Corrective action	CA Date
<input type="checkbox"/> Multiple Spills and Releases?				

Fencing/:				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
WELLHEAD	SATISFACTORY	PANEL		
TANK BATTERY	SATISFACTORY	PANEL		

Equipment:					
Type: Plunger Lift	# 4	Satisfactory/Action Required:	SATISFACTORY		
Comment					
Corrective Action				Date:	

Tanks and Berms:					
<input type="checkbox"/> New Tank		Tank ID: _____			
Contents	#	Capacity	Type	SE GPS	
S/AR	Comment: Refer to inspection # 681901313 for information concerning shared battery and equipment.				
Corrective Action:				Corrective Date:	

Paint

Condition	
Other (Content)	_____
Other (Capacity)	_____
Other (Type)	_____

Berms					
Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance	
Corrective Action				Corrective Date	
Comment					

Venting:	
Yes/No	NO
Comment	

Flaring:

Type	Satisfactory/Action Required		
Comment:			
Corrective Action:		Correct Action Date:	

Predrill

Location ID: 439725
 Lease Road Adeq.: _____ Pads: _____ Soil Stockpile: _____
 S/AR: _____
 Corrective Action: _____ Date: _____ CDP Num.: _____

Form 2A COAs:

Group	User	Comment	Date
OGLA	treitzr	Operator shall provide notice to COGCC 48 hours prior to commencing construction of this Oil and Gas Location via Form 42.	11/05/2014

S/AR: _____ Comment: _____

CA: _____ Date: _____

Wildlife BMPs:

BMP Type	Comment
Planning	604c.(2).V. Development From Existing Well Pads: Drilling from an existing well pad was not feasible for the development of the wells on this proposed oil and gas location; however, this well pad will be considered for future well locations.
Final Reclamation	604c.(2).U. Identification of Plugged and Abandoned Wells: Pursuant to rule 319.a.(5)., once the well has been plugged and abandoned, KMG will identify the location of the wellbore with a permanent monument that will detail the well name and date of plugging.
Noise mitigation	604c.(2).A. Noise: Pending a safety review after construction of the location, sound mitigation barriers (hay bales) will be placed on the pad location to damper noise during drilling and completions to the nearby building units. Sound surveys that have been conducted on each rig type are utilized to anticipate any additional noise mitigation once a drilling rig is determined. Directional lighting will also be utilized on the pad location in an effort to minimize the impact to the building units.
Planning	604c.(2).R. Tank Specifications: A geosynthetic liner will be laid under the tanks on this location and a metal containment will be constructed. Storage tanks will be designed, constructed and maintained in accordance with National Fire Protection Association (NFPA) Code 30 (2008 version). KMG will maintain written records to verify proper design, construction and maintenance. All records will be available for inspection by the Director. Two 500 barrel skid-mounted frac tanks will be temporarily placed on-site for use of the pre-spud rig only. One tank will store water and the other will store water based mud.
Drilling/Completion Operations	604c.(2).H. BOPE: Our rigs at a minimum will have a double ram with blind and pipe ram; and annular preventer.
Drilling/Completion Operations	604c.(2).C. Green Completions: KMG will install Vapor Recovery Unit(s) (VRU) to prevent uncontrolled venting of flash gas. Environmental Control Devices or Volatile Organic Compound Combustors (VOC) will be used to control working and breathing vapor losses for oil and water tanks. Temporary above ground polyethylene water pipelines will deliver water to location operations from larger trunk lines to reduce truck traffic and minimize air pollution.
General Housekeeping	604c.(2).P. Removal of Surface Trash: A commercial size trash bin for removing debris will be located on site. This bin will be for use by all parties affiliated with the operation.

Planning	604c.(2).S. Access Roads: KMG will utilize a lease access road from County Road 22 for drilling operations and maintenance equipment. The road will be properly constructed and maintained to accommodate for local emergency vehicle access. Water will be placed on dirt access roads to mitigate dust as needed. If feasible, magnesium chloride will also be used as needed on access roads to further abate dust.
Drilling/Completion Operations	604c.(2).B. Closed Loop Drilling System: KMG will use a closed loop or "pitless" system for drilling and fluid management and will not construct a reserve pit.
Construction	604c.(2).M. Fencing Requirements: The completed wellsites will be surrounded with a fence and gate with adequate lock to restrict access to authorized personnel only. KMG personnel will monitor the wellsites regularly upon completion of the wells. Authorized representatives and/or KMG personnel shall be on-site during drilling and completion operations.
Material Handling and Spill Prevention	604c.(2).F. Leak Detection Plan: Automation technology will be utilized at this facility. This technology includes the use of fluid level monitoring for the tanks and produced water sumps, high-level shut offs, and electronic sensors to monitor the interstitial space of double-walled produced water sumps. All automation is monitored by Kerr-McGee's Integrated Operations Center (IOC,) which is manned 24 hours per day, 7 days per week.
Drilling/Completion Operations	604c.(2).J. BOPE for Well Servicing Operations: Blowout prevention equipment will be used on any servicing operations associated with this well. Backup stabbing valves will be used during any future servicing operations during reverse circulation. Valves shall be pressure tested before each well servicing operation using low-pressure air and high-pressure fluid.
Drilling/Completion Operations	604c.(2).K. Pit Level Indicators: All tanks (used in lieu of pits) contain pit level monitors with Electronic Drilling Recorders (EDR). KMG uses EDRs with pit level monitor(s) and alarm(s) for production rigs. Basic level gauges are used on tanks utilized for the surface rig.
Final Reclamation	604c.(2).T. Well Site Cleared: The wellsite will be cleared of all non-essential equipment within ninety (90) days after all wells associated with the pad have been plugged and abandoned.
Traffic control	604c.(2).D. Traffic Plan: If required by the local government, a traffic plan will be coordinated with the local jurisdiction prior to commencement of operations.
Planning	604c.(2).Q. Guy Line Anchors: Should guy line anchors be left buried for future use, they shall be identified by a bright marker greater than four (4) feet high and no more than one (1) foot east of the guy line anchor.
Construction	604c.(2).G. Berm Construction: Kerr-McGee will create tertiary containment by construction of a berm or diversion dike, site grading, or other comparable measures sufficient to further protect the water well located 543' W of the proposed oil and gas location (permit #272439).
Drilling/Completion Operations	604c.(2).L. Drill Stem Tests: No drill stem tests are planned and none will be performed without prior approval from the Director.
Planning	604c.(2).E. Multiwell Pads: In order to reduce surface impact, this application is for a four-well pad.
Material Handling and Spill Prevention	604c.(2).N. Control of Fire Hazards: KMG and its contractors will employ best management practices during the drilling and production of its wells and facilities and will comply with appropriate COGCC rules concerning safety and fire. KMG will ensure that any material that might be deemed a fire hazard will remain no less than twenty-five (25) feet from the wellhead(s), tanks and separator(s).
Storm Water/Erosion Control	604c.(2).W. Site-Specific Measures: KMG maintains a Stormwater Management Plan that assesses erosion control for every KMG operated location. This location will be added to this plan once construction begins. This site will be inspected every fourteen (14) days during construction activities, every thirty (30) days after construction is completed, and after any major weather event.
Drilling/Completion Operations	604c.(2).I. BOPE Testing for Drilling Operations: Upon initial rig-up, BOPEs will be tested at a minimum of every 30 days.
General Housekeeping	604c.(2).O. Loadlines: All loadlines shall be bullplugged or capped.

S/AR: _____ **Comment:** _____

CA: _____ **Date:** _____

Comment: _____

Staking:

On Site Inspection (305):

Surface Owner Contact Information:
Name: _____ Address: _____
Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:
Landman Name: _____ Phone Number: _____
Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____
Request LGD Attendance: _____

LGD Contact Information:
Name: _____ Phone Number: _____ Agreed to Attend: _____

Summary of Landowner Issues:

Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

Facility

Facility ID: 439725 Type: WELL API Number: 123-40533 Status: PR Insp. Status: PR

Producing Well

Comment: _____

BradenHead

Comment: Bradenhead is plumed to surface.

CA: _____

CA Date: _____

Facility ID: 439726 Type: WELL API Number: 123-40534 Status: PR Insp. Status: PR

Producing Well

Comment: PR

BradenHead

Comment: Bradenhead is plumed to surface.

CA: _____

CA Date: _____

Facility ID: 439728 Type: WELL API Number: 123-40535 Status: PR Insp. Status: PR

Producing Well

Comment: PR

BradenHead

Comment: Bradenhead is plumed to surface.

CA: _____

CA Date: _____

Facility ID: 439729 Type: WELL API Number: 123-40536 Status: PR Insp. Status: PR

Producing Well

Comment: PR

BradenHead

Comment: Bradenhead is plumed to surface.

CA: _____

CA Date: _____

Environmental

Spills/Releases:

Type of Spill: _____ Description: _____ Estimated Spill Volume: _____

Comment: _____

Corrective Action: _____ Date: _____

Reportable: _____ GPS: Lat _____ Long _____

Proximity to Surface Water: _____ Depth to Ground Water: _____

Water Well:

Lat _____ Long _____

DWR Receipt Num: _____ Owner Name: _____ GPS : _____

Field Parameters:

Sample Location: _____

Emission Control Burner (ECB): Y

Comment: _____

Pilot: ON Wildlife Protection Devices (fired vessels): YES

Reclamation - Storm Water - Pit

Interim Reclamation:

Date Interim Reclamation Started: _____ Date Interim Reclamation Completed: _____

Land Use: RANGELAND

Comment: _____

1003a. Waste and Debris removed? Pass

CM _____

CA _____ CA Date _____

Unused or unneeded equipment onsite? Pass

CM _____

CA _____ CA Date _____

Pit, cellars, rat holes and other bores closed? Pass

CM _____

CA _____ CA Date _____

Guy line anchors marked? _____

CM _____

CA _____ CA Date _____

1003b. Area no longer in use? _____ Production areas stabilized ? Pass

1003c. Compacted areas have been cross ripped?

1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____

Cuttings management: _____

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____

Production areas have been stabilized? Pass Segregated soils have been replaced? _____

RESTORATION AND REVEGETATION

Cropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced Pass Recontoured Pass 80% Revegetation In

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation In Process

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: RANGELAND

Reminder: _____

Comment: _____

Well plugged _____ Pit mouse/rat holes, cellars backfilled _____

Debris removed _____ No disturbance /Location never built _____

Access Roads Regraded _____ Contoured _____ Culverts removed _____

Gravel removed _____

Location and associated production facilities reclaimed _____ Locations, facilities, roads, recontoured _____

Compaction alleviation _____ Dust and erosion control _____

Non cropland: Revegetated 80% _____ Cropland: perennial forage _____

Weeds present _____ Subsidence _____

Comment: _____

Corrective Action: _____ Date _____

Overall Final Reclamation _____ Well Release on Active Location Multi-Well Location

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Gravel	Pass	Gravel	Pass			

S/A/V: SATISFACTORY Corrective Date: _____

Comment: _____

CA: _____

Pits: NO SURFACE INDICATION OF PIT