

N36-01 Pad
T5N-R67W-SEC 36: NE/4NE/4
WELD COUNTY, CO

Weld County, Colorado, Southern Part

32—Kim loam, 1 to 3 percent slopes

Map Unit Setting

National map unit symbol: 362b
Elevation: 4,900 to 5,250 feet
Mean annual precipitation: 13 to 17 inches
Mean annual air temperature: 46 to 52 degrees F
Frost-free period: 125 to 150 days
Farmland classification: Prime farmland if irrigated

Map Unit Composition

Kim and similar soils: 90 percent
Minor components: 10 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Kim

Setting

Landform: Alluvial fans, plains
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Mixed eolian deposits derived from sedimentary rock

Typical profile

H1 - 0 to 12 inches: loam
H2 - 12 to 40 inches: loam
H3 - 40 to 60 inches: fine sandy loam

Properties and qualities

Slope: 1 to 3 percent
Depth to restrictive feature: More than 80 inches
Natural drainage class: Well drained
Runoff class: Very low
Capacity of the most limiting layer to transmit water (Ksat):
Moderately high to high (0.57 to 5.95 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum in profile: 15 percent
Available water storage in profile: Moderate (about 9.0 inches)

Interpretive groups

Land capability classification (irrigated): 3e
Land capability classification (nonirrigated): 4e
Hydrologic Soil Group: A
Ecological site: Loamy Plains (R067BY002CO)

N36-01 Pad
T5N-R67W-SEC 36: NE/4NE/4
WELD COUNTY, CO

Minor Components

Otero

Percent of map unit: 10 percent

Data Source Information

Soil Survey Area: Weld County, Colorado, Southern Part

Survey Area Data: Version 14, Sep 22, 2015

N36-01 Pad
T5N-R67W-SEC 36: NE/4NE/4
WELD COUNTY, CO

Weld County, Colorado, Southern Part

34—Kim loam, 5 to 9 percent slopes

Map Unit Setting

National map unit symbol: 362d
Elevation: 4,900 to 5,250 feet
Mean annual precipitation: 13 to 17 inches
Mean annual air temperature: 46 to 52 degrees F
Frost-free period: 125 to 150 days
Farmland classification: Farmland of local importance

Map Unit Composition

Kim and similar soils: 90 percent
Minor components: 10 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Kim

Setting

Landform: Alluvial fans, plains
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Mixed eolian deposits derived from sedimentary rock

Typical profile

H1 - 0 to 10 inches: loam
H2 - 10 to 35 inches: loam
H3 - 35 to 60 inches: fine sandy loam

Properties and qualities

Slope: 5 to 9 percent
Depth to restrictive feature: More than 80 inches
Natural drainage class: Well drained
Runoff class: Low
Capacity of the most limiting layer to transmit water (Ksat):
Moderately high to high (0.57 to 5.95 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum in profile: 15 percent
Available water storage in profile: Moderate (about 8.8 inches)

Interpretive groups

Land capability classification (irrigated): 4e
Land capability classification (nonirrigated): 6e
Hydrologic Soil Group: A
Ecological site: Loamy Slopes (R067BY008CO)

N36-01 Pad
T5N-R67W-SEC 36: NE/4NE/4
WELD COUNTY, CO

Minor Components

Otero

Percent of map unit: 6 percent

Valent

Percent of map unit: 4 percent

Data Source Information

Soil Survey Area: Weld County, Colorado, Southern Part

Survey Area Data: Version 14, Sep 22, 2015

N36-01 Pad
T5N-R67W-SEC 36: NE/4NE/4
WELD COUNTY, CO

Weld County, Colorado, Southern Part

38—Nelson fine sandy loam, 3 to 9 percent slopes

Map Unit Setting

National map unit symbol: 362j
Elevation: 4,800 to 5,050 feet
Mean annual precipitation: 13 to 15 inches
Mean annual air temperature: 48 to 57 degrees F
Frost-free period: 145 to 190 days
Farmland classification: Farmland of local importance

Map Unit Composition

Nelson and similar soils: 85 percent
Minor components: 15 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Nelson

Setting

Landform: Plains
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Residuum weathered from sandstone

Typical profile

H1 - 0 to 9 inches: fine sandy loam
H2 - 9 to 30 inches: fine sandy loam
H3 - 30 to 34 inches: weathered bedrock

Properties and qualities

Slope: 3 to 9 percent
Depth to restrictive feature: 20 to 40 inches to paralithic bedrock
Natural drainage class: Well drained
Runoff class: Medium
Capacity of the most limiting layer to transmit water (Ksat):
Moderately low to high (0.06 to 2.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum in profile: 10 percent
Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Available water storage in profile: Low (about 3.7 inches)

Interpretive groups

Land capability classification (irrigated): 4e
Land capability classification (nonirrigated): 6e
Hydrologic Soil Group: B
Ecological site: Sandy Plains (R067BY024CO)

N36-01 Pad
T5N-R67W-SEC 36: NE/4NE/4
WELD COUNTY, CO

Minor Components

Thedalund

Percent of map unit: 10 percent

Terry

Percent of map unit: 5 percent

Data Source Information

Soil Survey Area: Weld County, Colorado, Southern Part

Survey Area Data: Version 14, Sep 22, 2015