

**FORM
INSP**

Rev
05/11

**State of Colorado
Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Inspection Date:

08/23/2016

Document Number:

681901332

Overall Inspection:

SATISFACTORY

FIELD INSPECTION FORM

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	<input type="checkbox"/>
	243400	336284	HELGELAND, GARY	2A Doc Num:	

Operator Information:

OGCC Operator Number:	<u>47120</u>
Name of Operator:	<u>KERR MCGEE OIL & GAS ONSHORE LP</u>
Address:	<u>P O BOX 173779</u>
City:	<u>DENVER</u> State: <u>CO</u> Zip: <u>80217-</u>

- THIS IS A FOLLOW UP INSPECTION
- FOLLOW UP INSPECTION REQUIRED
- NO FOLLOW UP INSPECTION REQUIRED
- INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
		COGCCinspections@anadarko.com	All Inspections

Compliance Summary:

Insp. Date	Doc Num	Insp. Type	Insp Status	Satisfactory /Action Required	PA P/F/I	Pas/Fail (P/F)	Violation (Y/N)
04/17/2012	661601129			SATISFACTORY			No
04/06/2010	200250410	PR	PR	SATISFACTORY			No
02/19/2003	200035292	PR	PR	SATISFACTORY		Pass	No
01/31/1997	500166760	PR	PR				
12/12/1995	500166759	PR	PR			Pass	No
05/10/1995	500166758	BH	PR			Pass	

Inspector Comment:

Related Facilities:

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
243400	WELL	PR	04/25/1997	GW	123-11191	ADAM GABLE GU TRUE 1	PR	<input checked="" type="checkbox"/>
266049	WELL	PR	12/22/2008	GW	123-21320	GREENS FEDERAL 5-8A	PR	<input checked="" type="checkbox"/>
266055	WELL	PR	01/16/2011	GW	123-21318	WETHINGTON 1-7A	PR	<input checked="" type="checkbox"/>
443535	WELL	XX	10/12/2015	LO	123-42271	FL GREENS 35C-8HZ	XX	<input type="checkbox"/>
443536	WELL	XX	10/12/2015	LO	123-42272	FL GREENS 14N-8HZ	XX	<input type="checkbox"/>
443537	WELL	XX	10/12/2015	LO	123-42273	FL GREENS FEDERAL 4N-5HZ	XX	<input type="checkbox"/>

443538	WELL	XX	10/12/2015	LO	123-42274	FL GREENS 28C-5HZ	XX
443539	WELL	XX	10/12/2015	LO	123-42275	FL GREENS FEDERAL 35N-8HZ	XX
443540	WELL	XX	10/12/2015	LO	123-42276	FL GREENS FEDERAL 13N-8HZ	XX
443541	WELL	XX	10/12/2015	LO	123-42277	FL GREENS 29C-5HZ	XX
443542	WELL	XX	10/12/2015	LO	123-42278	FL GREENS FEDERAL 30C-5HZ	XX
443543	WELL	XX	10/12/2015	LO	123-42279	FL GREENS FEDERAL 13C-8HZ	XX
443544	WELL	XX	10/12/2015	LO	123-42280	FL GREENS 3N-5HZ	XX
443545	WELL	XX	10/12/2015	LO	123-42281	FL GREENS FEDERAL 30N-5HZ	XX

Equipment: Location Inventory

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>14</u>	Production Pits: _____
Condensate Tanks: <u>1</u>	Water Tanks: <u>3</u>	Separators: <u>14</u>	Electric Motors: _____
Gas or Diesel Mortors: _____	Cavity Pumps: _____	LACT Unit: <u>2</u>	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: _____	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: _____	VOC Combustor: <u>1</u>	Oil Tanks: _____	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: _____

Location

Signs/Marker:				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
WELLHEAD	SATISFACTORY			
BATTERY	SATISFACTORY			
TANK LABELS/PLACARDS	SATISFACTORY			

Emergency Contact Number (S/AR): SATISFACTORY Corrective Date: _____

Comment: _____

Corrective Action: _____

Spills:				
Type	Area	Volume	Corrective action	CA Date
<input type="checkbox"/> Multiple Spills and Releases?				

Fencing/:				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
IGNITOR/COMBUSTOR	SATISFACTORY	Privacy chain link		
TANK BATTERY	SATISFACTORY	Privacy chain link		
WELLHEAD	SATISFACTORY	Privacy chain link		

Equipment:			
Type: Pig Station	# 1	Satisfactory/Action Required:	SATISFACTORY
Comment			
Corrective Action			Date:
Type: Horizontal Heated Separator	# 2	Satisfactory/Action Required:	SATISFACTORY
Comment			
Corrective Action			Date:
Type: Gas Meter Run	# 2	Satisfactory/Action Required:	SATISFACTORY
Comment			
Corrective Action			Date:
Type: Bird Protectors	# 3	Satisfactory/Action Required:	SATISFACTORY
Comment			
Corrective Action			Date:
Type: Emission Control Device	# 1	Satisfactory/Action Required:	SATISFACTORY
Comment			
Corrective Action			Date:

Tanks and Berms: New Tank Tank ID: _____

Contents	#	Capacity	Type	SE GPS
PRODUCED WATER	1	OTHER	PBV FIBERGLASS	,
S/AR	SATISFACTORY		Comment:	
Corrective Action:				Corrective Date:

Paint

Condition	Adequate
Other (Content)	_____
Other (Capacity)	110 BBL
Other (Type)	_____

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Corrective Action				Corrective Date
Comment				

Tanks and Berms: New Tank Tank ID: _____

Contents	#	Capacity	Type	SE GPS
CRUDE OIL	2	OTHER	STEEL AST	40.070609,-104.805671
S/AR	SATISFACTORY		Comment:	
Corrective Action:				Corrective Date:

Paint

Condition	Adequate
Other (Content)	_____

Other (Capacity) 315 BBL _____
 Other (Type) _____

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Earth	Adequate	Walls Sufficient	Base Sufficient	Adequate

Corrective Action _____ Corrective Date _____
 Comment _____

Venting:

Yes/No NO
 Comment _____

Flaring:

Type	Satisfactory/Action Required
Comment:	
Corrective Action:	Correct Action Date:

Predrill

Location ID: 243400
 Lease Road Adeq.: _____ Pads: _____ Soil Stockpile: _____
 S/AR: _____
 Corrective Action: _____ Date: _____ CDP Num.: _____

Form 2A COAs:

S/AR: _____ Comment: _____
 CA: _____ Date: _____

Wildlife BMPs:

BMP Type	Comment
Drilling/Completion Operations	317.p Logging Program: One of the first wells drilled on the pad will be logged with Cased-hole Pulsed Neutron Log with Gamma Ray Log from TD into the surface casing. All wells on the pad will have a cement bond log with gamma-ray run on production casing (or on intermediate casing if production liner is run) into the surface casing. The horizontal portion of every well will be logged with a measured-while-drilling gamma-ray log. The Form 5, Completion Report, for each well on the pad will list all logs run in that well and have those logs attached. The Form 5 for each well shall clearly state "No open-hole logs were run" and shall reference the Rule 317.p Exception granted for the well.
Community Outreach and Notification	As a part of planning this proposed location, Kerr-McGee held multi-disciplinary Surface Impact Planning Meetings regarding the impacts and mitigations associated with this proposed location. The toll-free hotline number and email for the Anadarko Colorado Response Line will be posted at the entrance to the lease access road for stakeholders during drilling and completion operations at this proposed location. Courtesy Notifications will be sent to impacted stakeholders prior to drilling operations and again prior to completions operations, providing contact information for the Anadarko Colorado Response Line and online resources.
Planning	604c.(2).V. Development From Existing Well Pads: KMG will locate the 11 proposed horizontal wells on the existing well pad with location ID #336284 to reduce the amount of surface disturbance associated with this project.
General Housekeeping	604c.(2).O. Loadlines: All loadlines shall be bullplugged or capped.
Drilling/Completion Operations	604c.(2).C. Green Completions: Environmental Control Devices or Volatile Organic Compound Combustors (VOC) will be used to control working and breathing vapor losses for oil and water tanks. Temporary above ground polyethylene water pipelines will deliver water to location operations from larger trunk lines to reduce truck traffic and minimize air pollution.

Noise mitigation	604c.(2).A. Noise: During drilling and completions a 6 foot tall berm (along the west side of the drilling pad) with 12 feet tall straw bales will be placed along the north, west and south sides of the drilling pad during drilling operations to provide visual screening and aid in noise reduction. While drilling the wells, the operator will adjust the orientation of the rig to minimize noise toward the north and westerly direction (adjacent residential areas). Additionally, portable source sound panels will be utilized adjacent to the drilling equipment to mitigate noise and assure compliance with the COGCC guidelines.
Planning	Screening - Fencing with Privacy Skirting – After drilling and completions the well heads and production facilities will be enclosed on all sides by a 6 foot tall chain-link fence topped with 3 strands of barbed wire sloping outward at approximately 45 degrees for 18 inches from the top of the fence. Due to proximity to residential areas screening will be provided with privacy skirting attached to the fence to provide a visual buffer.
Dust control	805.c. Dust: Water will be placed on dirt access roads to mitigate dust as needed. If feasible, magnesium chloride will also be used as needed on access roads to further abate dust.
Drilling/Completion Operations	803. Lighting: To the extent practicable, site lighting shall be directed downward and inward and shielded so as to avoid glare on public roads and Building Units within one thousand (1000) feet.
Construction	604c.(2).M. Fencing Requirements: The completed wellsites will be surrounded with a fence and gate with adequate lock to restrict access to authorized personnel only. KMG personnel will monitor the wellsites regularly upon completion of the wells. Authorized representatives and/or KMG personnel shall be on-site during drilling and completion operations.
Planning	604c.(2).S. Access Roads: KMG will utilize a lease access road from CR 12 for drilling and production operations and maintenance equipment. The road will be properly constructed and maintained to accommodate for local emergency vehicle access.
Planning	604c.(2).R. Tank Specifications: Two 500 barrel skid-mounted frac tanks will be temporarily placed on-site for use of the pre-spud rig only. One tank will store water and the other will store water based mud.
Emissions mitigation	604c.(2).C. Green Completions: Temporary above ground polyethylene water pipelines will deliver water to location operations from larger trunk lines to reduce truck traffic and minimize air pollution. Pipeline infrastructure is in place prior to completions operations to ensure saleable gas, once hydrocarbons are cut, is sent directly to sales without flaring during flowback.
Drilling/Completion Operations	Anti-Collision: Kerr-McGee will perform an anti-collision evaluation of all active (producing, shut in, or temporarily abandoned) offset wellbores that have the potential of being within one hundred fifty (150) feet of a proposed well prior to drilling operations for the proposed well. Notice shall be given to all offset operators within one hundred fifty (150) feet prior to drilling.
Community Outreach and Notification	305.a.(2) A Notice of Intent to Conduct Operations was sent to each building unit owner within the Exception Zone or Buffer Zone Setback. Recipients did not contact KMG.
Final Reclamation	604c.(2).U. Identification of Plugged and Abandoned Wells: Pursuant to rule 319.a.(5)., once the well has been plugged and abandoned, KMG will identify the location of the wellbore with a permanent monument that will detail the well name and date of plugging.
Planning	604c.(2).E. Multi-Well Pads: In order to reduce surface impact, this application is for a 11-well pad.
Community Outreach and Notification	Anadarko/Kerr McGee manages an 800 phone number to address questions, comments or concerns related to oil and gas operations. This line is instrumental in maintaining our Social License to Operate in the communities where we work.
Drilling/Completion Operations	Kerr McGee acknowledges and will comply with the COGCC Policy for Bradenhead Monitoring during Hydraulic Fracturing Treatments in the Greater Wattenberg Area dated May 29, 2012.
General Housekeeping	604c.(2).P. Removal of Surface Trash: A commercial size trash bin for removing debris will be located on site. This bin will be for use by all parties affiliated with the operation.
Planning	604c.(2).Q. Guy Line Anchors: Should guy line anchors be left buried for future use, they shall be identified by a bright marker greater than four (4) feet high and no more than one (1) foot east of the guy line anchor.
Material Handling and Spill Prevention	604c.(2).F. Leak Detection Plan: Automation technology will be utilized at this facility. This technology includes the use of fluid level monitoring for the tanks and produced water sumps, high-level shut offs, and electronic sensors to monitor the interstitial space of double-walled produced water sumps. All automation is monitored by Kerr-McGee's Integrated Operations Center (IOC), which is manned 24 hours per day, 7 days per week.

Drilling/Completion Operations	604c.(2).J. BOPE for Well Servicing Operations: Blowout prevention equipment will be used on any servicing operations associated with this well. Backup stabbing valves will be used during any future servicing operations during reverse circulation. Valves shall be pressure tested before each well servicing operation using low-pressure air and high-pressure fluid.
Community Outreach and Notification	KMG will hold a community forum for neighbors and community members to share information about planned operations. This forum is an open house style gathering with subject matter experts on hand to answer questions about oil and gas.
Storm Water/Erosion Control	604c.(2).W. Site-Specific Measures: KMG maintains a Storm Water Management Plan that assesses erosion control for every KMG operated location. This location will be added to this plan once construction begins. This site will be inspected every fourteen (14) days during construction activities, every twenty-eight (28) days after construction is completed, and after any major weather event.
Drilling/Completion Operations	604c.(2).I. BOPE Testing for Drilling Operations: Upon initial rig-up, BOPEs will be tested at a minimum of every 30 days.
Material Handling and Spill Prevention	604c.(2).N. Control of Fire Hazards: KMG and its contractors will employ best management practices during the drilling and production of its wells and facilities and will comply with appropriate COGCC rules concerning safety and fire. KMG will ensure that any material that might be deemed a fire hazard will remain no less than twenty-five (25) feet from the wellhead(s), tanks and separator(s).
Drilling/Completion Operations	604c.(2).K. Pit Level Indicators: All tanks (used in lieu of pits) contain pit level monitors with Electronic Drilling Recorders (EDR). KMG uses EDRs with pit level monitor(s) and alarm(s) for production rigs. Basic level gauges are used on tanks utilized for the surface rig.
Planning	When practical lighting will be shielded and turned inward towards the rig, completions operations and STIM center, to minimize disturbance to existing structures or public roadways.
Drilling/Completion Operations	604c.(2).H. BOPE: Our rigs at a minimum will have a double ram with blind and pipe ram and annular preventer.
Final Reclamation	604c.(2).T. Well Site Cleared: The wellsite will be cleared of all non-essential equipment within ninety (90) days after all wells associated with the pad have been plugged and abandoned.
Drilling/Completion Operations	604c.(2).L. Drill Stem Tests: No drill stem tests are planned and none will be performed without prior approval from the Director.
Planning	604c.(2).R. Tank Specifications: A geosynthetic liner will be laid under the tanks on this location and a metal containment will be constructed. Storage tanks will be designed, constructed and maintained in accordance with National Fire Protection Association (NFPA) Code 30 (2008 version). KMG will maintain written records to verify proper design, construction and maintenance. All records will be available for inspection by the Director.
Traffic control	604c.(2).D. Traffic Plan: Access to the facilities (wells and production facility) will be from the existing lease access road off of Kahil Street (WCR 12). During school hours and when equipment is being moved on and off the site during construction, drilling and completions activities, safety flaggers will be provided to direct traffic onto the WCR 12 to minimize potential conflict. Additionally, signage will be provided to direct all oil field truck traffic east on Kahil Street (WCR 12).
Storm Water/Erosion Control	604c.(2).G. Berm Construction: Kerr-McGee will create tertiary containment by construction of a berm or diversion dike, site grading, or other comparable measures sufficient to further protect the ditch located 0' and immediately adjacent to this proposed oil and gas location.
Drilling/Completion Operations	604c.(2).B. Closed Loop Drilling System: KMG will use a closed loop or "pitless" system for drilling and fluid management and will not construct a reserve pit.
Construction	604c.(2).G. Berm Construction: A geosynthetic liner will be laid under the tanks on this location and a metal containment will be constructed. Berms or other secondary containment devices will be constructed around crude oil, condensate, and produced water storage tanks and shall enclose an area sufficient to contain and provide secondary containment for 150% of the largest single tank.

S/AR: _____ **Comment:**

CA: **Date:** _____

Comment:

Staking:

On Site Inspection (305):

Surface Owner Contact Information:

Name: _____ Address: _____
Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:

Landman Name: _____ Phone Number: _____
Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____

Request LGD Attendance: _____

LGD Contact Information:

Name: _____ Phone Number: _____ Agreed to Attend: _____

Summary of Landowner Issues:

Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

Facility

Facility ID: 243400 Type: WELL API Number: 123-11191 Status: PR Insp. Status: PR

Producing Well

Comment: pr

BradenHead

Comment: Bradenhead is plumed to surface.

CA: _____

CA Date: _____

Facility ID: 266049 Type: WELL API Number: 123-21320 Status: PR Insp. Status: PR

Producing Well

Comment: pr

BradenHead

Comment: Bradenhead is plumed to surface.

CA: _____

CA Date: _____

Facility ID: 266055 Type: WELL API Number: 123-21318 Status: PR Insp. Status: PR

Producing Well

Comment: pr

BradenHead

Comment: Bradenhead is plumed to surface.

CA: _____

CA Date: _____

Environmental

Spills/Releases:

Type of Spill: _____ Description: _____ Estimated Spill Volume: _____

Comment: _____

Corrective Action: _____ Date: _____

Reportable: _____ GPS: Lat _____ Long _____

Proximity to Surface Water: _____ Depth to Ground Water: _____

Water Well: _____ Lat _____ Long _____

DWR Receipt Num: _____ Owner Name: _____ GPS : _____

Field Parameters: _____

Sample Location: _____

Emission Control Burner (ECB): Y

Comment: _____

Pilot: ON Wildlife Protection Devices (fired vessels): YES

Reclamation - Storm Water - Pit

Interim Reclamation:

Date Interim Reclamation Started: _____ Date Interim Reclamation Completed: _____

Land Use: IRRIGATED

Comment: _____

1003a. Waste and Debris removed? Pass

CM _____

CA _____ CA Date _____

Unused or unneeded equipment onsite? Pass

CM _____

CA _____ CA Date _____

Pit, cellars, rat holes and other bores closed? Pass

CM _____

CA _____ CA Date _____

Guy line anchors marked? _____

CM _____

CA _____ CA Date _____

1003b. Area no longer in use? _____ Production areas stabilized ? Pass

1003c. Compacted areas have been cross ripped? _____

1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____

Cuttings management: _____

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____

Production areas have been stabilized? Pass Segregated soils have been replaced? _____

RESTORATION AND REVEGETATION

Cropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced Pass Recontoured Pass 80% Revegetation In

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation In Process

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: IRRIGATED

Reminder: _____

Comment: _____

Well plugged _____ Pit mouse/rat holes, cellars backfilled _____

Debris removed _____ No disturbance /Location never built _____

Access Roads Regraded _____ Contoured _____ Culverts removed _____

Gravel removed _____

Location and associated production facilities reclaimed _____ Locations, facilities, roads, recontoured _____

Compaction alleviation _____ Dust and erosion control _____

Non cropland: Revegetated 80% _____ Cropland: perennial forage _____

Weeds present _____ Subsidence _____

Comment: _____

Corrective Action: _____ Date _____

Overall Final Reclamation _____ Well Release on Active Location Multi-Well Location

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Gravel	Pass	Gravel	Pass			

S/A/V: SATISFACTORY Corrective Date: _____

Comment: _____

CA: _____

Pits: NO SURFACE INDICATION OF PIT

Attached Documents

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
681901332	INSPECTION APPROVED	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=3935645