

FORM 5A Rev 06/12

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Table with columns DE, ET, OE, ES

Document Number: 401091477

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120
2. Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP
3. Address: P O BOX 173779
City: DENVER State: CO Zip: 80217-
4. Contact Name: ILA BEALE
Phone: (720) 929-6408
Fax:
Email: ila.beale@anadarko.com

5. API Number 05-123-42206-00
6. County: WELD
7. Well Name: ALVIN
Well Number: 26C-29HZ
8. Location: QtrQtr: SESE Section: 29 Township: 2N Range: 65W Meridian: 6
9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: CARLILE Status: COMMINGLED Treatment Type:
Treatment Date: End Date: Date of First Production this formation:
Perforations Top: 8883 Bottom: 12416 No. Holes: 300 Hole size: 0.46
Provide a brief summary of the formation treatment: Open Hole:
This formation is commingled with another formation: [X] Yes [ ] No
Total fluid used in treatment (bbl): Max pressure during treatment (psi):
Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal):
Type of gas used in treatment: Min frac gradient (psi/ft):
Total acid used in treatment (bbl): Number of staged intervals:
Recycled water used in treatment (bbl): Flowback volume recovered (bbl):
Fresh water used in treatment (bbl): Disposition method for flowback:
Total proppant used (lbs): Rule 805 green completion techniques were utilized: [ ]
Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:
Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:
Test Method: Casing PSI: Tubing PSI: Choke Size:
Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:
Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:
Reason for Non-Production:
Date formation Abandoned: Squeeze: [ ] Yes [ ] No If yes, number of sacks cmt
\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

FORMATION: CODELL-CARLILE Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 07/23/2016 End Date: 07/26/2016 Date of First Production this formation: 08/04/2016

Perforations Top: 7719 Bottom: 12416 No. Holes: 300 Hole size: 0.46

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole:

"PERF AND FRAC FROM 7719-12,416.  
110 BBL 7.5% HCL ACID, 2,857 BBL PUMP DOWN, 91,069 BBL SLICKWATER, - 94,035 BBL TOTAL FLUID  
421,210# 100 MESH GENOA/SAND HILLS, 2,290,800# 40/70 OTTAWA/ST. PETERS, - 2,712,010# TOTAL SAND.  
ENTERED CODELL: 7719-8883; 8958-11,653; 11,760-11,977;  
CARLILE 8883-8958; 11,653-11,760; 11,977-12,416;  
THIS IS A DESIGNATED SOURCE OF SUPPLY WELL  
(SEE ATTACHMENT)"

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): 94035 Max pressure during treatment (psi): 7422

Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.30

Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): 0.90

Total acid used in treatment (bbl): 110 Number of staged intervals: 17

Recycled water used in treatment (bbl): 1650 Flowback volume recovered (bbl): 10561

Fresh water used in treatment (bbl): 92275 Disposition method for flowback: RECYCLE

Total proppant used (lbs): 2712010 Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on [FracFocus.org](http://FracFocus.org)**

**Test Information:**

Date: 08/09/2016 Hours: 24 Bbl oil: 130 Mcf Gas: 255 Bbl H2O: 485

Calculated 24 hour rate: Bbl oil: 130 Mcf Gas: 255 Bbl H2O: 485 GOR: 1962

Test Method: FLOWING Casing PSI: 1450 Tubing PSI: \_\_\_\_\_ Choke Size: 12/64

Gas Disposition: SOLD Gas Type: WET Btu Gas: 1389 API Gravity Oil: 50

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

FORMATION: CODELL Status: COMMINGLED Treatment Type: \_\_\_\_\_

Treatment Date: \_\_\_\_\_ End Date: \_\_\_\_\_ Date of First Production this formation: \_\_\_\_\_

Perforations Top: 7719 Bottom: 11977 No. Holes: 300 Hole size: 0.46

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole:

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): \_\_\_\_\_ Max pressure during treatment (psi): \_\_\_\_\_

Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): \_\_\_\_\_

Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): \_\_\_\_\_

Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: \_\_\_\_\_

Recycled water used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): \_\_\_\_\_

Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: \_\_\_\_\_

Total proppant used (lbs): \_\_\_\_\_ Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_

Calculated 24 hour rate: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ Btu Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

Comment: \_\_\_\_\_

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: ILA BEALE

Title: STAFF REG. SPECIALIST Date: \_\_\_\_\_ Email ila.beale@anadarko.com

**Attachment Check List**

<b><u>Att Doc Num</u></b>	<b><u>Name</u></b>
401091479	OTHER

Total Attach: 1 Files

**General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>

Total: 0 comment(s)