
Well Plan 7 - 157 (200 psi)


Heated Face 7 * 137 (Cold)



Log Variables

Database:C:\Warrior\Data\synergy_vista_43_2n_c_rbl\synergy_vista_43_2n_c_rbl.db
Dataset: field/well/run1/pass5.1

Top - Bottom

PPT usec	CASEWGHT lb/ft	MAXAMPL mV	MINAMPL mV	MINATTN db/ft	CASEOD in	PERFS	TDEPTH ft
0	17	71.921	1	0.8	5.5	0	0

BOTTEMP degF	BOREID in
100	7.875

Calibration Report

Database File: C:\Warrior\Data\synergy_vista_43_2n_c_rbl\synergy_vista_43_2n_c_rbl.db
Dataset Pathname: pass7
Dataset Creation: Tue Mar 29 10:17:11 2016 by Log SCH 110630

Temperature Calibration Report

Serial Number: 060110
Tool Model: 1.375TEMP
Performed: Sun Jun 03 16:49:35 2012

	Reference	Reading
Low Reference:	1.00 degF	10.00 cps
High Reference:	100.00 degF	1000.00cps

Gain: 0.10
Offset: 0.00
Delta Spacing 1

Gamma Ray Calibration Report

Serial Number: 060109
Tool Model: Probe
Performed: Tue Mar 29 08:57:34 2016

Calibrator Value: 185.2 GAPI

Background Reading: 4.8 cps
Calibrator Reading: 200.0 cps

Sensitivity: 0.8500 GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number: 060113_45
Tool Model: Probe

Calibration Casing Diameter: 5.500 in
Calibration Depth: 6264.608 ft

Master Calibration, performed Tue Mar 29 08:56:41 2016:

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	0.006	0.816	2.000	71.921	86.389	1.444
CAL	0.007	0.843				
5'	0.007	0.718	2.000	71.921	98.323	1.352
SUM						
S1	0.006	0.769	0.000	100.000	130.980	-0.785
S2	0.006	0.752	0.000	100.000	134.102	-0.856
S3	0.006	0.739	0.000	100.000	136.454	-0.840
S4	0.006	0.775	0.000	100.000	130.036	-0.806
S5	0.006	0.842	0.000	100.000	119.579	-0.736
S6	0.006	0.858	0.000	100.000	117.453	-0.736
S7	0.006	0.855	0.000	100.000	117.857	-0.748
S8	0.006	0.848	0.000	100.000	118.871	-0.772

Internal Reference Calibration, performed Wed Dec 31 17:00:00 1969:

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.000	0.007	0.843	1.000	0.000

Air Zero Calibration, performed Tue Mar 29 08:51:45 2016:

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	0.000	0.000	0.000
5'	0.000	0.000	0.000
SUM			
S1	0.000	0.000	0.000
S2	0.000	0.000	0.000
S3	0.000	0.000	0.000
S4	0.000	0.000	0.000
S5	0.000	0.000	0.000
S6	0.000	0.000	0.000
S7	0.000	0.000	0.000
S8	0.000	0.000	0.000

Sensor	Offset (ft)	Schematic	Description	Len (ft)	OD (in)	Wt (lb)
			RBT-Probe (060113_45) Probe 2.75" Radii Bond Tool	9.39	2.75	90.00
WVF3FT	12.30					
WVFCAL	12.30					
WVFS1	12.30					
WVFS2	12.30					
WVFS3	12.30					
WVFS4	12.30					
WVFS5	12.30					
WVFS6	12.30					
WVFS7	12.30					
WVFS8	12.30					
WVF5FT	11.30					
			Probe	2.86	2.75	40.00
CCL	4.75					
			GR-Probe (060109) Probe 2.75" 4 Channel Pulse	4.00	2.75	30.00
GR	2.25					
			TEMP-1.375TEMP (060110) Temperature Tool	1.25	1.38	30.00
TEMP	0.08					

Dataset: synergy_vista_43_2n_c_rbl.db: field/well/run1/pass7
Total Length: 17.50 ft
Total Weight: 190.00 lb
O.D. 2.75 in

Company Synergy Resources Corporation
Well Vista 43-2N-C
Field Wattenberg
County Weld State Colorado

Cutters Wireline Service, Inc. A Cased Hole Wireline Company

Radial Cement Bond
Gamma Ray CCL
Log