

FORM
2A

Rev
08/13

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

401046374

0

Date Received:

07/07/2016

Oil and Gas Location Assessment

☐ New Location ☐ Refile ☒ Amend Existing Location Location#: 324061

This Oil and Gas Location Assessment is to be submitted to the COGCC for approval prior to any ground disturbance activity associated with oil and gas operations. Approval of this Oil and Gas Location Assessment will allow for the construction of the below specified Location; however, it does not supersede any land use rules applied by the local land use authority. Please see the COGCC website at <http://cogcc.state.co.us/> for all accompanying information pertinent this Oil and Gas Location Assessment.

Location ID:

324061

Expiration Date:

09/08/2019

☒ This location assessment is included as part of a permit application.

CONSULTATION

- ☐ This location is included in a Comprehensive Drilling Plan. CDP # _____
- ☐ This location is in a sensitive wildlife habitat area.
- ☒ This location is in a wildlife restricted surface occupancy area.
- ☐ This location includes a Rule 306.d.(1)A.ii. variance request.

Operator

Operator Number: 96850
Name: TEP ROCKY MOUNTAIN LLC
Address: PO BOX 370
City: PARACHUTE State: CO Zip: 81635

Contact Information

Name: Vicki Schoeber
Phone: (970) 263-2721
Fax: ()
email: vschoeber@terraep.com

RECLAMATION FINANCIAL ASSURANCE

☒ Plugging and Abandonment Bond Surety ID: 20160057 ☐ Gas Facility Surety ID: _____
☐ Waste Management Surety ID: _____

LOCATION IDENTIFICATION

Name: Youberg Number: RU 32-12
County: GARFIELD
QuarterQuarter: SWNE Section: 12 Township: 7S Range: 94W Meridian: 6 Ground Elevation: 7254
Define a single point as a location reference for the facility location. When the location is to be used as a well site then the point shall be a well location.
Footage at surface: 1948 feet FNL from North or South section line
2110 feet FEL from East or West section line
Latitude: 39.455262 Longitude: -107.833882
PDOP Reading: 2.8 Date of Measurement: 04/21/2016
Instrument Operator's Name: J. Kirkpatrick

RELATED REMOTE LOCATIONS

(Enter as many Related Locations as necessary. Enter the Form 2A document # only if there is no established COGCC Location ID#)

This proposed Oil and Gas Location is:

LOCATION ID # FORM 2A DOC #

Well Site is served by Production Facilities

323866

FACILITIES

Indicate the number of each type of oil and gas facility planned on location

Wells	20	Oil Tanks*		Condensate Tanks*		Water Tanks*	1	Buried Produced Water Vaults*	
Drilling Pits		Production Pits*		Special Purpose Pits		Multi-Well Pits*		Modular Large Volume Tanks	
Pump Jacks		Separators*	20	Injection Pumps*		Cavity Pumps*		Gas Compressors*	
Gas or Diesel Motors*		Electric Motors		Electric Generators*		Fuel Tanks*		LACT Unit*	
Dehydrator Units*		Vapor Recovery Unit*		VOC Combustor*		Flare*		Pigging Station*	

OTHER FACILITIES*

Other Facility Type

Number

80 BBL Blow Down Tank

Those facilities indicated by an asterisk () shall be used to determine the distance from the Production Facility to the nearest cultural feature on the Cultural Setbacks Tab.

Per Rule 303.b.(3)C, description of all oil, gas, and/or water pipelines:

20-2" steel buried flowlines from wellheads to separators.
1-8" steel buried gas line will run from an existing gas line in the CR up the new southern access road and tie into the pad.
1-4" poly water line and 1-2" steel condensate line will run from the production equipment to the RU 31-12V pad where there are existing tanks.

CONSTRUCTION

Date planned to commence construction: 10/03/2016

Size of disturbed area during construction in acres: 9.30

Estimated date that interim reclamation will begin: 08/01/2017

Size of location after interim reclamation in acres: 0.90

Estimated post-construction ground elevation: 7254

DRILLING PROGRAM

Will a closed loop system be used for drilling fluids: Yes

Is H₂S anticipated? No

Will salt sections be encountered during drilling: No

Will salt based mud (>15,000 ppm Cl) be used? No

Will oil based drilling fluids be used? No

DRILLING WASTE MANAGEMENT PROGRAM

Drilling Fluids Disposal: OFFSITE

Drilling Fluids Disposal Method: Recycle/reuse

Cutting Disposal: ONSITE

Cuttings Disposal Method: Cuttings trench

Other Disposal Description:

Beneficial reuse or land application plan submitted? No

Reuse Facility ID: or Document Number:

Centralized E&P Waste Management Facility ID, if applicable:

SURFACE & MINERALS & RIGHT TO CONSTRUCT

Name: Dr. David Youberg

Phone: 712-662-1301

Address: 215 South 10th Street

Fax: _____

Address: _____

Email: _____

City: Sac City State: IA Zip: 50583

Surface Owner: ☒ Fee ☐ State ☐ Federal ☐ Indian

Check all that apply. The Surface Owner: ☒ is the mineral owner

☒ is committed to an oil and Gas Lease

☒ has signed the Oil and Gas Lease

☐ is the applicant

The Mineral Owner beneath this Oil and Gas Location is: ☒ Fee ☐ State ☐ Federal ☐ Indian

The Minerals beneath this Oil and Gas Location will be developed from or produced to this Oil and Gas Location: Yes

The right to construct this Oil and Gas Location is granted by: oil and gas lease

Surface damage assurance if no agreement is in place: _____ Surface Surety ID: _____

Date of Rule 306 surface owner consultation _____

CURRENT AND FUTURE LAND USE

Current Land Use (Check all that apply):

Crop Land: ☐ Irrigated ☐ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP

Non-Crop Land: ☒ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe): _____

Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

Future Land Use (Check all that apply):

Crop Land: ☐ Irrigated ☐ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP

Non-Crop Land: ☒ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe): _____

Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

CULTURAL DISTANCE INFORMATION

Provide the distance to the nearest cultural feature as measured from Wells or Production Facilities onsite.

	From WELL	From PRODUCTION FACILITY
Building:	<u>5280</u> Feet	<u>5280</u> Feet
Building Unit:	<u>5280</u> Feet	<u>5280</u> Feet
High Occupancy Building Unit:	<u>5280</u> Feet	<u>5280</u> Feet
Designated Outside Activity Area:	<u>5280</u> Feet	<u>5280</u> Feet
Public Road:	<u>220</u> Feet	<u>81</u> Feet
Above Ground Utility:	<u>1743</u> Feet	<u>1965</u> Feet
Railroad:	<u>5280</u> Feet	<u>5280</u> Feet
Property Line:	<u>463</u> Feet	<u>466</u> Feet

INSTRUCTIONS:

- All measurements shall be provided from center of nearest Well or edge of nearest Production Facility to nearest of each cultural feature as described in Rule 303.b.(3)A.
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit, High Occupancy Building Unit, and Designated Outside Activity Area - as defined in 100-Series Rules.
- For measurement purposes only, Production Facilities should only include those items with an asterisk(*) on the Facilities Tab.

DESIGNATED SETBACK LOCATION INFORMATION

Check all that apply. This location is within a:

- ☐ Buffer Zone
☐ Exception Zone
☐ Urban Mitigation Area

- Buffer Zone - as described in Rule 604.a.(2), within 1,000' of a Building Unit.
- Exception Zone - as described in Rule 604.a.(1), within 500' of a Building Unit.
- Urban Mitigation Area - as defined in 100-Series Rules.
- Large UMA Facility – as defined in 100-Series Rules.

Pre-application Notifications (required if location is within 1,000 feet of a building unit):

Date of Rule 305.a.(1) Urban Mitigation Area Notification to Local Government: _____

Date of Rule 305.a.(2) Buffer Zone Notification to Building Unit Owners: _____

FOR MULTI-WELL PADS AND PRODUCTION FACILITIES WITHIN DESIGNATED SETBACK LOCATIONS ONLY:

- ☐ Check this box if this Oil and Gas Location has or will have Production Facilities that serve multiple wells (on or offsite) and the Production Facilities are proposed to be located less than 1,000 feet from a Building Unit. *(Pursuant to Rule 604.c.(2)E.i., the operator must evaluate alternative locations for the Production Facilities that are farther from the Building Unit, and determine whether those alternative locations were technically feasible and economically practicable for the same proposed development.)*
- ☐ By checking this box, I certify that no alternative placements for the Production Facilities, farther from the nearest Building Unit, were available based on the analysis conducted pursuant to Rule 604.c.(2)E.i.

In the space below, explain rationale for siting the multi-well Production Facility(ies) that supports your Rule 604.c.(2)E.i determination. Attach documentation that supports your determination to this Form 2A.

SOIL

List all soil map units that occur within the proposed location. attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to be used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.org/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 45 - Morval-Tridell complex, 6 to 25 percent slopes

NRCS Map Unit Name: _____

NRCS Map Unit Name: _____

PLANT COMMUNITY:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes ☐ No ☒

Plant species from: ☐ NRCS or, ☒ field observation Date of observation: 05/12/2016

List individual species: Juniper, sage, oak, wheatgrass,

Check all plant communities that exist in the disturbed area.

- ☐ Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)
- ☒ Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)
- ☒ Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)
- ☐ Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)
- ☐ Mountain Riparian (Cottonwood, Willow, Blue Spruce)
- ☒ Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)
- ☐ Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)
- ☐ Alpine (above timberline)
- ☐ Other (describe): _____

WATER RESOURCES

Is this a sensitive area: ☐ No ☒ Yes

Distance to nearest

downgradient surface water feature: 409 Feet

water well: 7798 Feet

Estimated depth to ground water at Oil and Gas Location 100 Feet

Basis for depth to groundwater and sensitive area determination:

See attached SAD checklist.

Is the location in a riparian area: ☒ No ☐ Yes

Was an Army Corps of Engineers Section 404 permit filed ☒ No ☐ Yes If yes attach permit.

Is the location within a Rule 317B Surface Water Supply Area buffer 301-500 zone:

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: Yes

Is the Location within a Floodplain? ☒ No ☐ Yes Floodplain Data Sources Reviewed (check all that apply)

☒ Federal (FEMA)

☐ State

☐ County

☐ Local

☐ Other _____

GROUNDWATER BASELINE SAMPLING AND MONITORING AND WATER WELL SAMPLING

Water well sampling required per Rule 609

DESIGNATED SETBACK LOCATION EXCEPTIONS

Check all that apply:

- ☐ Rule 604.a.(1)A. Exception Zone (within 500' of a Building Unit) and is in an Urban Mitigation Area
- ☐ Rule 604.b.(1)A. Exception Location (existing or approved Oil & Gas Location now within a Designated Setback as a result of Rule 604.a.)
- ☐ Rule 604.b.(1)B. Exception Location (existing or approved Oil & Gas Location is within a Designated Setback due to Building Unit construction after Location approval)
- ☐ Rule 604.b.(2) Exception Location (SUA or site-specific development plan executed on or before August 1, 2013)
- ☐ Rule 604.b.(3) Exception Location (Building Units constructed after August 1, 2013 within setback per an SUA or site-specific development plan)

RULE 502.b VARIANCE REQUEST

☐ Rule 502.b. Variance Request from COGCC Rule or Spacing Order Number _____

ALL exceptions and variances require attached Request Letter(s). Refer to applicable rule for additional required attachments (e.g. waivers, certifications, SUAs).

OPERATOR COMMENTS AND SUBMITTAL

Comments

Existing well pad with 19 new wells and 1 existing well.

After review of Rule 317B, this location falls within Rule 317B.f.(2) and the zone requirements under Rule 317B.f.(3) would apply. No variance request is needed.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: _____

Date: 07/07/2016


Email: vschoeber@terraep.com

Print Name: Vicki Schoeber

Title: Regulatory Specialist

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: _____



Director of COGCC

Date: 9/9/2016

Conditions Of Approval

All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.

COA Type

Description

In addition to the notifications required by COGCC listed in the Northwest Notification Policy (Notice of Intent to Construct a New Location, Notice of Intent to Spud Surface Casing, and Notice of Intent to Commence Hydraulic Fracturing Operations) and Rule 316C. COGCC Form 42. FIELD OPERATIONS NOTICE (a. Notice of Intent to Conduct Hydraulic Fracturing Treatment and c. Notice of Construction or Major Change); operator shall notify the COGCC 48 hours prior to offsite pipeline installation and onsite flowline/pipeline testing (flowlines from wellheads to separators to tanks; and/or any temporary surface lines used for hydraulic stimulation and/or flowback operations) using the Form 42 (as described in Rule 316C.m. Notice of Completion of Form 2/2A Permit Conditions). The appropriate COGCC individuals will automatically be email notified.

Operator must ensure secondary containment for any volume of fluids contained at the well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices [BMPs] associated with fluid containment/control as well as stormwater management for the control of run-on and run-off) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals as required by CDPHE (at least every 14 days and after precipitation events), and maintained in good condition.

The design/build of any perimeter berm or fluid management structures shall be sized, constructed, and compacted sufficiently to contain and/or manage potential fluid releases during operations in a manner that prevents or controls potential sedimentation and scouring on adjacent lands and drainages. Such design/build of perimeter berms or fluid management structures may include, but are not limited to the following: on location berms; diversion ditches; enhanced vegetation; or other design features necessary to achieve the goal of protecting adjacent lands and drainages from potential sedimentation and scouring.

The location is in an area of moderate to high run-on/run-off potential; therefore standard stormwater BMPs must be implemented; prior to, during, and after construction, as well as during drilling, completion, and production operations; at this location to insure compliance with CDPHE and COGCC requirements and to prevent any stormwater run-on and /or stormwater run-off.

The access road will be constructed and maintained as to not allow sediment to migrate from the access road to nearby surface water or any drainages leading to surface water.

Strategically apply fugitive dust control measures, including encouraging established speed limits on private roads, to reduce fugitive dust and coating of vegetation and deposition in water sources.

Berms or other containment devices shall be constructed to be sufficiently impervious to contain any spilled or released material around temporary or permanent produced water storage tanks.

Operator shall submit a scaled as-built drawing (plan view with distances) of the Youberg RU 32-12 well pad (showing produced water storage tanks, onsite flowlines, offsite pipelines, and other production facilities) and the nearby RU 31-12V well pad location, OGCC ID# 323866, (showing wellheads, onsite flowlines, offsite pipelines, and onsite production facilities) within 30 calendar days of construction of the production equipment on each location.

	<p>The moisture content of water/bentonite based mud (WBM) generated drill cuttings managed onsite shall be kept as low as practicable to prevent accumulation of liquids greater than de minimis amounts. After drilling and completion operations have been completed, the WBM drill cuttings that will remain on the well pad location (cuttings management area, the cut portion of the pad, cuttings trench, dry cuttings drilling pit), must meet the applicable standards of Table 910-1. No liners are allowed to be disposed of with the drill cuttings. After the drill cuttings have been amended (if necessary) and placed on the well pad, sampling frequency of the drill cuttings (to be determined by the operator) shall be representative of the material left on location. No offsite disposal of cuttings to another oil and gas location shall occur without prior approval of a Waste Management Plan (submitted via a Form 4 Sundry Notice) specifying disposal location and waste characterization method. Commercial disposal of drill cuttings will only require notification to COGCC via a Form 4 Sundry Notice.</p> <p>Flowback and stimulation fluids must be sent to enclosed tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline storage vessel, or other open top containment located on the well pad; or into tanker trucks for offsite disposal. No open top tanks can be used for initial flowback fluids containment. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area constructed to be sufficiently impervious to contain any spilled or released material. No additional downgradient berming is required if operator constructs a sufficiently sized perimeter berm.</p> <p>Potential odors associated with the completions process and/or with long term production operations must be controlled/mitigated.</p>
	<p>Operator shall pressure test pipelines (flowlines from wellheads to separators to tanks; pipelines from onsite separators to offsite storage tanks, and any temporary surface lines used for hydraulic stimulation and/or flowback operations) in accordance with Rule 1101.e.(1) prior to putting into initial service any temporary surface or permanent buried pipelines and following any reconfiguration of the pipeline network, and tested annually, unless agreed to by both parties that the flowlines can be managed under an approved COGCC variance.</p> <p>Operator must routinely inspect the entire length of the surface pipeline to ensure integrity. Operator shall conduct daily inspections of surface poly pipeline routes for leaks during active transfer of fluids and implement best management practices to contain any unintentional release of fluids along all portions of the surface pipeline route where temporary pumps and other necessary equipment are located. Inspections shall be conducted by viewing the length of the pipeline; operator will endeavor to minimize surface disturbance during pipeline monitoring. In addition, pump stations along the surface poly or steel pipeline route will be continuously monitored when operating in order to swiftly respond to such a failure.</p> <p>Operator will implement BMPs necessary to mitigate a potential for a release of fluids to impact streams, intermittent streams, ditches, and drainage crossings. For these crossings: if poly pipe is used on the surface, operator will ensure appropriate containment by either installing over-sized pipe "sleeves" which extend the length of the crossing and beyond to a distance deemed adequate to capture (catchment basins) and/or divert any possible release of fluids and prevent fluids from reaching the stream or drainage; installing over-sized pipe "sleeves" which extend the length of the crossing and installing shut off valves on either side of crossing instead of catchment basins; or develop an alternative means for containment. For all other pipeline materials, operator will implement BMPs necessary to mitigate a potential for E&P fluids not to reach groundwater or flowing surface water.</p> <p>Operator will utilize, to the extent practical, all existing access and other public roads, and/or existing pipeline right-of-ways, when placing/routing the temporary surface pipelines. This will reduce surface disturbance and fragmentation of wildlife habitat in the area.</p>

Best Management Practices

No	BMP/COA Type	Description
1	Planning	<ul style="list-style-type: none"> * Maximize the utility of surface facilities by developing multiple wells from a single pad (directional drilling), and by co-locating multipurpose facilities (for example, well pads and compressors) to avoid unnecessary habitat fragmentation and disturbance of additional geographic areas. * Minimize the number, length, and footprint of oil and gas development roads * Use existing roads where possible * Combine utility infrastructure (gas, electric, and water) planning with roadway planning to avoid separate utility corridors * Combine and share roads to minimize habitat fragmentation * Where possible, consolidate pipeline and existing roadways, or roadways that are planned for development * Maximize the use of directional drilling to minimize habitat loss/fragmentation * Maximize use of long-term centralized tank batteries to minimize traffic * Phase and concentrate development activities, so that large areas of undisturbed habitat for wildlife remain.
2	Drilling/Completion Operations	<ul style="list-style-type: none"> * Use centralized hydraulic fracturing operations. * Install and maintain adequate measures to exclude all types of wildlife (e.g., big game, birds, and small rodents) from all fluid pits (e.g., fencing, netting, and other appropriate exclusion measures).
3	Interim Reclamation	<ul style="list-style-type: none"> * Remove well pad and road surface materials that are incompatible with post-production land use and re-vegetation requirements * Use only certified weed-free native seed in seed mixes, except for non-native plants that benefit wildlife * TEP will use certified, weed free grass hay, straw, hay or other mulch materials used for the reseeded and reclamation of disturbed areas. * Install exclusionary devices to prevent bird and other wildlife access to equipment stacks, vents and openings. * Reduce visits to well-sites through remote monitoring (i.e. SCADA) and the use of multi-function contractors.

Total: 3 comment(s)

Attachment Check List

<u>Att Doc Num</u>	<u>Name</u>
2107918	CORRESPONDENCE
401046374	FORM 2A SUBMITTED
401063761	NRCS MAP UNIT DESC
401072753	ACCESS ROAD MAP
401072754	HYDROLOGY MAP
401072755	LOCATION DRAWING
401072756	MULTI-WELL PLAN
401072757	REFERENCE AREA MAP
401072758	OTHER
401072759	SURFACE AGRMT/SURETY
401072825	REFERENCE AREA PICTURES
401072826	LOCATION PICTURES
401072829	CONST. LAYOUT DRAWINGS
401073311	SENSITIVE AREA DATA
401074853	317B NOTIFICATION

Total Attach: 15 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Review of this form is complete. Ready for final approval.	9/1/2016 3:31:25 PM
OGLA	Initiated/Completed OGLA Form 2A review on 08-25-16 by Dave Kubeczko; requested acknowledgement of notification, fluid containment, spill/release BMPs, construction stormwater BMPs, sediment and dust control access road, flowback to tanks, tank berming, odor control, cuttings low moisture/management, and pipeline testing COAs from operator on 08-25-16; received acknowledgement/concurrence of COAs from operator on 08-30-16; corrected distance from Wellhead to Public Road from 233' to 220' per Location Drawing distances spreadsheet; COGCC/BLM/CPW onsite location on 05-11-16; passed by CPW on 07-26-16 with operator agreed to BMPs to implement increased stormwater and spill related mitigation measures to minimize risks to the cutthroat trout stream; passed OGLA Form 2A review on 08-30-16 by Dave Kubeczko; notification, fluid containment, spill/release BMPs, construction stormwater BMPs, sediment and dust control access road, flowback to tanks, tank berming, odor control, cuttings low moisture/management, and pipeline testing COAs.	8/25/2016 11:52:19 AM
Permit	Preliminary review complete.	3/5/2016 1:02:44 PM
LGD	KHW Pass	7/28/2016 1:42:16 PM
DOW	This permit is to amend an existing location. A portion of the amended pad falls within a cutthroat trout restricted surface occupancy area (RSO) for nearby Beaver Creek. CPW staff attended an onsite visit of this location with the operator and the Bureau of Land Management on May 11, 2016. There are currently two separate roadways between the proposed site and the stream, which will help reduce potential impacts to the stream. Additionally, the operator agreed at the onsite to implement increased stormwater and spill related BMPs to minimize risks to the stream. The BMPs identified in the Sensitive Area Data attachment are adequate to alleviate concerns associated with the RSO habitat. By: Taylor Elm, July 21, 2016, 12:13 p.m.	7/21/2016 12:13:02 PM
Permit	Passed completeness.	7/18/2016 11:11:08 AM
Permit	Operator added comments clarifying Rule 317B.f.(2).	7/18/2016 11:07:11 AM
Permit	Returned to draft: Since operator selected dropdown menu on Water Resources tab stating location is within Rule 317B Surface Water Supply Area internal buffer zone: -- need to check box on Consultation tab for Rule 306.d.(1).A.ii -- need to check box on Exceptions tab for Rule 502.b Variance Request -- need to attach a Variance Request letter	7/11/2016 4:33:46 PM

Total: 8 comment(s)