

FORM
2A

Rev
08/13

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

400890993

0

Date Received:

01/14/2016

Oil and Gas Location Assessment

New Location Refile Amend Existing Location Location#: 317990

Submit signed original form. This Oil and Gas Location Assessment is to be submitted to the COGCC for approval prior to any ground disturbance activity associated with oil and gas operations. Approval of this Oil and Gas Location Assessment will allow for the construction of the below specified Location; however, it does not supersede any land use rules applied by the local land use authority. Please see the COGCC website at <http://cogcc.state.co.us/> for all accompanying information pertinent this Oil and Gas Location Assessment.

Location ID:

317990

Expiration Date:

09/08/2019

This location assessment is included as part of a permit application.

CONSULTATION

- This location is included in a Comprehensive Drilling Plan. CDP # _____
- This location is in a sensitive wildlife habitat area.
- This location is in a wildlife restricted surface occupancy area.
- This location includes a Rule 306.d.(1)A.ii. variance request.

Operator

Operator Number: 47120
Name: KERR MCGEE OIL & GAS ONSHORE LP
Address: P O BOX 173779
City: DENVER State: CO Zip: 80217-3779

Contact Information

Name: CRAIG RICHARDSON
Phone: (720) 929.6092
Fax: (720) 929.7092
email: craig.richardson@anadarko.com

RECLAMATION FINANCIAL ASSURANCE

- Plugging and Abandonment Bond Surety ID: 20010124 Gas Facility Surety ID: _____
- Waste Management Surety ID: _____

LOCATION IDENTIFICATION

Name: CATNIP PRODUCTION FACILITY Number: _____
County: WELD
Quarter: NESW Section: 23 Township: 1N Range: 67W Meridian: 6 Ground Elevation: 4985

Define a single point as a location reference for the facility location. When the location is to be used as a well site then the point shall be a well location.

Footage at surface: 1650 feet FSL from North or South section line
1598 feet FWL from East or West section line
Latitude: 40.033890 Longitude: -104.861566
PDOP Reading: 6.0 Date of Measurement: 05/07/2015
Instrument Operator's Name: Rob Wilson

RELATED REMOTE LOCATIONS

(Enter as many Related Locations as necessary. Enter the Form 2A document # only if there is no established COGCC Location ID#)

This proposed Oil and Gas Location is:	LOCATION ID #	FORM 2A DOC #
Production Facilities Location serves Well(s)	319229	_____
	444280	_____
	444427	_____
	444338	_____
	444349	_____

FACILITIES

Indicate the number of each type of oil and gas facility planned on location

Wells	1	Oil Tanks*	1	Condensate Tanks*	3	Water Tanks*	9	Buried Produced Water Vaults*	_____
Drilling Pits	_____	Production Pits*	_____	Special Purpose Pits	_____	Multi-Well Pits*	_____	Modular Large Volume Tanks	_____
Pump Jacks	_____	Separators*	42	Injection Pumps*	_____	Cavity Pumps*	_____	Gas Compressors*	_____
Gas or Diesel Motors*	_____	Electric Motors	_____	Electric Generators*	_____	Fuel Tanks*	_____	LACT Unit*	6
Dehydrator Units*	_____	Vapor Recovery Unit*	8	VOC Combustor*	3	Flare*	_____	Pigging Station*	_____

OTHER FACILITIES*

Other Facility Type	Number
GAS PIPELINES	3
OIL PIPELINE	1
FLOWLINES	99

Those facilities indicated by an asterisk () shall be used to determine the distance from the Production Facility to the nearest cultural feature on the Cultural Setbacks Tab.

Per Rule 303.b.(3)C, description of all oil, gas, and/or water pipelines:

Please see Comments section. Description of pipelines and flow lines does not fit in space provided.

CONSTRUCTION

Date planned to commence construction: 10/04/2016 Size of disturbed area during construction in acres: 12.00
 Estimated date that interim reclamation will begin: 05/04/2017 Size of location after interim reclamation in acres: 5.40
 Estimated post-construction ground elevation: 4985

DRILLING PROGRAM

Will a closed loop system be used for drilling fluids: _____

Is H₂S anticipated? _____

Will salt sections be encountered during drilling: _____

Will salt based mud (>15,000 ppm Cl) be used? _____

Will oil based drilling fluids be used? _____

DRILLING WASTE MANAGEMENT PROGRAM

Drilling Fluids Disposal: _____ Drilling Fluids Disposal Method: _____

Cutting Disposal: _____ Cuttings Disposal Method: _____

Other Disposal Description:

Production Facility Location Only

Beneficial reuse or land application plan submitted? Yes

Reuse Facility ID: _____ or Document Number: _____

Centralized E&P Waste Management Facility ID, if applicable: 149021

SURFACE & MINERALS & RIGHT TO CONSTRUCT

Name: Anadarko E&P Onshore LLC Phone: 720.929.6671

Address: 1099 18th Street Fax: _____

Address: _____ Email: _____

City: Denver State: CO Zip: 80202

Surface Owner: Fee State Federal Indian

Check all that apply. The Surface Owner: is the mineral owner

is committed to an oil and Gas Lease

has signed the Oil and Gas Lease

is the applicant

The Mineral Owner beneath this Oil and Gas Location is: Fee State Federal Indian

The Minerals beneath this Oil and Gas Location will be developed from or produced to this Oil and Gas Location: Yes

The right to construct this Oil and Gas Location is granted by: applicant is owner

Surface damage assurance if no agreement is in place: _____ Surface Surety ID: _____

Date of Rule 306 surface owner consultation 08/28/2015

CURRENT AND FUTURE LAND USE

Current Land Use (Check all that apply):

Crop Land: Irrigated Dry land Improved Pasture Hay Meadow CRP

Non-Crop Land: Rangeland Timber Recreational Other (describe): _____

Subdivided: Industrial Commercial Residential

Future Land Use (Check all that apply):

Crop Land: Irrigated Dry land Improved Pasture Hay Meadow CRP

Non-Crop Land: Rangeland Timber Recreational Other (describe): _____

Subdivided: Industrial Commercial Residential

CULTURAL DISTANCE INFORMATION

Provide the distance to the nearest cultural feature as measured from Wells or Production Facilities onsite.

	From WELL	From PRODUCTION FACILITY
Building:	772 Feet	482 Feet
Building Unit:	966 Feet	663 Feet
High Occupancy Building Unit:	5280 Feet	5280 Feet
Designated Outside Activity Area:	5280 Feet	5280 Feet
Public Road:	1398 Feet	1066 Feet
Above Ground Utility:	944 Feet	662 Feet
Railroad:	5280 Feet	5280 Feet
Property Line:	97 Feet	50 Feet

INSTRUCTIONS:

- All measurements shall be provided from center of nearest Well or edge of nearest Production Facility to nearest of each cultural feature as described in Rule 303.b.(3)A.
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit, High Occupancy Building Unit, and Designated Outside Activity Area - as defined in 100-Series Rules.
- For measurement purposes only, Production Facilities should only include those items with an asterisk(*) on the Facilities Tab.

DESIGNATED SETBACK LOCATION INFORMATION

Check all that apply. This location is within a: Buffer Zone
 Exception Zone
 Urban Mitigation Area

- Buffer Zone - as described in Rule 604.a.(2), within 1,000' of a Building Unit.
- Exception Zone - as described in Rule 604.a.(1), within 500' of a Building Unit.
- Urban Mitigation Area - as defined in 100-Series Rules.

Pre-application Notifications (required if location is within 1,000 feet of a building unit):

Date of Rule 305.a.(1) Urban Mitigation Area Notification to Local Government: _____
 Date of Rule 305.a.(2) Buffer Zone Notification to Building Unit Owners: 07/23/2015

FOR MULTI-WELL PADS AND PRODUCTION FACILITIES WITHIN DESIGNATED SETBACK LOCATIONS ONLY:

- Check this box if this Oil and Gas Location has or will have Production Facilities that serve multiple wells (on or offsite) and the Production Facilities are proposed to be located less than 1,000 feet from a Building Unit. *(Pursuant to Rule 604.c.(2)E.i., the operator must evaluate alternative locations for the Production Facilities that are farther from the Building Unit, and determine whether those alternative locations were technically feasible and economically practicable for the same proposed development.)*
- By checking this box, I certify that no alternative placements for the Production Facilities, farther from the nearest Building Unit, were available based on the analysis conducted pursuant to Rule 604.c.(2)E.i.

In the space below, explain rationale for siting the multi-well Production Facility(ies) that supports your Rule 604.c.(2)E.i determination. Attach documentation that supports your determination to this Form 2A.

The proposed location was chosen to expand and consolidate the existing production facility at this location to minimize additional surface disturbance.
 A central location was chosen to accommodate numerous wells to decrease traffic flow through property owned by the O'Connell property.
 The proposed location assisted in the avoidance of underground infrastructure currently owned and operated by KP Kauffman.
 County Road 6 setback requirements limited production facility placement on the property.
 The Chosen location provided the least amount of impact to irrigation.

SOIL

List all soil map units that occur within the proposed location. attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.org/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 47—Olney fine sandy loam, 1 to 3 percent slopes
 NRCS Map Unit Name: 48—Olney fine sandy loam, 3 to 5 percent slopes
 NRCS Map Unit Name: _____

PLANT COMMUNITY:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes No

Plant species from: NRCS or, field observation Date of observation: _____

List individual species:

Check all plant communities that exist in the disturbed area.

- Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)
- Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)
- Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)
- Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)
- Mountain Riparian (Cottonwood, Willow, Blue Spruce)
- Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)
- Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)
- Alpine (above timberline)
- Other (describe): _____

WATER RESOURCES

Is this a sensitive area: No Yes

Distance to nearest

downgradient surface water feature: 0 Feet

water well: 183 Feet

Estimated depth to ground water at Oil and Gas Location 19 Feet

Basis for depth to groundwater and sensitive area determination:

Ditch: 0' Elev: 4984'
Ditch: 0' Elev: 4983'
Creek: 150' NW Elev: 4958'
Ditch: 470' SSE Elev: 4992'
Ditch: 528' N Elev: 4960'
Pond: 792' SE Elev: 4988'
Ditch: 931' ESE Elev: 4987'
Loc Elev: 4985'
Nearest water wells:
183' E, Permit 30741-, depth 31', Static Water Level 14', Elev 4980'
Sensitive Area Determination: SENSITIVE AREA, downgradient surface water feature within 1,000' AND depth to groundwater less than 20'.

Static Water Level Calculation
(SWL calc: (4985 - 4980) + 14 = 19)

Is the location in a riparian area: No Yes

Was an Army Corps of Engineers Section 404 permit filed No Yes If yes attach permit.

Is the location within a Rule 317B Surface Water Supply Area buffer No zone:

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: _____

Is the Location within a Floodplain? No Yes Floodplain Data Sources Reviewed (check all that apply)

Federal (FEMA)

State

County

Local

Other _____

GROUNDWATER BASELINE SAMPLING AND MONITORING AND WATER WELL SAMPLING

Water well sampling required per Rule 318A

DESIGNATED SETBACK LOCATION EXCEPTIONS

Check all that apply:

- Rule 604.a.(1)A. Exception Zone (within 500' of Building Unit)
- Rule 604.b.(1)A. Exception Location (existing or approved Oil & Gas Location now within a Designated Setback as a result of Rule 604.a.)
- Rule 604.b.(1)B. Exception Location (existing or approved Oil & Gas Location is within a Designated Setback due to Building Unit construction after Location approval)
- Rule 604.b.(2) Exception Location (SUA or site-specific development plan executed on or before August 1, 2013)
- Rule 604.b.(3) Exception Location (Building Units constructed after August 1, 2013 within setback per an SUA or site-specific development plan)

RULE 502.b VARIANCE REQUEST

Rule 502.b. Variance Request from COGCC Rule or Spacing Order Number _____

ALL exceptions and variances require attached Request Letter(s). Refer to applicable rule for additional required attachments (e.g. waivers, certifications, SUAs).

OPERATOR COMMENTS AND SUBMITTAL

Comments

Existing well Dorothy Sebold Unit 1 (Location ID 317990) is a planned Plug and Abandoned well. PA will be conducted prior to construction.

The existing production facility at this location will be removed.

Pipelines: Buried pipelines will be utilized to gather the gas and oil product from the location (3 gas pipelines, 1 oil pipeline). Both gas and oil pipelines will be constructed from steel of suitable wall thickness and material grade to meet the respective gathering systems design pressure. Gas pipelines will range in diameter from 4" to 20"; oil pipelines from 4" to 12". Capacity of pipelines will vary based on diameter. Pipelines will begin at the location and terminate at larger trunk lines in the area. Temporary above ground polyethylene water pipelines (diameter 10" – 12" with a 60 BPM capacity) will deliver water to location operations from larger trunk lines.

Flow Lines: 35 flow lines will flow to the production facility location. During production, flow direction in the flow lines is from the well head to the production facility. The size of flow lines is typically 2". Flow lines will be constructed from steel pipe, buried, and will equal the distance between the well heads and the tank battery, approximately 8300' (combined locations).

35 fuel gas supply lines will also be installed from the well head to the production facility. During operation flow direction in the supply lines will be from the production facility to the well head. The size of the supply lines is typically 1". Supply lines will be constructed from poly or steel pipe, buried, and will equal the distance between the well heads and the tank battery, approximately 8300' (combined locations).

Gas lift lines are also occasionally installed (one per well) from the well head to the production facility. During operation flow direction in the gas lift lines will be from the production facility to the well head. The size of the gas lift lines is typically 2". Gas lift lines will be constructed from steel pipe, buried, and will equal the distance between the well heads and the tank battery, approximately 8300' (combined locations).

CUSTODY TRANSFER: Gas custody transfer occurs at the custody transfer meter located on the proposed production facility pad. Oil custody transfer occurs at the LACT Unit located on the proposed production facility pad. Oil is transferred from the LACT Unit into a pipeline owned by Anadarko Wattenberg Oil Complex LLC.

- The facility build will be moved up and tentative construction is set for October 2016 – March 2017 (not in wedding season)
- KMG is committed to source noise mitigation on the separators (not including the bulk separators)
- Our Stakeholder Relations group will work directly with the wedding venue and impacted homes on visual mitigation
- Completions activity is currently scheduled for May 2017 – August 2017
 - o With full wraps the sound models predict operations would be under the COGCC noise thresholds
 - o Our CMP department is also looking into the option and availability of securing a "quiet" fleet in this area

This 2A is amending location 317990. A current well and a well at location 319229 currently produce to existing production equipment on the location. The two existing wells producing to the current production are holding the lease and will not be P&A or production equipment removed until new wells are drilled and new production is in place. When the new wells and production are complete, Kerr-McGee will P&A the wells at location 317990 and 319229 and remove the existing production via a Form 4 Sundry and comply with COGCC requirements.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: _____ Date: 01/14/2016 Email: DJREGULATORY@ANADARKO.COM

Print Name: CRAIG RICHARDSON Title: REGULATORY ANALYST II

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved:  _____ Director of COGCC Date: 9/9/2016

Conditions Of Approval

All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.

COA Type

Description

--	--

Best Management Practices

No BMP/COA Type

Description

1	Planning	604c.(2).R. Tank Specifications: A geosynthetic liner will be laid under the tanks on this location and a metal containment will be constructed. Storage tanks will be designed, constructed and maintained in accordance with National Fire Protection Association (NFPA) Code 30 (2008 version). KMG will maintain written records to verify proper design, construction and maintenance. All records will be available for inspection by the Director.
2	Planning	604c.(2).S. Access Roads: KMG will utilize a lease access road from CR 6 for drilling and production operations and maintenance equipment. The road will be properly constructed and maintained to accommodate for local emergency vehicle access.
3	Community Outreach and Notification	305.a.(2) A Notice of Intent to Conduct Operations was sent to each building unit owner within the Exception Zone or Buffer Zone Setback. Recipients did not contact KMG. As a part of planning this proposed location, Kerr-McGee held multi-disciplinary Surface Impact Planning Meetings regarding the impacts and mitigations associated with this proposed location. The toll-free hotline number and email for the Anadarko Colorado Response Line will be posted at the entrance to the lease access road for stakeholders during drilling and completion operations at this proposed location. Courtesy Notifications will be sent to impacted stakeholders prior to drilling operations and again prior to completions operations, providing contact information for the Anadarko Colorado Response Line and online resources.
4	Traffic control	604c.(2).D. Traffic Plan: If required by the local government, a traffic plan will be coordinated with the local jurisdiction prior to commencement of operations.
5	General Housekeeping	604c.(2).P. Removal of Surface Trash: A commercial size trash bin for removing debris will be located on site. This bin will be for use by all parties affiliated with the operation.
6	Storm Water/Erosion Control	604c.(2).G. Berm Construction: Kerr-McGee will create tertiary containment by construction of a berm or diversion dike, site grading, or other comparable measures sufficient to further protect the: Creek: 150' NW Elev: 4958' Ditch: 470' SSE Elev: 4992' Ditch: 528' N Elev: 4960' Ditch: 0' Elev: 4984' Ditch: 0' Elev: 4983'
7	Storm Water/Erosion Control	604c.(2).W. Site-Specific Measures: KMG maintains a Storm Water Management Plan that assesses erosion control for every KMG operated location. This location will be added to this plan once construction begins. This site will be inspected every fourteen (14) days during construction activities, every twenty-eight (28) days after construction is completed, and after any major weather event.
8	Material Handling and Spill Prevention	604c.(2).F. Leak Detection Plan: Automation technology will be utilized at this facility. This technology includes the use of fluid level monitoring for the tanks and produced water sumps, high-level shut offs, and electronic sensors to monitor the interstitial space of double-walled produced water sumps. All automation is monitored by Kerr-McGee's Integrated Operations Center (IOC), which is manned 24 hours per day, 7 days per week.

9	Material Handling and Spill Prevention	604c.(2).N. Control of Fire Hazards: KMG and its contractors will employ best management practices during the drilling and production of its wells and facilities and will comply with appropriate COGCC rules concerning safety and fire. KMG will ensure that any material that might be deemed a fire hazard will remain no less than twenty-five (25) feet from the wellhead(s), tanks and separator(s).
10	Dust control	805.c. Dust: Water will be placed on dirt access roads to mitigate dust as needed. If feasible, magnesium chloride will also be used as needed on access roads to further abate dust.
11	Construction	803. Lighting: The only lighting at this facility will be on the Lact Unit. There is also a red beacon light on the top and it would only be on or flashing if an alarm goes off in the building indicating that it is not safe to enter. Construction will only occur during daylight hours.
12	Construction	604c.(2).G. Berm Construction: A geosynthetic liner will be laid under the tanks on this location and a metal containment will be constructed. Berms or other secondary containment devices will be constructed around crude oil, condensate, and produced water storage tanks and shall enclose an area sufficient to contain and provide secondary containment for 150% of the largest single tank.
13	Noise mitigation	604c.(2).A. Noise: Hay bales will be placed around the location at a minimum to dampen noise during construction and operations. A thorough sound review will be conducted prior to construction of this production facility and any additional mitigation measures deemed necessary at that time will be incorporated into the design.
14	Noise mitigation	With full wraps the sound models predict operations would be under the COGCC noise thresholds KMG is committed to source noise mitigation on the separators (not including the bulk separators)
15	Drilling/Completion Operations	604c.(2).K. Pit Level Indicators: All storage tanks used for active drilling operations (used in lieu of pits) contain pit level monitors with Electronic Drilling Recorders (EDR). KMG uses EDRs with pit level monitor(s) and alarm(s) for production rigs. Basic level gauges are used on tanks utilized for the surface rig.

Total: 15 comment(s)

Attachment Check List

<u>Att Doc Num</u>	<u>Name</u>
1668974	SITING RATIONALE
1668997	CORRESPONDENCE
1668998	CORRESPONDENCE
1668999	FACILITY LAYOUT DRAWING
2315989	CORRESPONDENCE
400890993	FORM 2A SUBMITTED
400970113	ACCESS ROAD MAP
400970120	NRCS MAP UNIT DESC
400970125	OTHER
400970556	LOCATION DRAWING
400970632	HYDROLOGY MAP
400971134	WASTE MANAGEMENT PLAN
400971196	LOCATION PICTURES

Total Attach: 13 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Final Review Completed.	8/30/2016 2:49:27 PM
OGLA	LGD commented on Weld county requirements. Operator addressed public concerns. OGLA review complete, OGLA task passed.	8/24/2016 4:13:46 PM

OGLA	Contact Operator regarding cultural distances from the well and add well and existing production to the facility layout drawing. Replaced facility drawing and added well distances based on email from the Operator see correspondence doc no 2315989.	8/23/2016 9:53:22 AM
OGLA	Spoke with Operator and added correspondence regarding facilities. This is an amended 2A currently with 1 well, 1 oil tank, 1 separator, and 1 water tank on site. Location 319229 is a single well which also produces to the current location. Location 317990 and 319229 currently hold the lease for the area. The two wells and current production equipment will be P&A and removed when new wells are drilled and new production equipment is in place. Final equipment for this location (317990) will be 41 separators, 3 condensate tanks, 8 water tanks, 3 VOC combustors, 8 VRUs, and 6 LACT Units.	8/22/2016 11:11:01 AM
OGLA	Based on the information provided by the Operator, COGCC has determined that this proposed Oil and Gas Location meets the requirements for conditional approval based on compliance with COGCC Rules, including, but not limited to; Rule 604 Series Setback and Mitigation Measures. The Operator has presented a siting rationale for the Production Facilities in the Buffer Zone and Best Management Practices that adequately address site specific environmental, health, safety and welfare concerns.	8/16/2016 3:24:18 PM
OGLA	Operator provided updated Facility Layout Drawing and lighting BMP. Pictures of lighting on the lack unit were provided with a safety light facing downwards over the door and a red light ontop of the building for alarms. According to Operator, straw bales will be in place during construction and operations.	8/16/2016 11:33:28 AM
OGLA	Operator send email to replace facility layout drawing and reduce separators by one for a total of 41 and add 8 temporary VRUs. Added VRU under "other" as temporary. Facility layout drawing page 4 has 8 separators but the count was not updated so says (9 separators).	8/15/2016 2:20:44 PM
OGLA	Operator sent email regarding negotiations for neighbors concerns regarding noise and timing. Updated construction time and BMP on noise and added comment under Operator comment section.	7/22/2016 9:58:53 AM
Permit	Permitting Review Complete.	7/15/2016 11:14:05 AM
OGLA	Email Operator regarding siting rationale for the property to the east to move the location out of the exception zone. - sent reply on 6/21 regarding future plans as the reason - continue analysis.	6/20/2016 5:26:19 PM
OGLA	Received siting rationale from the Operator via email - attached. This included noise mitigation and that the Operator is continuing to work with the nearby land owner who had concerns. Moved back to IN PROCESS	6/17/2016 10:38:56 AM
OGLA	Spoke with Operator via phone that they are working with the surface owner and evaluating all potential locations for production. Requesting to leave on hold.	3/21/2016 1:47:58 PM
LGD	This proposed oil and gas facility is located in unincorporated Weld County. As of today's date February 10, 2016, the Weld County Oil and Gas Liaison/LGD has not been contacted by any nearby resident(s) regarding this proposed location. The County will respond to any nearby residents who have legitimate concerns or issues regarding a proposed location and attempt to facilitate a solution with the operator. Oil and Gas Exploration and Production activities are currently considered a Use by Right in the Agricultural Zoned District and no land use permitting is required by the County. A building permit is required for the production facilities (tank battery, separators, and pump jacks) from the Department of Planning Services. A new or expanded access from a county road or the use of a right-of-way requires a permit from the Department of Public Works. Troy Swain, Weld Oil and Gas Liaison and LGD (970) 353-6100, ext. 3579.	2/10/2016 3:48:20 PM
OGLA	Spoke with Operator on the phone - they received comments from OGLA letter and now trying to work with person. Requested move permit to On Hold during negotiations.	2/3/2016 9:51:33 AM

OGLA	OGLA review - need more siting rationale. Access road is off CR 21 not CR 6 - need clarification between comments and access road map. No cuttings as production only facility.	1/28/2016 1:38:11 PM
Permit	Passed completeness.	1/22/2016 9:36:49 AM
OGLA	Resubmitted 2A passed Buffer Zone completeness	1/22/2016 9:15:55 AM
OGLA	Buffer Zone completeness review. Facility Layout Drawing - labeled "Location Drawing" in attachments does not depict all Oil and Gas Facilities listed in the Facilities Section of the Form 2A. Notified Operator - push to DRAFT	1/22/2016 8:36:02 AM
Permit	Referred to OGLA supervisor for buffer zone review.	1/14/2016 1:48:18 PM

Total: 19 comment(s)