

**From:** [Craig Burger - DNR](#)  
**To:** "[Vicki Schoeber](#)"; [David Andrews - DNR](#)  
**Subject:** RE: CBL Deferment Request - RU 322-7  
**Date:** Friday, September 09, 2016 3:58:00 PM

---

Vicki,  
 TEP can defer running the CBL on this well.

Craig Burger, P.E.  
 Northwest Area Engineer



P 970.625.2497 Ext.2 | F 970.625.5682 | C 970-319-4194  
 796 Megan Ave., Suite 201, Rifle, CO 81650  
[craig.burger@state.co.us](mailto:craig.burger@state.co.us) | [www.colorado.gov/cogcc](http://www.colorado.gov/cogcc)

---

**From:** Vicki Schoeber [mailto:VSchoeber@terraep.com]  
**Sent:** Friday, September 09, 2016 3:10 PM  
**To:** Burger Craig - COGCC (craig.burger@state.co.us); Andrews - DNR, Dave  
**Subject:** CBL Deferment Request - RU 322-7

Craig, Dave:

TEP Rocky Mountain LLC is requesting a CBL deferment on the Youberg fee RU 322-7 located in Section 7, T7S-R93W. Attached is a temperature survey that was performed after cementing the 4 ½" production casing on the subject well.

Information pertaining to the request is as follows:

Well:	Fee RU 323-7
API:	05-045-23132
Location:	Section 7 T 7S-R93W
Surface Csg:	9 5/8" set and cemented at 1,175'
Production Csg Cement Date:	4 ½" @ 9,472' – cemented 09/08/16
Cement:	1110 sks
Cement top from survey:	4,400' Estimated
Estimated top of gas:	7,266' Estimated
Estimated Top Perf:	7,200' Estimated
Temp Survey:	09/09/16 Attached
Volume to fill annular:	Hole remained full following cementing operations

Please let me know if you need additional information to approve this deferment. After deferment is received, TEP will continue to monitor the Bradenhead pressure until the CBL has been performed and notify if pressure exceeds 150 psig.

09/08/2016	23:00	6 HR	0 BBL	0 PSI - Completed
09/09/2016	05:00	12 HR	0 BBL	0 PSI - Completed

09/09/2016	17:00	24 HR	0 BBL	0 PSI - Completed
09/10/2016	05:00	36 HR	0 BBL	0 PSI
09/10/2016	17:00	48 HR	0 BBL	0 PSI
09/11/2016	17:00	72 HR	0 BBL	0 PSI

Thank you.

Vicki Schoeber

Regulatory Specialist

TEP Rocky Mountain LLC

1058 CR 215, Parachute CO 81635

970.263.2721 – office

970.319.9103 – mobile

[vschoeber@terraep.com](mailto:vschoeber@terraep.com)

