

**From:** [Craig Burger - DNR](#)  
**To:** "[Vicki Schoeber](#)"; [David Andrews - DNR](#)  
**Subject:** RE: RU 31-7 CBL Deferment Request  
**Date:** Wednesday, October 05, 2016 1:07:00 PM

Vicki,  
 TEP can defer running the CBL on this well.

Craig Burger, P.E.  
 Northwest Area Engineer



P 970.625.2497 Ext.2 | F 970.625.5682 | C 970-319-4194  
 796 Megan Ave., Suite 201, Rifle, CO 81650  
[craig.burger@state.co.us](mailto:craig.burger@state.co.us) | [www.colorado.gov/cogcc](http://www.colorado.gov/cogcc)

**From:** Vicki Schoeber [mailto:VSchoeber@terraep.com]  
**Sent:** Wednesday, October 05, 2016 11:19 AM  
**To:** Burger Craig - COGCC (craig.burger@state.co.us); Andrews - DNR, Dave  
**Subject:** RU 31-7 CBL Deferment Request

Craig, Dave:

TEP Rocky Mountain LLC is requesting a CBL deferment on the Youberg RU 31-7 well located in Section 7, T7S-R93W. Attached is a temperature survey that was performed after cementing the 4 ½" production casing on the subject well.

Information pertaining to the request is as follows:

Well:	Fee RU 31-7
API:	05-045-23130
Location:	Section 7 T 7S-R93W
Surface Csg:	9 5/8" set and cemented at 1,164'
Production Csg Cement Date:	4 ½" @ 9,927' – cemented 10/03/16
Cement:	1120 sks
Cement top from survey:	3,770' Estimated
Estimated top of gas:	7,266' Estimated
Estimated Top Perf:	7,200' Estimated
Temp Survey:	10/03/16 Attached
Volume to fill annular:	Hole remained full following cementing operations

Please let me know if you need additional information to approve this deferment. After deferment is received, TEP will continue to monitor the Bradenhead pressure until the CBL has been performed and notify if pressure exceeds 150 psig.

10/04/2016	01:00	6 HR	0 BBL	0 PSI - Completed
10/04/2016	07:00	12 HR	0 BBL	0 PSI - Completed

10/04/2016	19:00	24 HR	0 BBL	0 PSI - Completed
10/05/2016	01:00	36 HR	0 BBL	0 PSI
10/05/2016	19:00	48 HR	0 BBL	0 PSI
10/06/2016	01:00	72 HR	0 BBL	0 PSI

Thank you.

Vicki Schoeber  
Regulatory Specialist  
TEP Rocky Mountain LLC  
1058 CR 215, Parachute CO 81635  
970.263.2721 – office  
970.319.9103 – mobile  
[vschoeber@terraep.com](mailto:vschoeber@terraep.com)

