



FILING NO.		HBC-81045		
COMPANY		CHAMPLIN PETROLEUM CORP.		
WELL		#2 CHAMPLIN 32-10 (1-68)		
FIELD		SPINDLE		
COUNTY		WELD		
STATE		COLORADO		
LOCATION:		SW 1/4 OF NW 1/4		
OTHER SERVICES:				
PERMANENT DATUM		SEC. 10	TWP. 1N	RGE. 68W
LOG MEASURED FROM		GL	ELEV. 5078'	ELEVATIONS: KB. 5088' DF. 5078'
DRILLING MEASURED FROM		KB		
DATE		5-21-76		
RUN NO.		ONE		
TYPE LOG		BOND CEMENT		
DEPTH-DRILLER		5330'		
DEPTH-LOGGER		5250'		
BOTTOM LOGGED INTERVAL		4200'		
TOP LOGGED INTERVAL		3860'		
TYPE FLUID IN HOLE		WATER		
SALINITY PPM CL.				
DENSITY LB./GAL.				
LEVEL		FULL		
MAX. REC. TEMP. DEG. F.				
OPR. RIG TIME				
RECORDED BY		BOTTON		
WITNESSED BY		MR. COOPER		
RUN NO.		BORE HOLE RECORD		
BIT		FROM TO SIZE WGT. FROM TO		
1		8-5/8" 0 615'		
		5-1/2" 0 TD		

FOLD HERE THIS HEADING AND LOG CONFORMS TO API RECOMMENDED STANDARD PRACTICE RP-33 (P)

LOGGING AND EQUIPMENT DATA (BOND CEMENT LOG)			
DATE RECORDED	5-21-76	TOOL MODEL NO.	BCF-3.5-E
TIME STARTED		DIAMETER	3.5" x 1.75"
TIME FINISHED		LENGTH	17' (4' SPACING)
LOGGED INTERVAL	4200'-3860'		
LOGGED CEMENT TOP			

CEMENTING DATA				
DATE AND HOUR SET	1	2	SQUEEZE NO. 1	SQUEEZE NO. 2
SETTING TIME (HRS.)				
TYPE CEMENT				
SACKS USED				
PRECEDING FLUID				
% ADDITIVE				
% RETARDER				
SLURRY WEIGHT				
BREAKDOWN PRESSURE				
SURFACE MAX. PRESS.				
BOTTOM MAX. PRESS.				

GAMMA RAY			NEUTRON		
RUN NO.			RUN NO.		
TOOL MODEL NO.			LOG TYPE		
DIAM.			TOOL MODEL NO.		
DETECT. MODEL NO.			DIAM.		
TYPE			DETECT. MODEL NO.		
LENGTH			TYPE		
DIST. TO N. SOURCE			LENGTH		
			SOURCE MODEL NO.		
GENERAL			SERIAL NO.		
HOIST TRUCK NO.	1994		SPACING		
INST. TRUCK NO.	1994		TYPE		
TOOL SERIAL NO.			STRENGTH		
LOG TICKET NO.	110584				

LOG TICKET NO.			110584			LOGGING DATA					
GENERAL				GAMMA RAY				NEUTRON			
RUN NO.	DEPTHS		SPEED FT./MIN.	T. C. SEC.	SENS. SETTINGS	ZERO DIV. L. OR R.	API GR. UNITS PER LOG DIV.	T. C. SEC.	SENS. SETTINGS	ZERO DIV. L. OR R.	API N. UNITS PER LOG DIV.
	FROM	TO									
1	4200'	3860'	30								

REMARKS:

