

STATE OF COLORADO

John W. Hickenlooper, Governor
Larry Wolk, MD, MSPH
Executive Director and Chief Medical Officer

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S.
Denver, Colorado 80246-1530
Phone (303) 692-2000
Located in Glendale, Colorado
www.colorado.gov/cdphe



Colorado Department
of Public Health
and Environment

August 11, 2016

Robert Koehler
Underground Injection Control Lead
Colorado Oil and Conservation Commission
1120 Lincoln Street
Denver, CO 80203

Dear Dr. Koehler,

The Water Quality Control Division ("Division") of the Colorado Department of Public Health and Environment ("CDPHE") has reviewed the request for an aquifer exemption for the Windy Hill Operations, LLC, Windy Hill #31-7D well, listed below, as submitted to the Colorado Oil and Gas Conservation Commission ("COGCC").

Operator: Windy Hill Operations, LLC
Well: Windy Hill #31-7D
County: Morgan
API: 05-087-08145

The Division has no comments on this proposed injection well, and concurs with the comments provided by the U.S. EPA on Jul 27, 2016. The Division concurs with the proposed aquifer exemption.

Whereas this proposed injection well is consistent with COGCC rules and regulations, water quality classifications and standards for groundwater are adopted by the Colorado Water Quality Control Commission ("WQCC"), a citizen body of the CDPHE. When the time is appropriate, the Division expects the applicant or COGCC to memorialize this aquifer exemption within the WQCC's Regulation No. 42 (Site-Specific Water Quality Classifications and Standards for Ground Water, 5 CCR 1002-42).

Sincerely,

Andrew M. Ross
Senior Water Quality Scientist
Water Quality Control Division