

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <div>401147575</div>			
Date Received: <div>11/10/2016</div>			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 10459	Contact Name Kristi McRedmond	<div>Complete the Attachment Checklist</div> <div>OP OGCC</div>
Name of Operator: EXTRACTION OIL & GAS LLC	Phone: (303) 928-7128	
Address: 370 17TH STREET SUITE 5300	Fax: (303) 218-5678	
City: DENVER State: CO Zip: 80202 Email: kmcredmond@petro-fs.com		
API Number : 05- 123 43504 00 OGCC Facility ID Number: 447408 Well/Facility Name: TC COUNTRY CLUB WEST Well/Facility Number: C1-9-11 Location QtrQtr: SENE Section: 8 Township: 5N Range: 66W Meridian: 6 County: WELD Field Name: WATTENBERG Federal, Indian or State Lease Number:		<div>Survey Plat</div> <div>Directional Survey</div> <div>Srhc Eqpmt Diagram</div> <div>Technical Info Page</div> <div>Other</div>

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☒ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4):There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☐ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.

Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

Number of Water Source Exceptions requested per Rule 609.c.

Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling. **The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

Submitting a Form 4 Sundry based on the fact that there are no wells that we can sample do to both no permission from landowner and water well not functional.

See attached spreadsheet:

Water Well #9990 - Spoke with landowner and he informed us that there was no functioning water well to sample on the property.

Water Well #78886-F - Sent a certified letter and did not get a response from landowner.

Water Well #3641 - Sent a certified letter and did not get a response from landowner.

Water Well #14190-R - Spoke with landowner and he informed us that there was no functioning water well to sample on the property.

Water Well #70935 - Spoke with landowner and he informed us that there was no functioning water well to sample on the property.

Water Well #13848 - Sent a certified letter and did not get a response from landowner.

No available water wells to sample.

Please forward to Arthur Koepsell.

Operator Comments:

Please forward to Arthur Koepsell.
This sundry applies to the Triple Creek Pad located in 5N66W8.
The well API #'s associated with this sundry are:
TC COUNTRY CLUB WEST # C1-9-11 - 05-123-43504
TC COUNTRY CLUB WEST # 4-9-11 - 05-123-43505
TC COUNTRY CLUB WEST # 3-9-11 - 05-123-43506
TC COUNTRY CLUB WEST # 1-9-11 - 05-123-43507
TC COUNTRY CLUB WEST # 5-9-11 - 05-123-43508
TC COUNTRY CLUB WEST # C2-9-11 - 05-123-43509
TC COUNTRY CLUB WEST # C3-9-11 - 05-123-43510
TC COUNTRY CLUB WEST # 2-9-11 - 05-123-43511
TC HILAND KNOLLS # 1-9-11 - 05-123-43512
TC HILAND KNOLLS # C7-9-11 - 05-123-43513
TC HILAND KNOLLS # 4-9-11 - 05-123-43514
TC HILAND KNOLLS # C6-9-11 - 05-123-43515
TC HILAND KNOLLS # 3-9-11 - 05-123-43516
TC HILAND KNOLLS # 2-9-11 - 05-123-43517
TC MOISER HILL # 3-9-11 - 05-123-43742
TC AIMS # C4-9-11 - 05-123-43743
TC AIMS # C5-9-11 - 05-123-43744
TC AIMS # 1-9-11 - 05-123-43745
TC AIMS # 3-9-11 - 05-123-43746
TC AIMS # 2-9-11 - 05-123-43747
TC MOISER HILL # 2-9-11 - 05-123-43748
TC AIMS # 4-9-11 - 05-123-43749

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Kristi McRedmond
Title: Environmental Scientist Email: kmcredmond@petro-fs.com Date: 11/10/2016

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 11/14/2016

CONDITIONS OF APPROVAL, IF ANY:**COA Type****Description**

--	--

General Comments**User Group****Comment****Comment Date**

Environmental Data	A review of information available on COGIS maps indicates that there is no water feature that meets the 100 series definition of a water source within any quarter section in 1/2 mile of the oil/gas well(s) that was not been addressed by the operator.	11/14/2016
--------------------	--	------------

Total: 1 comment(s)

Attachment Check List**Att Doc Num****Name**

401147575	SUNDRY NOTICE APPROVED-GW
401147629	OTHER
401149285	FORM 4 SUBMITTED

Total Attach: 3 Files