

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: 401147918			
Date Received: 11/14/2016			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: <u>10611</u>	Contact Name <u>David Clarkson</u>
Name of Operator: <u>LONGS PEAK RESOURCES LLC</u>	Phone: <u>(214) 534-9569</u>
Address: <u>2323 S SHEPHERD SUITE 1150</u>	Fax: <u>()</u>
City: <u>HOUSTON</u> State: <u>TX</u> Zip: <u>77019</u>	Email: <u>dclarkson@vrtxep.com</u>

Complete the Attachment
Checklist

OP OGCC

API Number : 05- <u>123</u> <u>40438</u> <u>00</u>	OGCC Facility ID Number: <u>439455</u>
Well/Facility Name: <u>Motu East</u>	Well/Facility Number: <u>28-21-16-1CH</u>
Location QtrQtr: <u>SESE</u> Section: <u>28</u> Township: <u>12N</u> Range: <u>65W</u> Meridian: <u>6</u>	
County: <u>WELD</u> Field Name: <u>WILDCAT</u>	
Federal, Indian or State Lease Number: _____	

Survey Plat		
Directional Survey		
Srvc Eqpmt Diagram		
Technical Info Page		
Other		

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☐ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4): There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a 1/2-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☒ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.
- 0 Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- 4 Number of Water Source Exceptions requested per Rule 609.c.
- 0 Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**
- 0 Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.
The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

Requesting an exception from water source testing per Rule 609c as we are not able to identify any water wells or springs within 1/2 mile of this drilling well.

Operator Comments:

Requesting a Ground Water Sampling variance as no water wells or springs can be identified within 1/2 mile of our drilling well.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: David Clarkson
Title: COO-Vertex Email: dclarkson@vrtxep.com Date: 11/14/2016

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSELL, ARTHUR Date: 11/15/2016

CONDITIONS OF APPROVAL, IF ANY:**COA Type****Description**

--	--

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Environmental Data	A review of information on COGIS Maps indicate that there are no water features within 1/2 mile of the oil and gas location the meet the 100 series definition of a water source.	11/15/2016
Environmental Data	Returned to Draft for operator correction.	11/14/2016

Total: 2 comment(s)

Attachment Check List

<u>Att Doc Num</u>	<u>Name</u>
401147918	SUNDRY NOTICE APPROVED-GW
401149600	FORM 4 SUBMITTED

Total Attach: 2 Files