

GENERAL INPUTS	
Name	Savanna Riebe
Cell Phone Number	970-714-0288
Date	11/18/2016
WELL INPUTS	
Well Name	Wildflower 37-27
API #	05-123-32154
WINS #	C5080
Gyro Date:	Needs Gyro
Surface Hole Size (in)	12.25
Prod Hole Size (in)	7.88
OH Excess Factor	60
Surface Casing (size/wt)	8-5/8", 24#
Surface Casing Shoe (ft)	854
Prod csg (size/wt)	4.5", 11.6#
Tubing OD (in)	2-3/8"
Tubing Set Depth (ft)	8404
Collar Above JSand CIBP (ft)	8336
Collar Below JSand CIBP (ft)	8380
J Sand CIBP (ft)	8350
Collar Above Nio CIBP (ft)	7582
Collar Below Nio CIBP (ft)	7626
Niobrara CIBP / BOC (ft)	7600
Niobrara TOC (ft)	7200
Niobrara Cement Vol (sx)	25
SUSX/SH BOC (ft)	4980
SUSX/SH TOC (ft)	4500
SUSX/SH Cement Vol (sx)	30
Bradenhead Issues? (Y/N)	N
Stub Plug BOC (ft)	1100
Cut Casing Depth (ft)	1000
Stub Plug TOC Form6 (ft)	804
Stub Plug TOC Calc (ft)	650
Stub Plug Cement Vol (sx)	110
GEOLOGY INPUTS	
FHM (ft)	968
Sussex Top (ft)	4704
Sussex Base (ft)	4931
Shannon Base (ft)	5338
Niobrara Top (ft)	7698
QUESTIONS?	
Who Drilled Well?	Kerr-McGee
Straight or Deviated Hole?	Deviated
Age of well (yr)	5
Any squeeze holes? (Y/N)	N
Details of Integrity Issues?	DV Tool @ 3879'
SUSX/SH Productive? (Y/N)	Y
Gyro Found (Y/N)	N
CBL Found (Y/N)	Y
Packer Downhole? (Y/N)	N
Packer Depth (ft)	7500

COLOR KEY



*If No Integrity Issues, Put "NONE"

