


API:	05-123-24037	ELEVATION:	5047	QTR-QTR:	NWNE
WELL NAME:	WRIGHT 31-21	GROUND LEVEL:	5034	SECTION:	21
COUNTY:	WELD	MD:	8438'	TWNSHIP:	1N
LATITUDE:	40.04194	PBMD:	8394'	RANGE:	67W
LONGITUDE:	-104.89397	CREATED BY:	A. CARAVAGGIO		
		DATE:	11/18/2016		



GENERAL INPUTS	
Name	Alex Caravaggio
Cell Phone Number	213-880-8119
Date	11/18/2016
WELL INPUTS	
Well Name	Wright 31-21
API #	05-123-24037
WINS #	98863
Gyro Date:	Mar 2014
Surface Hole Size (in)	12.25
Prod Hole Size (in)	7.88
OH Excess Factor	60
Surface Casing (size/wt)	8-5/8", 24#
Surface Casing Shoe (ft)	980'
Prod csg (size/wt)	4.5", 11.6#
Tubing OD (in)	2-3/8"
Tubing Set Depth (ft)	8282
Collar Above Dakota CIBP (ft)	8228
Collar Below Dakota CIBP (ft)	8268
Dakota CIBP (ft)	8250
Collar Above Nio CIBP (ft)	7278
Collar Below Nio CIBP (ft)	7320
Niobrara CIBP / BOC (ft)	7290
Niobrara TOC (ft)	6890
Niobrara Cement Vol (sx)	25
SUSX/SH BOC (ft)	4940
SUSX/SH TOC (ft)	4410
SUSX/SH Cement Vol (sx)	35
Bradenhead Issues? (Y/N)	Y
Stub Plug BOC (ft)	1560
Cut Casing Depth (ft)	1460
Stub Plug TOC Form6 (ft)	930
Stub Plug TOC Calc (ft)	780
Stub Plug Cement Vol (sx)	245
GEOLOGY INPUTS	
FHM (ft)	1354
Sussex Top (ft)	4620
Sussex Base (ft)	4882
Shannon Base (ft)	Absent
Niobrara Top (ft)	7348
QUESTIONS?	
Who Drilled Well?	United States Expl.
Straight or Deviated Hole?	Straight
Age of well (yr)	10
Any squeeze holes? (Y/N)	N
Details of Integrity Issues?	DV Tool @ 5270'
SUSX/SH Productive? (Y/N)	Y
Gyro Found (Y/N)	Y
CBL Found (Y/N)	Y
Packer Downhole? (Y/N)	N
Packer Depth (ft)	

\*If No Integrity Issues, Put "NONE"

## COLOR KEY



