


API:	05-123-19746	ELEVATION:	5000	QTR-QTR:	SESE
WELL NAME:	Rocky Mountain Fuel V 19-16JI	GROUND LEVEL:	4987	SECTION:	19
COUNTY:	WELD	MD:	8208	TWNSHIP:	2N
LATITUDE:	40.11791	PBMD:	8164	RANGE:	67W
LONGITUDE:	-104.92547	CREATED BY:	S. RIEBE		
		DATE:	11/22/2016		



**COLOR KEY**


GENERAL INPUTS	
Name	Savanna Riebe
Cell Phone Number	970-714-0288
Date	11/22/2016
WELL INPUTS	
Well Name	ky Mountain Fuel V 19-16JII
API #	05-123-19746
WINS #	58802
Gyro Date:	Nov 2014
Surface Hole Size (in)	12.25
Prod Hole Size (in)	7.88
OH Excess Factor	60
Surface Casing (size/wt)	8-5/8", 24#
Surface Casing Shoe (ft)	783
Prod csg (size/wt)	4.5", 11.6#
Tubing OD (in)	2-3/8"
Tubing Set Depth (ft)	7426
Collar Above CIBP (ft)	7320
Collar Below CIBP (ft)	7370
Niobrara CIBP / BOC (ft)	7350
Niobrara TOC (ft)	6950
Niobrara Cement Vol (sx)	25
SUSX/SH BOC (ft)	5080
SUSX/SH TOC (ft)	4260
SUSX/SH Cement Vol (sx)	50
Bradenhead Issues? (Y/N)	N
Stub Plug BOC (ft)	1270
Cut Casing Depth (ft)	1170
Stub Plug TOC Form6 (ft)	733
Stub Plug TOC Calc (ft)	585
Stub Plug Cement Vol (sx)	200
GEOLOGY INPUTS	
FHM (ft)	1070
Sussex Top (ft)	4460
Sussex Base (ft)	4645
Shannon Base (ft)	5028
Niobrara Top (ft)	7354
QUESTIONS?	
Who Drilled Well?	Noble
Straight or Deviated Hole?	Straight
Age of well (yr)	16
Any squeeze holes? (Y/N)	N
Details of Integrity Issues?	DV Tool @ 5296'
SUSX/SH Productive? (Y/N)	Y
Gyro Found (Y/N)	Y
CBL Found (Y/N)	Y
Packer Downhole? (Y/N)	N
Packer Depth (ft)	

\*If No Integrity Issues, P

ut "NONE".