


API:	05-123-17318	ELEVATION:	4971	QTR-QTR:	SENE
WELL NAME:	Sprague V 9-7	GROUND LEVEL:	4960	SECTION:	9
COUNTY:	WELD	MD:	7667	TWNSHIP:	2N
LATITUDE:	40.15463	PBMD:	7637	RANGE:	67W
LONGITUDE:	-104.89291	CREATED BY:	S.RIEBE		
		DATE:	12/2/2016		



COLOR KEY

GENERAL INPUTS	
Name	Savanna Riebe
Cell Phone Number	970-714-0288
Date	12/8/2016
WELL INPUTS	
Well Name	Sprague V 9-7
API #	05-123-17318
WINS #	H6132
Gyro Date:	Aug 2014
Surface Hole Size (in)	12.25
Prod Hole Size (in)	7.88
OH Excess Factor	60
Surface Casing (size/wt)	8-5/8", 24#
Surface Casing Shoe (ft)	613
Prod csg (size/wt)	3-1/2", 7.7#
Tubing OD (in)	2-1/16"
Tubing Set Depth (ft)	7492
Collar Above CIBP (ft)	7410
Collar Below CIBP (ft)	7440
Niobrara CIBP / BOC (ft)	7425
Niobrara TOC (ft)	6838
Niobrara Cement Vol (sx)	20
SUSX/SH BOC (ft)	5015
SUSX/SH TOC (ft)	4175
SUSX/SH Cement Vol (sx)	15
Bradenhead Issues? (Y/N)	N
Stub Plug BOC (ft)	1250
Cut Casing Depth (ft)	1150
Stub Plug TOC Form6 (ft)	563
Stub Plug TOC Calc (ft)	410
Stub Plug Cement Vol (sx)	250
GEOLOGY INPUTS	
FHM (ft)	1046
Sussex Top (ft)	4377
Sussex Base (ft)	4593
Shannon Base (ft)	4962
Niobrara Top (ft)	7238
QUESTIONS?	
Who Drilled Well?	Gerrity Oil & Gas
Straight or Deviated Hole?	Straight
Age of well (yr)	23
Any squeeze holes? (Y/N)	N
Details of Integrity Issues?	NONE
SUSX/SH Productive? (Y/N)	Y
Gyro Found (Y/N)	Y
CBL Found (Y/N)	Y
Packer Downhole? (Y/N)	N
Packer Depth (ft)	7500

*If No Integrity Issues, Put "NONE"

