

**FORM  
INSP**Rev  
X/15**State of Colorado  
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109

Inspection Date:

12/06/2016

Submitted Date:

12/06/2016

Document Number:

681901837**FIELD INSPECTION FORM**
 Loc ID 446290 Inspector Name: HELGELAND, GARY On-Site Inspection ☐ 2A Doc Num:                     
**Operator Information:**OGCC Operator Number: 10633Name of Operator: CRESTONE PEAK RESOURCES OPERATING LLCAddress: 370 17TH STREET #2170City: DENVER State: CO Zip: 80202**Status Summary:**

- ☐ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☒ NO FOLLOW UP INSPECTION REQUIRED

**Findings:**20 Number of Comments0 Number of Corrective Actions☐ Corrective Action Response Requested**Contact Information:**

Contact Name	Phone	Email	Comment
,		Cogcc.inspections@crestone pr.com	

**Inspected Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status
446281	WELL	DG	11/07/2016		123-43295	Morgan Hills 1I-7H-A168	DG
446282	WELL	DG	11/12/2016		123-43296	Morgan Hills 1E-7H-A168	DG
446283	WELL	DG	11/09/2016		123-43297	Morgan Hills 1H-7H-A168	DG
446284	WELL	DG	11/15/2016		123-43298	Morgan Hills 1A-7H-A168	DG
446285	WELL	DG	11/13/2016		123-43299	Morgan Hills 1D-7H-A168	DG
446286	WELL	DG	11/14/2016		123-43300	Morgan Hills 1C-7H-A168	DG
446287	WELL	DG	11/14/2016		123-43301	Morgan Hills 1B-7H-A168	DG
446288	WELL	DG	11/11/2016		123-43302	Morgan Hills 1G-7H-A168	DG
446289	WELL	DG	11/11/2016		123-43303	Morgan Hills 1F-7H-A168	DG

**General Comment:**

Ensign Rig #153 on location. Derrick screened for fugitive light mitigation. Sound mitigation in place. Chemicals properly stored. BOPs tested. No conditions observed that exceed COGCC rules.

Performed Optical Gas Imaging Survey. No emissions observed.

**Inspected Facilities**

Facility ID: 446281 Type: WELL API Number: 123-43295 Status: DG Insp. Status: DG

**Well Drilling**

**Rig:** Rig Name: Ensign 153 Pusher/Rig Manager: \_\_\_\_\_  
 Permit Posted: \_\_\_\_\_ Access Sign: \_\_\_\_\_

**Well Control Equipment:**

Pipe Ram: YES Blind Ram: YES Hydril Type: YES  
 Pressure Test BOP: Pass Test Pressure PSI: 5000 Safety Plan: YES

**Drill Fluids****Management:**

Lined Pit: \_\_\_\_\_ Unlined Pit: \_\_\_\_\_ Closed Loop: YES Semi-Closed Loop: \_\_\_\_\_  
 Multi-Well: YES Disposal Location: \_\_\_\_\_

**Comment:** Currently drilling API # 123-43295 to TD.

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

**BradenHead**

**Comment:** NO BRADENHEAD.

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

Facility ID: 446282 Type: WELL API Number: 123-43296 Status: DG Insp. Status: DG

**Well Drilling**

**Rig:** Rig Name: \_\_\_\_\_ Pusher/Rig Manager: \_\_\_\_\_  
 Permit Posted: \_\_\_\_\_ Access Sign: \_\_\_\_\_

**Well Control Equipment:**

Pipe Ram: \_\_\_\_\_ Blind Ram: \_\_\_\_\_ Hydril Type: \_\_\_\_\_  
 Pressure Test BOP: \_\_\_\_\_ Test Pressure PSI: \_\_\_\_\_ Safety Plan: \_\_\_\_\_

**Drill Fluids****Management:**

Lined Pit: \_\_\_\_\_ Unlined Pit: \_\_\_\_\_ Closed Loop: \_\_\_\_\_ Semi-Closed Loop: \_\_\_\_\_  
 Multi-Well: \_\_\_\_\_ Disposal Location: \_\_\_\_\_

**Comment:** Surface casing set and cemented. Ensign Rig # 153 on location to drill long strings.

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

**BradenHead**

**Comment:** NO BRADENHEAD.

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

Facility ID: 446283 Type: WELL API Number: 123-43297 Status: DG Insp. Status: DG

**Well Drilling**

**Rig:** Rig Name: \_\_\_\_\_ Pusher/Rig Manager: \_\_\_\_\_  
 Permit Posted: \_\_\_\_\_ Access Sign: \_\_\_\_\_

**Well Control Equipment:**

Pipe Ram: \_\_\_\_\_ Blind Ram: \_\_\_\_\_ Hydril Type: \_\_\_\_\_  
 Pressure Test BOP: \_\_\_\_\_ Test Pressure PSI: \_\_\_\_\_ Safety Plan: \_\_\_\_\_

**Drill Fluids  
Management:**

Lined Pit: \_\_\_\_\_ Unlined Pit: \_\_\_\_\_ Closed Loop: \_\_\_\_\_ Semi-Closed Loop: \_\_\_\_\_  
 Multi-Well: \_\_\_\_\_ Disposal Location: \_\_\_\_\_

Comment: [Surface casing set and cemented. Ensign Rig # 153 on location to drill long strings.](#)

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

**BradenHead**

Comment: [NO BRADENHEAD.](#)

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

Facility ID: 446284 Type: WELL API Number: 123-43298 Status: DG Insp. Status: DG

**Well Drilling**

**Rig:** Rig Name: \_\_\_\_\_ Pusher/Rig Manager: \_\_\_\_\_  
 Permit Posted: \_\_\_\_\_ Access Sign: \_\_\_\_\_

**Well Control Equipment:**

Pipe Ram: \_\_\_\_\_ Blind Ram: \_\_\_\_\_ Hydril Type: \_\_\_\_\_  
 Pressure Test BOP: \_\_\_\_\_ Test Pressure PSI: \_\_\_\_\_ Safety Plan: \_\_\_\_\_

**Drill Fluids  
Management:**

Lined Pit: \_\_\_\_\_ Unlined Pit: \_\_\_\_\_ Closed Loop: \_\_\_\_\_ Semi-Closed Loop: \_\_\_\_\_  
 Multi-Well: \_\_\_\_\_ Disposal Location: \_\_\_\_\_

Comment: [Surface casing set and cemented. Ensign Rig # 153 on location to drill long strings.](#)

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

**BradenHead**

Comment: [NO BRADENHEAD.](#)

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

Facility ID: 446285 Type: WELL API Number: 123-43299 Status: DG Insp. Status: DG

**Well Drilling**

**Rig:** Rig Name: \_\_\_\_\_ Pusher/Rig Manager: \_\_\_\_\_  
 Permit Posted: \_\_\_\_\_ Access Sign: \_\_\_\_\_

**Well Control Equipment:**

Pipe Ram: \_\_\_\_\_ Blind Ram: \_\_\_\_\_ Hydril Type: \_\_\_\_\_  
 Pressure Test BOP: \_\_\_\_\_ Test Pressure PSI: \_\_\_\_\_ Safety Plan: \_\_\_\_\_

**Drill Fluids  
Management:**

Lined Pit: \_\_\_\_\_ Unlined Pit: \_\_\_\_\_ Closed Loop: \_\_\_\_\_ Semi-Closed Loop: \_\_\_\_\_  
 Multi-Well: \_\_\_\_\_ Disposal Location: \_\_\_\_\_

Comment: [Surface casing set and cemented. Ensign Rig # 153 on location to drill long strings.](#)

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

**BradenHead**Comment: NO BRADENHEAD.

Corrective Action: \_\_\_\_\_

Date: \_\_\_\_\_

Facility ID: 446286 Type: WELL API Number: 123-43300 Status: DG Insp. Status: DG**Well Drilling**

**Rig:** Rig Name: \_\_\_\_\_ Pusher/Rig Manager: \_\_\_\_\_  
 Permit Posted: \_\_\_\_\_ Access Sign: \_\_\_\_\_

**Well Control Equipment:**

Pipe Ram: \_\_\_\_\_ Blind Ram: \_\_\_\_\_ Hydril Type: \_\_\_\_\_  
 Pressure Test BOP: \_\_\_\_\_ Test Pressure PSI: \_\_\_\_\_ Safety Plan: \_\_\_\_\_

**Drill Fluids Management:**

Lined Pit: \_\_\_\_\_ Unlined Pit: \_\_\_\_\_ Closed Loop: \_\_\_\_\_ Semi-Closed Loop: \_\_\_\_\_  
 Multi-Well: \_\_\_\_\_ Disposal Location: \_\_\_\_\_

Comment: Surface casing set and cemented. Ensign Rig # 153 on location to drill long strings.

Corrective Action: \_\_\_\_\_

Date: \_\_\_\_\_

**BradenHead**Comment: NO BRADENHEAD.

Corrective Action: \_\_\_\_\_

Date: \_\_\_\_\_

Facility ID: 446287 Type: WELL API Number: 123-43301 Status: DG Insp. Status: DG**Well Drilling**

**Rig:** Rig Name: \_\_\_\_\_ Pusher/Rig Manager: \_\_\_\_\_  
 Permit Posted: \_\_\_\_\_ Access Sign: \_\_\_\_\_

**Well Control Equipment:**

Pipe Ram: \_\_\_\_\_ Blind Ram: \_\_\_\_\_ Hydril Type: \_\_\_\_\_  
 Pressure Test BOP: \_\_\_\_\_ Test Pressure PSI: \_\_\_\_\_ Safety Plan: \_\_\_\_\_

**Drill Fluids Management:**

Lined Pit: \_\_\_\_\_ Unlined Pit: \_\_\_\_\_ Closed Loop: \_\_\_\_\_ Semi-Closed Loop: \_\_\_\_\_  
 Multi-Well: \_\_\_\_\_ Disposal Location: \_\_\_\_\_

Comment: Surface casing set and cemented. Ensign Rig # 153 on location to drill long strings.

Corrective Action: \_\_\_\_\_

Date: \_\_\_\_\_

**BradenHead**Comment: NO BRADENHEAD.

Corrective Action: \_\_\_\_\_

Date: \_\_\_\_\_

Facility ID: 446288 Type: WELL API Number: 123-43302 Status: DG Insp. Status: DG**Well Drilling**

**Rig:** Rig Name: \_\_\_\_\_ Pusher/Rig Manager: \_\_\_\_\_  
 Permit Posted: \_\_\_\_\_ Access Sign: \_\_\_\_\_

**Well Control Equipment:**

Pipe Ram: \_\_\_\_\_ Blind Ram: \_\_\_\_\_ Hydril Type: \_\_\_\_\_

Pressure Test BOP: \_\_\_\_\_ Test Pressure PSI: \_\_\_\_\_ Safety Plan: \_\_\_\_\_

**Drill Fluids  
Management:**

Lined Pit: \_\_\_\_\_ Unlined Pit: \_\_\_\_\_ Closed Loop: \_\_\_\_\_ Semi-Closed Loop: \_\_\_\_\_

Multi-Well: \_\_\_\_\_ Disposal Location: \_\_\_\_\_

Comment: [Surface casing set and cemented. Ensign Rig # 153 on location to drill long strings.](#)

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

**BradenHead**Comment: [NO BRADENHEAD.](#)

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

Facility ID: 446289 Type: WELL API Number: 123-43303 Status: DG Insp. Status: DG**Well Drilling****Rig:** Rig Name: \_\_\_\_\_ Pusher/Rig Manager: \_\_\_\_\_

Permit Posted: \_\_\_\_\_ Access Sign: \_\_\_\_\_

**Well Control Equipment:**

Pipe Ram: \_\_\_\_\_ Blind Ram: \_\_\_\_\_ Hydril Type: \_\_\_\_\_

Pressure Test BOP: \_\_\_\_\_ Test Pressure PSI: \_\_\_\_\_ Safety Plan: \_\_\_\_\_

**Drill Fluids  
Management:**

Lined Pit: \_\_\_\_\_ Unlined Pit: \_\_\_\_\_ Closed Loop: \_\_\_\_\_ Semi-Closed Loop: \_\_\_\_\_

Multi-Well: \_\_\_\_\_ Disposal Location: \_\_\_\_\_

Comment: [Surface casing set and cemented. Ensign Rig # 153 on location to drill long strings.](#)

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

**BradenHead**Comment: [NO BRADENHEAD.](#)

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

Reclamation - Storm Water - Pit

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Gravel	Pass	Gravel	Pass	Covering Materials	Pass	
				Material Handling And Spill Prevention	Pass	
				Vehicle Tracking	Pass	

Comment:

Corrective Action:

Date:

Pits: ☒ NO SURFACE INDICATION OF PIT

**Optical Gas Imaging Survey**Survey Type: RoutineCurrent Operations: ☐ Production ☐ Workover ☐ Flowback ☐ Referred to APCD

GPS(entrance of location): Lat: \_\_\_\_\_ Long: \_\_\_\_\_

Wind: Light Speed: 5 (mph) Direction From: west Weather: Cloudy Temperature: 28 (F)

Assisting Staff: \_\_\_\_\_ Camera #: \_\_\_\_\_

☐ Visible Smoke ☐ Referred to CDPHEComment: Performed Optical Gas Imaging Survey. No emissions observed.

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_

**Attached Documents**You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
681901837	INSPECTION APPROVED	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=4025501">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=4025501</a>
681901838	DRILLING LOCATION	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=4020597">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=4020597</a>