

## State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <div style="text-align: center; border-bottom: 1px solid black; margin: 5px 0;">401165910</div> Date Received: <div style="text-align: center; border-bottom: 1px solid black; margin: 5px 0;">12/13/2016</div>			

### SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: <u>10459</u>	Contact Name <u>Kristi McRedmond</u>
Name of Operator: <u>EXTRACTION OIL &amp; GAS LLC</u>	Phone: <u>(303) 928-7128</u>
Address: <u>370 17TH STREET SUITE 5300</u>	Fax: <u>(303) 218-5678</u>
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>	Email: <u>kmcredmond@petro-fs.com</u>

  

API Number : 05- <u>123</u> <u>43853</u> <u>00</u>	OGCC Facility ID Number: <u>448307</u>
Well/Facility Name: <u>Mickey</u>	Well/Facility Number: <u>1</u>
Location QtrQtr: <u>SWNE</u> Section: <u>5</u> Township: <u>6N</u> Range: <u>67W</u> Meridian: <u>6</u>	
County: <u>WELD</u> Field Name: <u>WATTENBERG</u>	
Federal, Indian or State Lease Number: _____	

Complete the Attachment  
Checklist

OP OGCC

Survey Plat		
Directional Survey		
Srvc Eqpmt Diagram		
Technical Info Page		
Other		

### GROUND WATER SAMPLING

#### Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

**NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.**

- ☒ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4): There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☐ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.
- \_\_\_\_\_ Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- \_\_\_\_\_ Number of Water Source Exceptions requested per Rule 609.c.
- \_\_\_\_\_ Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**
- \_\_\_\_\_ Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.
- The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

\_\_\_\_\_ Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

**COMMENTS**

Submitting a Form 4 Sundry based on the fact that there are no wells that we can sample due to no permission from landowner and no functioning wells.

Water Well #91-GX - Ken Hall - sent certified letter, received and signed for on 11/19/2016. No return letter or phone call for sampling.

Water Well #91-GX - Steve Tintes - sent certified letter, received and signed for on 11/19/2016. No return letter or phone call for sampling.

Water Well #91-GX - Cindy Coonts - spoke to landowner on the phone on 11/16/16. She informed us that there is no functioning water well to sample on her property.

Please forward to Arthur Koepsell.

**Operator Comments:**

Please forward to Arthur Koepsell.

This sundry applies to the Mickey 5-F Pad located in 6N67W5.

The associated well API #'s are:

Mickey 1 - 05-123-43853

Mickey 2 - 05-123-43850

Mickey 3 - 05-123-43852

Mickey 4 - 05-123-43851

Mickey 5 - 05-123-43855

Mickey 6 - 05-123-43849

Mickey 6-Z - 05-123-43947

Mickey 7 - 05-123-43857

Mickey 8 - 05-123-43856

Mickey 9 - 05-123-43846

Mickey 10 - 05-123-43847

Mickey 11 - 05-123-43848

Mickey 12 - 05-123-43845

Mickey 13 - 05-123-43854

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Kristi McRedmond  
Title: Environmental Scientist Email: kmcredmond@petro-fs.com Date: 12/13/2016

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 12/13/2016

**CONDITIONS OF APPROVAL, IF ANY:****COA Type****Description**

--	--

**General Comments****User Group****Comment****Comment Date**

Environmental Data	A review of information available on COGIS maps indicates that there is no water feature that meets the 100 series definition of a water source within any quarter section in 1/2 mile of the oil/gas well(s) that was not been addressed by the operator.	12/13/2016
--------------------	--	------------

Total: 1 comment(s)

**Attachment Check List****Att Doc Num****Name**

401165910	FORM 4 SUBMITTED
401165934	OTHER

Total Attach: 2 Files