


API:	05-123-21999	ELEVATION:	4872	QTR-QTR:	SE SE
WELL NAME:	Wardell 16-29	GROUND LEVEL:	4860	SECTION:	29
COUNTY:	WELD	MD:	7388	TOWNSHIP:	3N
LATITUDE:	40.19072	PBMD:	7378	RANGE:	65W
LONGITUDE:	-104.67961	CREATED BY:	S.RIEBE		
		DATE:	12/14/2016		



COLOR KEY

GENERAL INPUTS	
Name	Savanna Riebe
Cell Phone Number	970-714-0288
Date	12/14/2016
WELL INPUTS	
Well Name	Wardell 16-29
API #	05-123-21999
WINS #	76954
Gyro Date:	Mar 2004
Surface Hole Size (in)	12.25
Prod Hole Size (in)	7.88
OH Excess Factor	60
Surface Casing (size/wt)	8-5/8", 24#
Surface Casing Shoe (ft)	675
Prod csg (size/wt)	4.5", 11.6#
Tubing OD (in)	2-3/8"
Tubing Set Depth (ft)	7204
Collar Above CIBP (ft)	6838
Collar Below CIBP (ft)	6880
Niobrara CIBP / BOC (ft)	6860
Niobrara TOC (ft)	6460
Niobrara Cement Vol (sx)	25
SUSX/SH BOC (ft)	4710
SUSX/SH TOC (ft)	4190
SUSX/SH Cement Vol (sx)	30
Bradenhead Issues? (Y/N)	N
Stub Plug BOC (ft)	1365
Cut Casing Depth (ft)	1265
Stub Plug TOC Form6 (ft)	625
Stub Plug TOC Calc (ft)	475
Stub Plug Cement Vol (sx)	270
GEOLOGY INPUTS	
FHM (ft)	1164
Sussex Top (ft)	4390
Sussex Base (ft)	4658
Shannon Base (ft)	Absent
Niobrara Top (ft)	6949
QUESTIONS?	
Who Drilled Well?	Kerr McGee
Straight or Deviated Hole?	Deviated
Age of well (yr)	12
Any squeeze holes? (Y/N)	N
Details of Integrity Issues?	NONE
SUSX/SH Productive? (Y/N)	Y
Gyro Found (Y/N)	Y
CBL Found (Y/N)	Y
Packer Downhole? (Y/N)	N
Packer Depth (ft)	7500

*If No Integrity Issues, Put "NONE"

